



Kitsap Forest Natural Area Preserve Vascular Plant List

Courtesy of DNR staff. Nomenclature follows *Flora of the Pacific Northwest* 2nd Edition (2018).

* - Introduced

| Scientific Name | Common Name | Family |
|-------------------------------|--------------------------|------------------|
| <i>Abies grandis</i> | grand fir | Pinaceae |
| <i>Acer circinatum</i> | vine maple | Sapindaceae |
| <i>Acer macrophyllum</i> | bigleaf maple | Sapindaceae |
| <i>Achlys californica</i> | vanillaleaf | Berberidaceae |
| <i>Adiantum aleuticum</i> | western maidenhair fern | Pteridaceae |
| <i>Agrostis</i> sp. | bentgrass | Poaceae |
| <i>Alnus rubra</i> | red alder | Betulaceae |
| <i>Amelanchier alnifolia</i> | serviceberry | Rosaceae |
| <i>Anaphalis margaritacea</i> | pearly-everlasting | Asteraceae |
| <i>Arbutus menziesii</i> | Pacific madrone | Ericaceae |
| <i>Asarum caudatum</i> | wild ginger | Aristolochiaceae |
| <i>Athyrium filix-femina</i> | lady-fern | Athyriaceae |
| <i>Bromus vulgaris</i> | Columbia brome | Poaceae |
| <i>Calypso bulbosa</i> | calypso orchid | Orchidaceae |
| <i>Cardamine pensylvanica</i> | Pennsylvania bittercress | Brassicaceae |
| <i>Carex amplifolia</i> | big-leaf sedge | Cyperaceae |
| <i>Carex deweyana</i> | Dewey's sedge | Cyperaceae |
| <i>Carex hendersonii</i> | Henderson's sedge | Cyperaceae |
| <i>Carex obnupta</i> | slough sedge | Cyperaceae |
| <i>Ceanothus velutinus</i> | snowbrush | Rhamnaceae |
| <i>Circaea alpina</i> | enchanter's nightshade | Onagraceae |
| <i>Cirsium arvense</i> * | Canada thistle | Asteraceae |
| <i>Cirsium edule</i> | Indian thistle | Asteraceae |
| <i>Cirsium vulgare</i> * | bull thistle | Asteraceae |
| <i>Claytonia sibirica</i> | Siberian springbeauty | Montiaceae |
| <i>Cornus nuttallii</i> | Pacific dogwood | Cornaceae |
| <i>Cornus stolonifera</i> | red-osier dogwood | Cornaceae |
| <i>Cytisus scoparius</i> * | Scot's broom | Fabaceae |
| <i>Digitalis purpurea</i> * | foxglove | Plantaginaceae |
| <i>Dryopteris expansa</i> | spreading wood-fern | Dryopteridaceae |
| <i>Elymus glaucus</i> | blue wildrye | Poaceae |

THIS SITE IS ACCESSIBLE ONLY FOR RESEARCH AND EDUCATIONAL PROJECTS APPROVED BY THE NATURAL AREAS PROGRAM. PLANT REMOVAL OR COLLECTION IS NOT PERMITTED EXCEPT AS PART OF AN APPROVED PROJECT.

| | | |
|----------------------------------|--------------------------|------------------|
| Epilobium ciliatum | Watson's willow-herb | Onagraceae |
| Equisetum telmateia | giant horsetail | Equisetaceae |
| Festuca subulata | bearded fescue | Poaceae |
| Frangula purshiana | casara | Rhamnaceae |
| Galium aparine | cleavers | Rubiaceae |
| Galium triflorum | fragrant bedstraw | Rubiaceae |
| Gaultheria shallon | salal | Ericaceae |
| Goodyera oblongifolia | rattlesnake-plantain | Orchidaceae |
| Gymnocarpium dryopteris | oakfern | Cystopteridaceae |
| Holodiscus discolor | oceanspray | Rosaceae |
| Hydrophyllum tenuipes | slender-stem waterleaf | Hydrophyllaceae |
| Hypericum scouleri | Scouler's St.-Johns-wort | Hypericaceae |
| Hypochaeris radicata * | hairy cat's-ear | Asteraceae |
| Jacobaea vulgaris * | tansy ragwort | Asteraceae |
| Juncus laccatus | soft rush | Juncaceae |
| Kopsiopsis hookeri | Vancouver groundcone | Orobanchaceae |
| Lactuca muralis * | wall lettuce | Asteraceae |
| Leucanthemum vulgare * | oxeye daisy | Asteraceae |
| Linnaea borealis | twinflower | Linnaeaceae |
| Luzula multiflora | many-flowered wood-rush | Juncaceae |
| Luzula parviflora | small-flowered woodrush | Juncaceae |
| Lysichiton americanus | skunk cabbage | Araceae |
| Lysimachia latifolia | western starflower | Primulaceae |
| Mahonia nervosa | low Oregongrape | Berberidaceae |
| Maianthemum dilatatum | false lily-of-the-valley | Asparagaceae |
| Melica subulata | Alaska oniongrass | Poaceae |
| Mentha canadensis | American wild mint | Lamiaceae |
| Mitellastrum caulescens | leafy mitrewort | Saxifragaceae |
| Monotropa hypopitys | fringed pinesap | Ericaceae |
| Nemophila parviflora | small-flowered nemophila | Hydrophyllaceae |
| Oemleria cerasiformis | Indian plum | Rosaceae |
| Oenanthe sarmentosa | water-parsley | Apiaceae |
| Oplopanax horridus | devil's club | Araliaceae |
| Osmorhiza berteroi | mountain sweet-cicely | Apiaceae |
| Petasites frigidus var. palmatus | sweet coltsfoot | Asteraceae |
| Pinus monticola | western white pine | Pinaceae |
| Plantago lanceolata * | Common plantain | Plantaginaceae |
| Polypodium glycyrrhiza | licorice fern | Polypodiaceae |
| Polystichum munitum | sword-fern | Dryopteridaceae |
| Populus trichocarpa | black cottonwood | Salicaceae |

| | | |
|--|-------------------------------|------------------|
| <i>Prosartes hookeri</i> | Hooker's fairybells | Liliaceae |
| <i>Pseudotsuga menziesii</i> | Douglas fir | Pinaceae |
| <i>Pteridium aquilinum</i> | bracken | Dennstaedtiaceae |
| <i>Ranunculus repens</i> * | creeping buttercup | Ranunculaceae |
| <i>Ranunculus uncinatus</i> | little buttercup | Ranunculaceae |
| <i>Rhododendron macrophyllum</i> | Pacific rhododendron | Ericaceae |
| <i>Ribes bracteosum</i> | stink currant | Grossulariaceae |
| <i>Ribes lacustre</i> | swamp gooseberry | Grossulariaceae |
| <i>Rosa gymnocarpa</i> | baldhip rose | Rosaceae |
| <i>Rubus leucodermis</i> | blackcap | Rosaceae |
| <i>Rubus nutkanus</i> | thimbleberry | Rosaceae |
| <i>Rubus spectabilis</i> | salmonberry | Rosaceae |
| <i>Rubus ursinus</i> | trailing blackberry | Rosaceae |
| <i>Rumex obtusifolius</i> * | bitter dock | Polygonaceae |
| <i>Salix scouleriana</i> | Scouler's willow | Salicaceae |
| <i>Sambucus racemosa</i> | red elderberry | Adoxaceae |
| <i>Scirpus microcarpus</i> | small-fruited bulrush | Cyperaceae |
| <i>Sonchus sp.</i> * | sow-thistle | Asteraceae |
| <i>Spiraea douglasii</i> | Douglas' spirea | Rosaceae |
| <i>Stachys cooleyae</i> | Cooley's hedge-nettle | Lamiaceae |
| <i>Stellaria borealis</i> ssp. <i>sitchana</i> | boreal starwort | Caryophyllaceae |
| <i>Stellaria crispa</i> | crisped starwort | Caryophyllaceae |
| <i>Stellaria media</i> * | chickweed starwort | Caryophyllaceae |
| <i>Streptopus amplexifolius</i> | clasping-leaved twisted-stalk | Liliaceae |
| <i>Struthiopteris spicant</i> | deerfern | Blechnaceae |
| <i>Taraxacum officinale</i> * | common dandelion | Asteraceae |
| <i>Taxus brevifolia</i> | Pacific yew | Taxaceae |
| <i>Tellima grandiflora</i> | fringecup | Saxifragaceae |
| <i>Thuja plicata</i> | western redcedar | Cupressaceae |
| <i>Tiarella trifoliata</i> var. <i>trifoliata</i> | three-leaved foamflower | Saxifragaceae |
| <i>Tolmiea menziesii</i> | youth-on-age | Saxifragaceae |
| <i>Torreyochloa pallida</i> var. <i>pauciflora</i> | pale false mannagrass | Poaceae |
| <i>Trillium ovatum</i> | western trillium | Melanthiaceae |
| <i>Trisetum canescens</i> | nodding trisetum | Poaceae |
| <i>Tsuga heterophylla</i> | western hemlock | Pinaceae |
| <i>Urtica dioica</i> | stinging nettle | Urticaceae |
| <i>Vaccinium ovatum</i> | evergreen huckleberry | Ericaceae |
| <i>Vaccinium parvifolium</i> | red huckleberry | Ericaceae |

Veronica scutellata
Viola glabella
Viola palustris

marsh speedwell
pioneer violet
marsh violet

Plantaginaceae
Violaceae
Violaceae