



2024 Washington Vascular Plant Species of Conservation Concern

Jesse E. D. Miller, Sienna Wessel, and Walter Fertig
Washington Natural Heritage Program
July 3, 2024



2024 Washington Vascular Plant Species of Conservation Concern

Washington Natural Heritage Program Report Number: 2024-07

July 3, 2024

Jesse E. D. Miller¹
Sienna Wessel¹
& Walter Fertig²

¹Washington Department of Natural Resources, Natural Heritage Program, Olympia, WA

²Marion Ownbey Herbarium, Washington State University, Pullman, WA

ON THE COVER: Golden paintbrush (*Castilleja levisecta*) from Thurston Co., Washington. Although it has been federally delisted, golden paintbrush remains a species of conservation concern in Washington and is listed as State Threatened.

Photograph by: Jesse E. D. Miller, WNHP

Table of Contents

| | Page |
|------------------------|------|
| Introduction | 1 |
| Literature Cited | 6 |
| Acknowledgments | 43 |

Tables, Figures, and Appendices

| | |
|--|---|
| Table 1. Taxa added to the previous list | 1 |
| Table 2. Taxa removed from the previous list | 2 |
| Table 3. Matrix for classifying species of conservation concern as state of Washington Endangered, Threatened, Sensitive, or Extirpated | 3 |
| Figure 1. Washington counties and ecoregions | 4 |
| Table 4. Summary of Washington Species of Concern..... | 6 |
| Appendix A. Washington Vascular Plant Species of Conservation Concern | 8 |

Introduction

For more than 40 years the Washington Natural Heritage Program (WNHP) has maintained a list of Washington plant species of conservation concern. Each of these species is ranked at the global and state scale following the standardized protocol of the NatureServe network (Faber-Langendoen et al. 2012). The Species of Conservation Concern help inform conservation decisions relating to rare plants on federal, state, private, and tribal lands (WDNR 2018).

The Species of Conservation Concern list is periodically updated as new information becomes available on the status and distribution of rare plants in Washington. The following is an update of the 2021 list (WNHP 2021). Two taxa have been dropped from the 2021 list, and 17 have been added.

The 2024 changes are summarized in Tables 1 and 2 below:

Table 1. Taxa added to the previous list.

| Taxon | Reason for addition |
|----------------------------------|--|
| <i>Allium scilloides</i> | Narrow range; despite Review List status new occurrences have not been discovered |
| <i>Brickellia microphylla</i> | Rediscovered in Washington in 2023, only one element occurrence in state |
| <i>Campanula piperi</i> | Threatened by climate change, few occurrences under modern element occurrence standards |
| <i>Carex sheldonii</i> | Only one known occurrence in Washington, despite being on Review List |
| <i>Erigeron flettii</i> | Threatened by climate change, few occurrences under modern element occurrence standards |
| <i>Eucephalus glaucescens</i> | Narrow range, only six global occurrences under modern element occurrence standards, threatened by habitat fragmentation/degradation & quarrying |
| <i>Hulsea nana</i> | Decreasing number of occurrences, narrow ecological niche, vulnerable to climate change |
| <i>Lathyrus ochroleucus</i> | Few known occurrences despite being on Review List |
| <i>Lomatium cuspidatum</i> | Narrow range, < 20 global occurrences under modern element occurrence standards, partially restricted to serpentine soils |
| <i>Navarretia breweri</i> | Few known occurrences despite being on Review List |
| <i>Penstemon washingtonensis</i> | Narrow range, 11 global occurrences under modern element occurrence standards |
| <i>Petrophyton hendersonii</i> | Narrow range (endemic to Olympic Mountains), 12 global occurrences under modern element occurrence standards, threatened by climate change |
| <i>Phacelia glandulifera</i> | Threatened by wildfire, few known occurrences despite being on review list |

| | |
|---|---|
| <i>Poa curtifolia</i> | 12 global occurrences under modern element occurrence standards, restricted to serpentine soils |
| <i>Senecio neowebsteri</i> | Declining population trend, threatened by climate change, few occurrences under modern element occurrence standards |
| <i>Silene douglasii</i> var. <i>rupinae</i> | Few occurrences in Washington; previously overlooked? |
| <i>Viola flettii</i> | Threatened by climate change, few occurrences under modern element occurrence standards |

Table 2. Taxa removed from the previous list.

| Taxon | Reason for removal |
|-----------------------------|---|
| <i>Ammannia robusta</i> | New populations documented |
| <i>Aliciella leptomeria</i> | Taxonomic / identification questions (moved to Review List 2) |

Appendix A contains information on the heritage rank, status, habitat, distribution, and management for each species. The definition and codes for each of these attributes are briefly described below:

Species/Common Name: Species are organized alphabetically by their scientific name. Nomenclature mostly follows Hitchcock and Cronquist (2018). Pertinent synonyms are included in parentheses. Common names follow the USDA Plants database (<http://plants.usda.gov>) or NatureServe (<http://explorer.natureserve.org>).

Heritage Rank: WNHP uses the ranking system developed by NatureServe to assess global and state conservation status of each plant species, subspecies, and variety. Taxa are ranked on a scale of 1 to 5 (from highest to lowest conservation concern).

- G = Global Rank: rangewide status of a full species
- T = Trinomial Rank: rangewide status of a subspecies or variety
- S = State Rank: status of a species, subspecies, or variety within the state of Washington
- 1 = Critically Imperiled – at very high risk of extirpation due to very restricted range, very few occurrences, very steep declines, very severe threats, or other factors
- 2 = Imperiled – at high risk of extirpation due to restricted range, few occurrences, steep declines, severe threats, or other factors
- 3 = Vulnerable – at moderate risk of extirpation due to a fairly restricted range, relatively few occurrences, recent and widespread declines, threats, or other factors
- 4 = Apparently secure – at fairly low risk of extirpation due to an extensive range or many occurrences, but with possible cause for some concern as a result of local recent declines, threats, or other factors
- 5 = Secure – at very low risk of extirpation due to a very extensive range, abundant occurrences, and little to no concern from decline or threats
- H = Historical– known from only historical occurrences (prior to 1978) but still with some hope of rediscovery
- X = Presumed Extirpated – not relocated since 1978 despite intensive searches and virtually no likelihood of rediscovery
- U = Unrankable – lack of information or substantially conflicting information about status
- NR = Not Ranked – rank not assessed yet

- Q = Questionable – questions exist about the taxonomic validity of a species, subspecies, or variety
- ? = Questionable – questions exist about the assigned G, T, or S rank of a taxon
- [] = indicates a recommended, but not yet accepted, rank.

State Status: Washington state status is assigned by WNHP based on the matrix in Table 1. Categories include:

- Endang = Endangered, in danger of becoming extinct or extirpated from Washington
- Threat = Threatened, likely to become Endangered in Washington
- Sens = Sensitive, vulnerable or declining and could become Threatened or Endangered in Washington
- Extirp = possibly extinct or extirpated in Washington (includes state historical species)

Federal Status: Under the US Endangered Species Act (ESA), the US Fish and Wildlife Service recognizes four categories:

- Endang = Endangered. A species, subspecies, or variety in danger of extinction throughout all or a significant portion of its range.
- Threat = Threatened. A species, subspecies, or variety likely to become Endangered in the foreseeable future
- Prop = Proposed. A species, subspecies, or variety formally proposed for listing as Endangered or Threatened (a proposal has been published in the Federal Register, but not a final rule)
- Cand = Candidate. A species, subspecies, or variety being evaluated by USFWS for potential listing as Threatened or Endangered under the ESA, but no formal proposal has been published yet.

Table 3. Matrix for classifying species of conservation concern as state of Washington

Endangered, Threatened, Sensitive, or Extirpated. T ranks can apply to any G rank of equal or higher number (i.e. G2T2 or G5T3, but not G1T3). A lower T rank supersedes a higher G rank (ie. G5T3 is scored based on T3). Blended ranks are rounded down (i.e. G2G3 = G2). * indicates a species needs to be evaluated further to determine whether it warrants Sensitive status.

| Natural Heritage Rank | State Status |
|--|----------------|
| G1/S1, G2/S1, G3/S1, T1/S1, T2S1, T3S1 | Endangered |
| G2/S2, G3/S2, T2/S2, T3/S2 | Threatened |
| G3/S3*, G4/S1, G4/S2, G4/S3*, G5/S1, G5/S2, G5/S3*, T3/S3*, T4/S1, T4/S2, T4/S3*, T5/S1, T5/S2, T5/S3* | Sensitive |
| SH, SX (regardless of G or T rank) | Extirpated |
| G4/S3*, G4/S4, G5/S3*, G5/S4, G5/S5, T4/S3*, T4/S4, T5/S4, T5/S5 | Not of Concern |

The Interagency Special Status and Sensitive Species Program (ISSSSP) of the US Forest Service (USFS) and Bureau of Land Management (BLM) in Washington and Oregon updated its list of Sensitive species in 2021 (ISSSSP 2021).

B-Sens = BLM Sensitive; all USFWS candidate and delisted species and WNHP species of concern ranked S1, S1S2, S1S3, S2, or S2S3 found on at least one BLM managed area in Washington.

F-Sens = Forest Service Sensitive: all USFWS candidate and delisted species and WNHP species of concern ranked S1, S1S2, S1S3, S2, or S2S3 found on at least one USFS managed area in Washington.

Distribution (Dist.) Pattern: Species rarity is often correlated with geographic distribution patterns. The following patterns can be recognized in Washington:

LocEnd = Local Endemic; global range of taxon is less than 16,500 km² or about 1 degree of latitude x 2 degrees of longitude (about the size of an average county)

RegEnd = Regional Endemic; global range of taxon is between 16,500 to 250,000 km² (or an area about the size of the state of Washington)

Disjunct = Disjunct; globally widespread but state population is isolated from the main contiguous range by a gap or more than 500 km

Periph = Peripheral; globally widespread but Washington population is at the margin of the main contiguous range of the taxon

Sparse = Sparse; widely distributed across the state but with relatively few populations (less than 20)

Widesp = Widespread; widely distributed globally and in Washington, with more than 20 populations in the state.

County: Three-letter codes are used to document the distribution of plant species by county (Figure 1). Vague or unconfirmed reports are indicated by ?.

Ada = Adams
Aso = Asotin
Ben = Benton
Che = Chelan
Clk = Clark
Clm = Clallam
Col = Columbia
Cow = Cowlitz
Dou = Douglas
Fer = Ferry
Fra = Franklin
Gar = Garfield
Gra = Grant

Grh = Grays Harbor
Isl = Island
Jef = Jefferson
Kin = King
Kli = Klickitat
Ktp = Kitsap
Ktt = Kittitas
Lew = Lewis
Lin = Lincoln
Mas = Mason
Oka = Okanogan
Pac = Pacific
Peo = Pend Oreille

Pie = Pierce
Saj = San Juan
Skg = Skagit
Skm = Skamania
Sno = Snohomish
Spo = Spokane
Ste = Stevens
Thu = Thurston
Waw = Walla Walla
Whc = Whatcom
Whk = Wahkiakum
Wht = Whitman
Yak = Yakima




Figure 1. Washington counties and ecoregions.

Ecoregion: Ecoregions are biologically-defined geographic areas with similar environmental, physiographic, or vegetation patterns. WNHP follows the classification of Camp and Gamon (2011). Two-letter codes are used for ecoregion names (Figure 1). Vague or unconfirmed reports are indicated by ?.

| | | |
|-----------------------|---------------------|------------------------------|
| BM = Blue Mountains | EC = East Cascades | PC = Pacific Northwest Coast |
| CP = Columbia Plateau | NC = North Cascades | PT = Puget Trough |
| CR = Canadian Rockies | OK = Okanogan | WC = West Cascades |

Ecological Systems: Developed by NatureServe, Ecological Systems represent recurring groups of natural upland and wetland plant communities found in similar climatic and physical environments and influenced by similar ecological processes. About 90 Ecological Systems are recognized in Washington (Rocchio and Crawford 2015).

For brevity, the following abbreviations are used for the biogeographic region of each Ecological System (the first part of each system’s formal name). These are:

| | |
|----------------------------|---------------------------------|
| CB = Columbia Basin | NCP = Northern Columbia Plateau |
| CP = Columbia Plateau | NP = North Pacific |
| EC = East Cascades | NRM = Northern Rocky Mountain |
| IMB = Intermountain Basins | RM = Rocky Mountain |
| M = Modoc | TP = Temperate Pacific |
| NA = North American | WV = Willamette Valley |

Managed Area: Major state, federal, or tribal land management areas are included when known. Blank listings indicate that a species is only known from private lands or state trust lands. A “?” indicates that presence within a management area is not confirmed. Complete managed area information, or data specific to individual plant occurrences, can be obtained from WNHP (www.dnr.wa.gov/natural-heritage-program). The following abbreviations are used:

- ACEC = Area of Critical Environmental Concern
- AFB = Air Force Base (Dept. of Defense)
- BLM = Bureau of Land Management
- BSA = Biological Study Area (Washington State University)
- CF = Community Forest
- ERP = Environmental Research Park (nuclear reservation)
- JB = Joint Base (Dept. of Defense)
- NAP = Natural Area Preserve (Washington Dept of Natural Resources)
- NF = National Forest
- NHP = National Historical Park
- NM = National Monument
- NP = National Park
- NRCA = Natural Resources Conservation Area (Washington Dept of Natural Resources)
- NRA = National Recreation Area
- NSA = National Scenic Area
- NVM = National Volcanic Monument
- NWR = National Wildlife Refuge
- PUD = Public Utility District
- RNA = Research Natural Area
- SIA – Special Interest Area (Special Botanical Area)
- SF = State Forest
- SP = State Park
- SWA = State Wildlife Area (Washington Dept of Fish & Wildlife)
- TC = Training Center (Dept of Defense)
- WA = Wilderness Area

The updated Species of Concern list contains 386 taxa. For State rankings, 73 taxa are Endangered, 53 are Threatened, 232 are Sensitive, and 27 are considered Extirpated. For federal rankings, three taxa are Endangered, six are Threatened, 187 are Bureau of Land Management Sensitive, and 198 are Forest Service Sensitive (Table 4).

Table 4. Summary of Washington Species of Concern.

| | Federal status | | | | State status | | | | Total species of concern |
|-------------------|----------------|------------|-------------------------------------|--------------------------|--------------|------------|-----------|------------|--------------------------|
| | Endangered | Threatened | Bureau of Land Management Sensitive | Forest Service Sensitive | Endangered | Threatened | Sensitive | Extirpated | |
| Number of species | 3 | 6 | 187 | 198 | 73 | 54 | 232 | 27 | 386 |

Literature Cited

- Camp, P. and J.G. Gamon, eds. 2011. Field Guide to the Rare Plants of Washington. University of Washington Press, Seattle, WA. 392 pp.
- Faber-Langendoen, D., J. Nichols, L. Master, K. Snow, A. Tomaino, R. Bittman, G. Hammerson, B. Heidel, L. Ramsay, A. Teucher, and B. Young. 2012. NatureServe conservation status recommendations: methodology for assigning ranks. Revised edition. NatureServe, Arlington, VA. 44 pp.
- Hitchcock, C.L. and A. Cronquist. 2018. Flora of the Pacific Northwest: An Illustrated Manual, second edition. Giblin, D.E., B.S. Legler, P.F. Zika, and R.G. Olmstead, eds. University of Washington Press, Seattle, WA. 882 pp.
- [ISSSSP] Interagency Special Status/Sensitive Species Program. 2021. FS and BLM Final Special Status/Sensitive Species list. Excel table, 28 June 2021. Available at: www.fs.fed.us/r6/sfpnw/issssp/
- Rocchio, F.J. and R.C. Crawford. 2015. Ecological systems of Washington State. A guide to identification. Natural Heritage Report 2015-04. Washington Natural Heritage Program, Department of Natural Resources, Olympia, WA. 384 pp.
- [WDNR] Washington State Department of Natural Resources. 2018. 2018 State of Washington Natural Heritage Plan. Washington State Department of Natural Resources, Olympia, WA. 31 pp. Available at: https://www.dnr.wa.gov/publications/amp_nh_plan_2018.pdf?m5phzk

Appendix A. Washington Vascular Plant Species of Conservation Concern

| Species Common Name | Heritage Rank | State Status | Federal Status | Dist. Pattern | County | Eco- region | Ecological System | Managed Area |
|---|------------------|-----------------|-------------------|------------------|---|------------------------------|--|---|
| <i>Abronia umbellata</i> (includes var. <i>acutalata</i> & <i>breviflora</i>) Pink sand-verbena | G4G5/S1 | Sens | | Periph | Clm, Ktp, Pac | PC, PT | NP Maritime Coastal Sand Dune | Leadbetter Point RNA Willapa NWR |
| <i>Achnatherum richardsonii</i> (<i>Stipa richardsonii</i>) Richardson's needlegrass | G5/S1 | Sens | F-Sens | Periph | Oka, Ste | OK | NRM Dry-Mesic Montane Mixed Conifer Forest NRM Lower Montane, Foothill & Valley Grassland | Crystal Falls SP? Little Pend Oreille NWR, Okanogan-Wenatchee NF |
| <i>Actaea elata</i> var. <i>elata</i> (<i>Cimicifuga elata</i>) Tall bugbane | G4T4/S3 | Sens | | RegEnd | Clk, Clm, Cow, Grh, Kin, Lew, Pie, Skm, Thu, Whc | EC, NC, PC, PT, WC | NP Maritime Mesic-Wet Douglas-fir-Western Hemlock Forest | |
| <i>Actaea laciniata</i> (<i>Cimicifuga laciniata</i>) Mt. Hood bugbane | G4/ S2 | Sens | F-Sens | RegEnd | Clk, Lew, Skm | WC | NP Montane Riparian Woodland and Shrubland | Gifford Pinchot NF Mt. St. Helens NVM Yacolt Burn SF |
| <i>Agoseris aurantiaca</i> var. <i>camea</i> (<i>A. lackschewitzii</i>) Pink agoseris | G5T4/S2 | Sens | F-Sens | Sparse | Ktt, Oka | EC, OK | RM Alpine-Montane Wet Meadow | Okanogan-Wenatchee NF |
| <i>Agoseris elata</i> (<i>A. × elata</i>) Tall agoseris | G4/S3? | Sens | | RegEnd | Che, Clm, Cow, Isl, Kli, Ktt, Oka, Pie, Sno, Thu, Whc, Yak | EC, NC, OK, PC, PT, WC | NRM Subalpine-Upper Montane Grassland RM Subalpine-Montane Mesic Meadow WV Upland Prairie & Savanna | Camas Meadows NAP Conboy Lake NWR Mt. Baker-Snoqualmie NF Mt. Rainier NP Okanogan-Wenatchee NF Pasayten WA |
| <i>Agrostis mertensii</i> (<i>A. borealis</i>) Northern bentgrass | G5/S1S2 | Sens | B-Sens F-Sens | Periph | Che, Oka, Skg | EC, NC, OK | RM Alpine Bedrock & Scree RM Alpine Dwarf-Shrubland, Fell-Field, & Turf | Chopaka Mountain NAP North Cascades NP Okanogan-Wenatchee NF |
| <i>Allium bisceptrum</i> Twincrest onion | G4G5/S1 | Sens | | Periph | Fra | CP | IMB Big Sagebrush Steppe | Palouse Falls SP |
| <i>Allium campanulatum</i> Sierra onion | G5/S1 | Sens | B-Sens F-Sens | Periph | Col, Yak | BM, EC | NRM Lower Montane, Foothill & Valley Grassland | Okanogan-Wenatchee NF Umatilla NF |
| <i>Allium constrictum</i> Constricted onion | G2G3/ S2S3 | Sens | B-Sens | LocEnd | Dou, Gra | CP | CP Vernal Pool | Spokane BLM Steamboat Rock SP |
| <i>Allium dictuon</i> Blue Mountain onion | G2/S2 | Threat | F-Sens | LocEnd | Col, Gar | BM | RM Cliff, Canyon & Massive Bedrock | Umatilla NF Wenaha-Tucannon WA |

| Species Common Name | Heritage Rank | State Status | Federal Status | Dist. Pattern | County | Eco- region | Ecological System | Managed Area |
|--|------------------|-----------------|-------------------|------------------|-------------------------------|----------------|--|--|
| <i>Allium scilloides</i> Fragile onion | G3/S3 | Sens | | LocEnd | Ben, Dou, Gra, Ktt, Yak | CP | CP Foothill & Canyon Dry Grassland | Colockum SWA Cowiche SWA LT Murray SWA Quincy Lakes SWA Spokane BLM Sun Lakes Dry Falls SP Wenas SWA Yakima River Canyon ACEC |
| <i>Antennaria corymbosa</i> Meadow pussytoes | G5/S1 | Sens | B-Sens F-Sens | Periph | Col, Oka, Peo | BM, CR OK | RM Alpine-Montane Wet Meadow RM Subalpine-Montane Fen | Bunchgrass Meadows RNA Colville NF Okanogan-Wenatchee NF Roger Lake RNA Umatilla NF Wenaha-Tucannon WA |
| <i>Aphyllon californicum</i> ssp. <i>grayanum</i> (<i>Orobanche californica</i> ssp. <i>grayana</i>) Gray's broomrape | G4T3T4/ S1 | Endang | | Periph | Clk, Kli, Yak | CP, EC, PT | RM Alpine-Montane Wet Meadow | Columbia River Gorge NSA Fort Vancouver NHS Klickitat Canyon NRCA |
| <i>Arabis crucisetosa</i> Cross-haired rockcress | G4?/S1 | Sens | B-Sens F-Sens | RegEnd | Aso | BM | CB Foothill & Canyon Dry Grassland | Grande Ronde ACEC Vale BLM |
| <i>Arabis olympica</i> (<i>A. furcata</i> var. <i>olympica</i>) Olympic rockcress | G1/S1 | Endang | F-Sens | LocEnd | Clm, Jef, Mas | PC | NP Alpine & Subalpine Dry Grassland NP Dry & Mesic Alpine Dwarf-Shrubland, Fell-Field & Meadow | Buckhorn WA Olympic NF Olympic NP Mount Skokomish WA The Brothers WA |
| <i>Arcteranthis cooleyae</i> (<i>Kumlienia cooleyae</i> , <i>Ranunculus cooleyae</i>) Cooley's buttercup | G5/S1 | Sens | B-Sens F-Sens | Periph | Grh, Sno | NC, PC | NP Alpine & Subalpine Bedrock & Scree | Colonel Bob WA Henry M. Jackson WA Morning Star NRCA Mt. Baker-Snoqualmie NF Olympic NF |
| <i>Arenaria paludicola</i> Swamp sandwort | G1/SX | Extirp | Endang | Disjunct | Pie | PT | NP Hardwood-Conifer Swamp? TP Freshwater Emergent Marsh? | |
| <i>Artemisia campestris</i> var. <i>wormskioldii</i> (<i>A. c.</i> ssp. <i>borealis</i> var. <i>w.</i>) Wormskiold's northern wormwood | G5T1/S1 | Endang | B-Sens F-Sens | RegEnd | Ben, Fra, Gra, Kli | CP, EC | CB Foothill Riparian Woodland & Shrubland | Columbia River Gorge NSA Gifford Pinchot NF Grant County PUD McNary NWR |

| Species Common Name | Heritage Rank | State Status | Federal Status | Dist. Pattern | County | Eco- region | Ecological System | Managed Area |
|---|------------------|-----------------|-------------------|------------------|--------------------------------|----------------|---|---|
| <i>Asclepias cryptoceras</i> (<i>A. cryptoceras</i> ssp. <i>davisii</i>) Pallid milkweed | G4/S1 | Sens | | Periph | Aso | BM | CB Foothill & Canyon Dry Grassland RM Cliff, Canyon & Massive Bedrock | Chief Joseph SWA |
| <i>Astragalus arrectus</i> (<i>Astragalus palousensis</i>) Palouse milkvetch | G2/S2 | Threat | B-Sens F-Sens | RegEnd | Che, Kli?, Ktt, Lin, Wht | CP, EC | CB Foothill & Canyon Dry Grassland CB Palouse Prairie NRM Ponderosa Pine Woodland & Savanna | Campus Prairie BSA Colockum SWA Okanogan-Wenatchee NF Roosevelt Lake NRA Smoot Hill BSA |
| <i>Astragalus arthurii</i> Arthur's milkvetch | G4/S2 | Sens | B-Sens F-Sens | RegEnd | Aso | BM, CP | CB Foothill & Canyon Dry Grassland | Chief Joseph SWA Grande Ronde ACEC Nez Perce NHP Umatilla NF Vale BLM |
| <i>Astragalus asotinensis</i> Asotin milkvetch | G1/S1 | Endang | B-Sens | LocEnd | Aso | BM | CB Foothill & Canyon Dry Grassland | Grande Ronde ACEC Vale BLM |
| <i>Astragalus australis</i> var. <i>cottonii</i> (<i>A. australis</i> var. <i>olympicus</i> , <i>A. cottonii</i>) Cotton's milkvetch | G5T1/S1 | Endang | B-Sens F-Sens | LocEnd | Clm, Jef | PC | NP Alpine & Subalpine Bedrock & Scree | Buckhorn WA? Olympic NF Olympic NP |
| <i>Astragalus columbianus</i> Columbia milkvetch | G2G3/ S2S3 | Sens | B-Sens | LocEnd | Ben, Ktt, Yak | CP | IMB Big Sagebrush Steppe | Ginkgo Petrified Forest SP Hanford ERP Hanford Reach NM McCoy Canyon ACEC Rattlesnake Hills RNA Spokane BLM Yakima TC |
| <i>Astragalus cusickii</i> var. <i>cusickii</i> (<i>A. eremeticus</i> var. <i>malheurensis</i>) Cusick's milkvetch | G5T4/S2 | Sens | B-Sens F-Sens | RegEnd | Aso | BM | CB Foothill & Canyon Dry Grassland | Chief Joseph SWA Grande Ronde ACEC Umatilla NF Vale BLM |
| <i>Astragalus diaphanus</i> Transparent milkvetch | G4/SX | Extirp | | RegEnd | Kli | EC | NA Arid West Emergent Marsh | Columbia River Gorge NSA? |
| <i>Astragalus geyeri</i> var. <i>geyeri</i> Geyer's milkvetch | G4T4/ S1S2 | Sens | B-Sens | Disjunct | Gra | CP | IMB Active & Stabilized Dune IMB Semi-Desert Shrub- Steppe | Columbia NWR Crab Creek SWA Hanford Reach NM Sentinel Slope ACEC Spokane BLM |
| <i>Astragalus kentrophyta</i> var. <i>douglasii</i> Douglas's thistle milkvetch | G5TX/ SX | Extirp | | LocEnd | Waw | CP | IMB Active & Stabilized Dune | |

| Species Common Name | Heritage Rank | State Status | Federal Status | Dist. Pattern | County | Eco- region | Ecological System | Managed Area |
|--|------------------|-----------------|-------------------|------------------|--|-------------------|---|---|
| <i>Astragalus microcystis</i> Least bladderly milkvetch | G4/S2 | Sens | B-Sens F-Sens | Sparse | Clm, Fer, Jef, Lin, Peo, Ste | CP, CR, OK, PC | NP Dry & Mesic Alpine Dwarf-Shrubland, Fell-Field & Meadow NRM Lower Montane Riparian Woodland & Shrubland | Buckhorn SIA, Buckhorn WA Colville NF Little Pend Oreille SWA Olympic NF Roosevelt Lake NRA Spokane BLM |
| <i>Astragalus misellus</i> var. <i>pauper</i> (<i>A. howellii</i> var. <i>pauper</i>) Pauper milkvetch | G3T3/S2 | Threat | B-Sens | RegEnd | Ben, Dou, Fra, Kli, Ktt, Yak | CP | IMB Big Sagebrush Steppe | Colockum SWA LT Murray SWA Rock Island Canyon ACEC Spokane BLM Yakima River Canyon ACEC Yakima River Cliffs-Umtanum Ridge ACEC Yakima TC |
| <i>Astragalus pulsiferae</i> var. <i>suksdorfii</i> Ames' milkvetch | G4T2/S1 | Endang | | Disjunct | Kli | EC | NRM Dry-Mesic Montane Mixed Conifer Forest | Conboy Lake NWR |
| <i>Astragalus riparius</i> Piper's milkvetch | G2/S2 | Threat | | RegEnd | Gar, Wht | CP | CB Foothill & Canyon Dry Grassland | |
| <i>Astragalus sinuatus</i> Whited's milkvetch or Colockum milkvetch | G1/S1 | Endang | B-Sens | LocEnd | Che | CP | IMB Big Sagebrush Steppe | Colockum Creek ACEC Spokane BLM Upper Dry Gulch NAP |
| <i>Astragalus tenellus</i> (<i>A. multiflorus</i>) Loose-flower milkvetch | G5/S1 | Sens | | Disjunct | Dou | CP | CB Foothill & Canyon Dry Grassland? | |
| <i>Baccharis pilularis</i> ssp. <i>consanguinea</i> Coyotebush | G5TNR/ S1 | Sens | | Periph | Pac, Whk | PC | NP Coastal Cliff & Bluff NP Hypermaritime Shrub & Herbaceous Headland | Cape Disappointment SP |
| <i>Bergia texana</i> Texas bergia | G5/SX | Extirp | | Periph | Kli, Wht | CP, EC | CP Vernal Pool NA Arid West Emergent Marsh | Columbia River Gorge NSA? |
| <i>Blitum spathulatum</i> (<i>Monolepis spathulata</i>) Prostrate povertyweed | G5/S1 | Sens | | Periph | Kli, Oka | EC, OK | IMB Alkaline Closed Depression | Pearrygin Lake SP |
| <i>Boechea atrorubens</i> (<i>Arabis sparsiflora</i> var. <i>a.</i>) Redblack rockcress | G3/S1 | Endang | | RegEnd | Kli, Ktt (other rep- orts false) | EC | IMB Big Sagebrush Steppe | Columbia Hills NAP Columbia River Gorge NSA? Klickitat SWA (E Simcoes Unit) |
| <i>Boechea cascadenis</i> (<i>Arabis microphylla</i> var. <i>thompsonii</i>) Cascades rockcress | G3/S1 | Endang | | RegEnd | Col, Ktt, Yak | BM, EC | RM Cliff, Canyon & Massive Bedrock | Okanogan-Wenatchee NF Umatilla NF William O. Douglas WA |

| Species Common Name | Heritage Rank | State Status | Federal Status | Dist. Pattern | County | Eco- region | Ecological System | Managed Area |
|--|------------------|-----------------|-------------------|------------------|---|--------------------------|--|--|
| <i>Bolandra oregana</i> Oregon bolandra | G3/S2 | Threat | B-Sens F-Sens | RegEnd | Aso, Clk, Col, Gar, Kli, Skm | BM, EC, WC | NP Montane Massive Bedrock, Cliff, & Talus RM Cliff, Canyon & Massive Bedrock | Beacon Rock SP Chief Joseph SWA Columbia Falls NAP Columbia River Gorge NSA Gifford Pinchot NF Grande Ronde ACEC Umatilla NF Vale BLM Wenaha-Tucannon WA |
| <i>Botrychium ascendens</i> Triangular-lobed moonwort | G4/S2 | Sens | B-Sens F-Sens | Sparse | Fer, Kin, Mas, Oka, Peo, Pie, Ste, Whc | CR, NC, OK, PC, WC | NP Dry & Mesic Alpine Dwarf-Shrubland, Fell-Field & Meadow RM Alpine Dwarf-Shrubland, Fell-Field, & Turf RM Alpine-Montane Wet Meadow RM Subalpine-Montane Riparian Woodland | Colville NF Mt. Baker-Snoqualmie NF Okanogan-Wenatchee NF Olympic NP Pasayten WA |
| <i>Botrychium hesperium</i> Western moonwort | G4/S2 | Sens | B-Sens F-Sens | Sparse | Che, Fer, Kin, Peo, Sno, Ste | CR, EC, NC, OK, WC | NP Alpine & Subalpine Dry Grassland NRM Subalpine-Upper Montane Grassland RM Alpine-Montane Wet Meadow | Colville NF Mt. Baker-Snoqualmie NF North Cascades NP |
| <i>Botrychium lineare</i> Skinny moonwort | G3/S1 | Endang | B-Sens F-Sens | Periph | Fer | OK | RM Subalpine-Montane Riparian Woodland | Colville NF |
| <i>Botrychium michiganense</i> Michigan moonwort | G3/S1 | Endang | F-Sens | Periph | Peo, Ste | CR | RM Subalpine-Upper Montane Grassland RM Lodgepole Pine Forest | Colville NF |
| <i>Botrychium paradoxum</i> Two-spiked moonwort | G3G4/S2 | Threat | B-Sens F-Sens | Sparse | Che, Fer, Oka, Peo, Ste | CR, EC, OK | NRM Subalpine-Upper Montane Grassland RM Alpine-Montane Wet Meadow RM Subalpine-Montane Riparian Woodland | Chopaka Mountain NAP Colville NF Kaniksu NF Loomis NRCA Okanogan-Wenatchee NF |
| <i>Botrychium pedunculosum</i> Stalked moonwort | G3G4/S2 | Threat | B-Sens F-Sens | Sparse | Fer, Kin, Peo, Sno, Ste, Whc | CR, NC, OK | NRM Subalpine-Upper Montane Grassland RM Alpine-Montane Wet Meadow RM Subalpine-Montane Riparian Woodland | Big Beaver RNA Colville NF Mt. Baker-Snoqualmie NF Ross Lake NRA |

| Species Common Name | Heritage Rank | State Status | Federal Status | Dist. Pattern | County | Eco- region | Ecological System | Managed Area |
|--|---------------------------------|-----------------|-------------------|------------------|------------------------|----------------|--|--|
| <i>Brickellia microphylla</i> Littleleaf brickell-bush | G5/S1 | Sens | | Periph | Aso | BM | CB Foothill & Canyon Dry Grassland | |
| <i>Brodiaea rosea</i> ssp. <i>rosea</i> (<i>B. coronaria</i> ssp. <i>rosea</i>) Harvest brodiaea | G4G5T4/ S1 | Sens | | Sparse | Kin?, Pie, Saj, Skg | PT | NP Serpentine Barren WV Upland Prairie & Savanna | San Juan Islands NWR Washington Park Yellow Island Preserve |
| <i>Calochortus longebarbatus</i> var. <i>longebarbatus</i> Long-bearded mariposa lily | G4T3/S3 | Sens | | RegEnd | Kli, Yak | CP, EC | CB Foothill & Canyon Dry Grassland | Brooks Memorial SP Conboy Lake NWR Klickitat Canyon NRCA Klickitat SWA |
| <i>Calochortus macrocarpus</i> var. <i>maculosus</i> Sagebrush mariposa lily | G5T2/ S2? Change T3/S3 | Threat | B-Sens F-Sens | RegEnd | Aso, Gar, Wht | BM, CP | CB Foothill & Canyon Dry Grassland NRM Lower Montane, Foothill & Valley Grassland | Asotin Creek SWA Chief Joseph SWA Grande Ronde ACEC Joseph Creek ACEC Spokane BLM Umatilla NF Vale BLM Wenaha-Tucannon WA |
| <i>Calochortus nitidus</i> Broad-fruit mariposa lily | G3/S1 | Endang | | RegEnd | Aso, Gar, Wht | BM, CP | CB Palouse Prairie NRM Lower Montane, Foothill & Valley Grassland | Steptoe Butte NA Umatilla NF? |
| <i>Calyptridium roseum</i> (<i>Cistanthe rosea</i>) Rosy pussypaws | G4/S1 | Sens | | Periph | Ben | CP | IMB Big Sagebrush Steppe | Hanford ERP |
| <i>Camassia cusickii</i> Cusick's camas | G4/S1 | Sens | | RegEnd | Kli | EC | RM Alpine-Montane Wet Meadow NA Arid West Emergent Marsh | |
| <i>Campanula lasiocarpa</i> Alaska harebell | G5/S2 | Sens | B-Sens F-Sens | Periph | Kin, Oka, Sno | NC, OK | NP Alpine & Subalpine Bedrock & Scree | Alpine Lakes WA Glacier Peak WA Morning Star NRCA Mt. Baker-Snoqualmie NF Perry Creek RNA |
| <i>Campanula piperi</i> Olympic hairbell | G2/S2 | Threat | | RegEnd | Cla, Jef | PC | NP Alpine & Subalpine Bedrock & Scree | Olympic NP Olympic NF |
| <i>Carex anthoxantha</i> Yellow-flowered sedge | G5/S1 | Sens | B-Sens F-Sens | Periph | Grh | PC | TP Subalpine-Montane Wet Meadow | Olympic NF Three Peaks SIA |
| <i>Carex capillaris</i> Hair-like sedge | G5/S1 | Sens | B-Sens F-Sens | Periph | Che, Oka, Peo | CR, EC, OK | RM Alpine-Montane Wet Meadow RM Subalpine-Montane Fen | Colville NF North Cascades NP Okanogan-Wenatchee NF Spokane BLM |

| Species Common Name | Heritage Rank | State Status | Federal Status | Dist. Pattern | County | Eco- region | Ecological System | Managed Area |
|---|------------------|-----------------|-------------------|------------------|------------------------------------|-------------------|--|--|
| <i>Carex capitata</i> Capitate sedge | G5/S1 | Sens | B-Sens F-Sens | Periph | Oka, Whc | NC, OK | RM Alpine Dwarf-Shrubland, Fell-Field, & Turf | Chopaka Mountain NAP Mt. Baker WA Mt. Baker-Snoqualmie NF Okanogan-Wenatchee NF Pasayten WA Ronald J. Taylor RNA Spokane BLM |
| <i>Carex chordorrhiza</i> Cordroot sedge | G5/S1 | Sens | B-Sens F-Sens | Periph | Oka | OK | RM Subalpine-Montane Fen | Okanogan-Wenatchee NF |
| <i>Carex circinata</i> Coiled sedge | G5/S1 | Sens | B-Sens F-Sens | Periph | Grh, Jef | PC | NP Montane Massive Bedrock, Cliff, & Talus TP Subalpine-Montane Wet Meadow | Colonel Bob WA Olympic NF Olympic NP |
| <i>Carex cordillerana</i> Cordilleran sedge | G4/S1 | Sens | B-Sens F-Sens | Sparse | Aso, Fer, Oka, Peo, Spo, Ste | BM, CP, CR, OK | RM Subalpine-Montane Riparian Woodland | Colville NF Okanogan-Wenatchee NF Pasayten WA Sinlahekin SWA Umatilla NF |
| <i>Carex davyi</i> Davy's sedge | G3/SX | Extirp | | Periph | Yak | EC | NRM Subalpine-Upper Montane Grassland? | |
| <i>Carex densa</i> Dense sedge | G4/S2 | Sens | | Periph | Clk, Lew, San, Thu, Yak | EC, PC, PT | WV Wet Prairie | Gifford Pinchot NF Lacamas Prairie NAP Mt. Adams WA West Rocky Prairie SWA |
| <i>Carex eburnea</i> Bristleleaf sedge | G5/S1 | Sens | B-Sens F-Sens | Periph | Peo | CR | RM Cliff, Canyon & Massive Bedrock | Colville NF Spokane BLM |
| <i>Carex gynocrates</i> Yellow bog sedge | G5/S2 | Sens | B-Sens F-Sens | Periph | Oka | OK | RM Subalpine-Montane Fen | Okanogan-Wenatchee NF |
| <i>Carex heteroneura</i> (<i>C. h. var. epapillosa</i>) Smooth-fruited sedge | G5/S2S3 | Sens | F-Sens | Sparse | Oka, Whc, Yak | EC, NC, OK | RM Alpine-Montane Wet Meadow | Loomis NRCA Okanogan-Wenatchee NF Pasayten WA |
| <i>Carex macrochaeta</i> Longawn sedge | G5/S1 | Sens | | Sparse | Pac, Skm, | PC, WC | NP Montane Massive Bedrock, Cliff, & Talus RM Cliff, Canyon & Massive Bedrock | Columbia Falls NAP Columbia River Gorge NSA |
| <i>Carex media</i> (<i>C. norvegica</i> ssp. <i>inferalpina</i>) Scandinavian sedge (Intermediate sedge) | G5/S2 | Sens | B-Sens F-Sens | Sparse | Oka, Peo | CR, OK | RM Alpine-Montane Wet Meadow RM Subalpine-Montane Riparian Woodland | Chopaka Mountain NAP Colville NF Loomis NRCA Okanogan-Wenatchee NF Pasayten WA Salmo-Priest WA |

| Species Common Name | Heritage Rank | State Status | Federal Status | Dist. Pattern | County | Eco- region | Ecological System | Managed Area |
|---|------------------|-----------------|-------------------|------------------|---|-------------------|---|--|
| <i>Carex obtusata</i> Blunt sedge | G5/S2 | Sens | B-Sens F-Sens | Periph | Clm, Jef, Mas | PC | NP Alpine & Subalpine Bedrock & Scree RM Alpine Dwarf-Shrubland, Fell-Field, & Turf | Buckhorn SIA Buckhorn WA Olympic NF Olympic NP Wet Weather Creek RNA |
| <i>Carex pauciflora</i> Few-flowered sedge | G5/S2 | Sens | B-Sens F-Sens | Sparse | Clm, Jef, Kin, Ktt, Mas, Saj, Skg, Sno, Whc | EC, NC, PC, PT | NP Bog & Fen | Cranberry Lake SIA Kings Lake Bog NAP Moran SP Morning Star NRCA Mt. Baker-Snoqualmie NF Olympic NP Snoqualmie Bog NAP |
| <i>Carex pluriflora</i> Black bog sedge | G5/S2 | Sens | | Sparse | Clm, Sno, Whc | NC, PC, PT | NP Bog & Fen | Dailey Prairie NAP Morning Star NRCA Olympic NP |
| <i>Carex proposita</i> Smoky Mountain sedge | G4/S2 | Sens | B-Sens F-Sens | Disjunct | Che, Ktt?, Oka, Pie, Skg, Skm, Sno | EC, NC, OK, WC | NP Dry & Mesic Alpine Dwarf-Shrubland, Fell-Field & Meadow RM Alpine Dwarf-Shrubland, Fell-Field, & Turf | Alpine Lakes WA Boston Glacier RNA Enchantment SIB Gifford Pinchot NF Glacier Peak WA Henry M. Jackson WA Mt. Rainier NP Mt. St. Helens NVM North Cascades NP Okanogan-Wenatchee NF |
| <i>Carex rostrata (sensu stricto)</i> Northern beaked sedge | G5/S2 | Sens | B-Sens F-Sens | Sparse | Fer, Peo | CR, OK | RM Alpine-Montane Wet Meadow RM Subalpine-Montane Fen | Bunchgrass Meadows RNA Colville NF |
| <i>Carex scirpoidea</i> ssp. <i>scirpoidea</i> Canadian single-spike sedge | G5T5/S2 | Sens | B-Sens F-Sens | Periph | Jef, Ktt, Mas, Oka, Whc | EC, NC, OK, PC | NP Dry & Mesic Alpine Dwarf-Shrubland, Fell-Field & Meadow RM Alpine Dwarf-Shrubland, Fell-Field, & Turf RM Alpine-Montane Wet Meadow | Chewuch RNA Chopaka Mountain NAP Mt. Baker WA Mt. Baker-Snoqualmie NF Okanogan-Wenatchee NF Olympic NP Pasayten WA |
| <i>Carex sheldonii</i> Sheldon's sedge | G4/S1 | Sens | | Disj | Aso | BM | RM Lower Montane Riparian Woodland & Shrubland | |
| <i>Carex stylosa</i> Long-styled sedge | G5/S2 | Sens | B-Sens F-Sens | Sparse | Clm, Jef, Kin, Skg, Sno, Whc | NC, PC | NP Bog & Fen | Crowberry Bog NAP Morning Star NRCA Mt. Baker-Snoqualmie NF Olympic NP |

| Species Common Name | Heritage Rank | State Status | Federal Status | Dist. Pattern | County | Eco- region | Ecological System | Managed Area |
|---|------------------|-----------------|-------------------|------------------|--|-------------------|---|--|
| <i>Carex sychnocephala</i> Many-headed sedge | G5/S2 | Sens | B-Sens F-Sens | Sparse | Fer, Lin, Oka, Peo | CP, CR, OK | NA Arid West Emergent Marsh NCP Basalt Pothole Ponds | Alta Lake SP Okanogan-Wenatchee NF Sinlahekin SWA Spokane BLM |
| <i>Carex tenera</i> var. <i>tenera</i> Slender broom sedge | G5T5/S2 | Sens | B-Sens F-Sens | Sparse | Oka, Peo | CR, OK | NA Arid West Emergent Marsh RM Alpine-Montane Wet Meadow RM Subalpine-Montane Riparian Shrubland | Colville NF Sinlahekin SWA Spokane BLM |
| <i>Carex tenuiflora</i> Sparse-flowered sedge | G5/S2 | Sens | B-Sens F-Sens | Periph | Fer, Oka | OK | RM Subalpine-Montane Fen | Colville NF Okanogan-Wenatchee NF Roger Lake RNA |
| <i>Carex vallicola</i> Valley sedge | G4G5/S2 | Sens | B-Sens F-Sens | Periph | Gra, Oka | CP, OK | IMB Montane Sagebrush Steppe NRM Subalpine-Upper Montane Grassland | Okanogan-Wenatchee NF Sinlahekin SWA Steamboat Rock SP |
| <i>Cassiope lycopodioides</i> Clubmoss mountain-heather | G5/S1 | Sens | F-Sens | Periph | Kin, Sno | NC | NP Alpine & Subalpine Bedrock & Scree | Mount Si NRCA Mt. Baker Snoqualmie NF |
| <i>Castilleja chambersii</i> Chambers paintbrush | G1/S1 | Endang | | LocEnd | Pac | PC | NP Montane Massive Bedrock, Cliff, & Talus | |
| <i>Castilleja cryptantha</i> Obscure paintbrush | G1/S1 | Endang | B-Sens F-Sens | LocEnd | Pie, Yak | EC, WC | NRM Subalpine-Upper Montane Grassland | Mt. Rainier NP Okanogan-Wenatchee NF William O. Douglas WA |
| <i>Castilleja levisecta</i> Golden paintbrush | G2/S2 | Threat | | RegEnd | Clk, Clm, Isl, Jef, Kin, Ktp, Pie, Saj, Skg, Thu | PT | WV Upland Prairie & Savanna | Admiralty Inlet NAP Deception Pass SP Dungeness NWR Fort Casey SP Mima Mounds NAP Rocky Prairie NAP San Juan Islands NHP |
| <i>Castilleja victoriae</i> Victoria's paintbrush | G1/S1 | Endang | | LocEnd | Saj | PT | NP Hardpan Vernal Pool | Iceberg Island SP |
| <i>Chaenactis thompsonii</i> Thompson's chaenactis | G3/S3 | Sens | B-Sens F-Sens | LocEnd | Che, Ktt, Pie?, Yak | EC, WC? | NP Serpentine Barren | Eldorado Creek RNA Mt. Baker-Snoqualmie NF? Okanogan-Wenatchee NF |
| <i>Chrysolepis chrysophylla</i> var. <i>chrysophylla</i> (<i>Castanopsis chrysophylla</i>) Golden chinquapin | G5T5/S2 | Sens | B-Sens F-Sens | Periph | Mas, Skm | EC, PC, PT, WC | NP Dry Douglas-fir Forest & Woodland NP Maritime Mesic-Wet Douglas-fir-Western Hemlock Forest | Columbia River Gorge NSA Gifford Pinchot NF Olympic NF Trapper Creek WA |

| Species Common Name | Heritage Rank | State Status | Federal Status | Dist. Pattern | County | Eco- region | Ecological System | Managed Area |
|---|------------------|-----------------|-------------------|------------------|---|-------------------|---|--|
| <i>Chrysosplenium tetrandrum</i> Northern golden-carpet | G5/S2 | Sens | B-Sens F-Sens | Periph | Oka | OK | NRM Conifer Swamp RM Subalpine-Montane Riparian Woodland | Okanogan-Wenatchee NF |
| <i>Chylismia scapoidea</i> ssp. <i>brachycarpa</i> (<i>Camissonia scapoidea</i>) Short-fruited suncups | G5T4T5/ S1 | Sens | B-Sens | Periph | Ktt, Lin | CP | CP Scabland Shrubland IMB Active & Stabilized Dune IMB Big Sagebrush Steppe | Iron Horse Pioneer Trail SP Yakima TC |
| <i>Cicuta bulbifera</i> Bulb-bearing water-hemlock | G5/S2S3 | Sens | B-Sens F-Sens | Sparse | Che, Isl, Peo, Ste, Thu, Whc | CR, EC, PT | NA Arid West Emergent Marsh NP Bog & Fen RM Subalpine-Montane Fen TP Freshwater Emergent Marsh | Colville NF Elbow Lake SP Fish Lake Bog RNA Lake Terrell SWA Little Pend Oreille NWR Little Pend Oreille River NAP Okanogan-Wenatchee NF |
| <i>Cirsium remotifolium</i> var. <i>remotifolium</i> Weak thistle | G5TNR [T3]/S1 | Endang | F-Sens | Periph | Clk, Clm, Grh, Kin, Kli, Pie, Skm, Thu | EC, PC, PT, WC | RM Alpine-Montane Wet Meadow WV Wet Prairie | Bald Hill NAP Columbia River Gorge NSA Conboy Lake NWR Gifford Pinchot NF JB Lewis-McChord Klickitat SWA Lake Sylvia SP Olympic NF Soda Springs SWA Spokane BLM? Trout Lake NAP? White Salmon Oak NRCA? |
| <i>Claytonia multiscapa</i> ssp. <i>pacifica</i> Pacific lanceleaved springbeauty | G5T3T4/ S1 | Sens | F-Sens | RegEnd | Clm, Grh, Jef, Mas | PC | NP Alpine & Subalpine Bedrock & Scree | Colonel Bob WA Mount Skokomish WA Olympic NF Olympic NP |
| <i>Cochlearia groenlandica</i> Scurvygrass | G5/S1S2 | Sens | | Periph | Clm, Grh, Jef, Mas | PC, PT | NP Coastal Cliff & Bluff | Olympic NP Washington Islands NWR |
| <i>Collinsia sparsiflora</i> var. <i>sparsiflora</i> (<i>C. s.</i> var. <i>bruceae</i>) Few-flowered collinsia | G4T4/S1 | Sens | B-Sens F-Sens | Periph | Clk, Kli, Skm | CP, EC, PT, WC | M Basalt Flow Vernal Pool? | Columbia River Gorge NSA Doug's Beach SP Gifford Pinchot NF Klickitat SWA Ridgefield NWR Spokane BLM |
| <i>Collomia macrocalyx</i> Bristle-flowered collomia | G3G4/S2 | Threat | | RegEnd | Ktt, Yak | CP | CP Scabland Shrubland IMB Big Sagebrush Steppe | Ginkgo Petrified Forest SP Yakima TC |

| Species Common Name | Heritage Rank | State Status | Federal Status | Dist. Pattern | County | Eco- region | Ecological System | Managed Area |
|--|------------------|-----------------|-------------------|------------------|-------------------------------|----------------|---|---|
| <i>Comastoma tenellum</i> (<i>Gentianella tenella</i>) Lapland gentian | G4G5/S1 | Sens | B-Sens F-Sens | Disjunct | Oka | OK | RM Alpine Dwarf-Shrubland, Fell-Field, & Turf | Chopaka Mountain NAP Okanogan-Wenatchee NF Pasayten WA |
| <i>Coptis asplenifolia</i> Spleenwort-leaved goldthread | G5/S2 | Sens | B-Sens F-Sens | Sparse | Clm, Grh, Jef, Kin, Sno | PC, NC, WC | NP Lowland Riparian Forest & Shrubland NP Mesic Western Hemlock- Silver Fir Forest | Lake Twenty-Two RNA Mt. Baker-Snoqualmie NF Olympic NP |
| <i>Coptis trifolia</i> Threelobed goldthread | G5/S1 | Sens | | Periph | Clm | PC | NP Bog & Fen | Olympic NP |
| <i>Corispermum pallidum</i> Pale bugseed | GH/SH | Extirp | | LocEnd | Gra | CP | IMB Active & Stabilized Dune | Columbia Basin SWA |
| <i>Corispermum villosum</i> Hairy bugseed | G4/S2 | Sens | B-Sens | Sparse | Gra, Kli, Oka | CP, EC, OK | IMB Active & Stabilized Dune | Columbia River Gorge NSA Fort Okanogan SP Sentinel Slope ACEC Spokane BLM |
| <i>Corydalis aquae-gelidae</i> (<i>C. caseana</i> ssp. <i>aquae-gelidae</i>) Clackamas corydalis | G3/S2 | Threat | B-Sens F-Sens | RegEnd | Clk, Cow, Skm | WC | NP Montane Riparian Woodland & Shrubland | Gifford Pinchot NF Mt. St. Helens NVM |
| <i>Crassula connata</i> Sand pygmyweed | G5/S1 | Sens | | Disjunct | Saj | PT | NP Coastal Cliff & Bluff NP Hardpan Vernal Pool | Lime Kiln Point SP San Juan Island NHP |
| <i>Crataegus phippsii</i> Phipps' hawthorn | G2G3/S1 | Endang | | RegEnd | Oka | OK | RM Subalpine-Montane Riparian Shrubland | |
| <i>Crepis bakeri</i> Idaho hawksbeard | G4/S1 | Sens | | RegEnd | Aso, Kli, Yak | BM, CP, EC | CB Foothill & Canyon Dry Grassland NRM Lower Montane, Foothill & Valley Grassland | Asotin Creek SWA Brooks Memorial SP Chief Joseph SWA Gifford Pinchot NF Klickitat SWA (E Simcoes Unit) Okanogan-Wenatchee NF Wenas DNR lands |
| <i>Cryptantha gracilis</i> Narrow-stem cryptantha | G5/S2 | Sens | B-Sens F-Sens | Sparse | Aso, Dou, Gra, Ktt, Yak | BM, CP | CP Scabland Shrubland IMB Cliff & Canyon IMB Wash | Beezley Hills Preserve Chief Joseph SWA McCartney Creek Preserve Moses Coulee Preserve Spokane BLM Sun Lakes SP Yakima TC |
| <i>Cryptantha grandiflora</i> Clearwater cryptantha | GNR/S1 | Endang | | RegEnd | Aso, Wht? | BM, CP? | CB Foothill & Canyon Dry Grassland | Umatilla NF |

| Species Common Name | Heritage Rank | State Status | Federal Status | Dist. Pattern | County | Eco- region | Ecological System | Managed Area |
|---|------------------|-----------------|-------------------|------------------|------------------------------------|----------------|---|---|
| <i>Cryptantha rostellata</i> Beaked cryptantha | G4/S2 | Sens | B-Sens F-Sens | RegEnd | Aso, Kli, Ktt, Waw, Wht, Yak | BM, CP, EC | CB Palouse Prairie CP Scabland Shrubland | Badger Gulch NAP Chief Joseph SWA Columbia River Gorge NSA Spokane BLM Yakima TC |
| <i>Cryptantha scoparia</i> Desert cryptantha | G4?/S2 | Sens | | Sparse | Ben, Dou, Gra, Ktt, Yak | CP | CP Scabland Shrubland IMB Big Sagebrush Steppe IMB Wash | Columbia Basin SWA Hanford ERP Hanford Reach NM Rattlesnake Hills RNA Sun Lakes SP Yakima TC |
| <i>Cryptogramma stelleri</i> Steller's rockbrake | G5/S2 | Sens | B-Sens F-Sens | Periph | Che, Oka, Peo, Ste | CR, EC, OK | RM Cliff, Canyon & Massive Bedrock | Lake Chelan-Sawtooth WA Colville NF Glacier Peak WA Okanogan-Wenatchee NF Trombetta Canyon NAP |
| <i>Cuscuta denticulata</i> Desert dodder | G4G5/S1 | Sens | | Periph | Ben, Fra | CP | IMB Semi-Desert Shrub- Steppe IMB Wash | Columbia Basin SWA Hanford Reach NM |
| <i>Cusickiella douglasii</i> Douglas' draba | G4/S1 | Sens | | Periph | Kli | CP, EC | CP Scabland Shrubland | Columbia Hills NAP Columbia River Gorge NSA? |
| <i>Cypripedium parviflorum</i> (includes vars. <i>makasin</i> & <i>pubescens</i>) Yellow lady's slipper | G5/S2 | Sens | B-Sens F-Sens | Sparse | Fer, Oka, Spo, Ste | CP, CR, OK | NCP Basalt Pothole Ponds NRM Conifer Swamp RM Subalpine-Montane Riparian Shrubland | Colville NF Pine Creek RNA Sinlahekin SWA Spokane BLM Turnbull NWR |
| <i>Dactylorhiza viridis</i> (<i>Coeloglossum</i> v. var. <i>virescens</i>) Frog orchid | G5/S1 | Sens | B-Sens F-Sens | Periph | Oka | OK | NRM Dry-Mesic Montane Mixed Conifer Forest | Okanogan-Wenatchee NF |
| <i>Damasonium californicum</i> (<i>Machaerocarpus californicus</i>) Fringed water-plantain | G4/S1 | Sens | F-Sens | Periph | Kli | CP | NA Arid West Emergent Marsh | Columbia Hills Historical SP Columbia River Gorge NSA Gifford Pinchot NF |
| <i>Delphinium leucophaeum</i> (<i>D. nuttallii</i> ssp. <i>leucophaeum</i>) Pale larkspur | G2/S1 | Endang | | RegEnd | Lew | PT | WV Upland Prairie & Savanna | |
| <i>Delphinium viridescens</i> Wenatchee larkspur | G2/S2 | Threat | B-Sens F-Sens | LocEnd | Che, Dou?, Ktt | CP?, EC | RM Alpine-Montane Wet Meadow RM Subalpine-Montane Riparian Shrubland | Camas Meadows NAP Okanogan-Wenatchee NF |

| Species Common Name | Heritage Rank | State Status | Federal Status | Dist. Pattern | County | Eco- region | Ecological System | Managed Area |
|---|------------------|-----------------|-------------------|------------------|-------------------------------|----------------|---|---|
| <i>Dendrolycopodium dendroideum</i> (<i>Lycopodium dendroideum</i>) Tree clubmoss | G5/S2 | Sens | B-Sens F-Sens | Sparse | Kin, Peo, Sno, Whc | CR, NC | NP Montane Massive Bedrock, Cliff, & Talus RM Cliff, Canyon & Massive Bedrock RM Subalpine Mesic-Wet Spruce-Fir Forest & Woodland | Big Beaver RNA Colville NF Kaniksu NF Mt. Baker-Snoqualmie NF North Cascades NP Ross Lake NRA |
| <i>Diplacus cusickioides</i> (<i>D. cusickii</i> & <i>Mimulus cusickii</i> , misapplied) Nesom's monkeyflower | G4G5/S1 | Sens | B-Sens F-Sens | Periph | Aso, Kli | BM, CP, EC | CB Foothill & Canyon Dry Grassland IMB Wash | Chief Joseph SWA Columbia River Gorge NSA |
| <i>Draba aurea</i> Golden draba | G5/S1 | Sens | B-Sens F-Sens | Periph | Oka, Whc | NC, OK | RM Alpine Dwarf-Shrubland, Fell-Field, & Turf | Chopaka Mountain NAP Okanogan-Wenatchee NF Pasayten WA |
| <i>Draba cana</i> (<i>Draba breweri</i> var. <i>cana</i>) Lance-leaved draba | G5/S1 | Sens | B-Sens F-Sens | Periph | Clm, Oka | OK, PC | RM Alpine Bedrock & Scree RM Alpine Dwarf-Shrubland, Fell-Field, & Turf | Buckhorn WA Okanogan-Wenatchee NF Olympic NF Pasayten WA |
| <i>Draba taylorii</i> Taylor's draba | G3/S1 | Endang | F-Sens | LocEnd | Oka | OK | RM Alpine Dwarf-Shrubland, Fell-Field, & Turf | Chopaka Mountain NAP Okanogan-Wenatchee NF Pasayten WA |
| <i>Dryas drummondii</i> var. <i>drummondii</i> Yellow mountain-avens | G5T5/S2 | Sens | B-Sens F-Sens | Periph | Jef. Peo, Sno, Ste | CR, NC, PC | NP Alpine & Subalpine Bedrock & Scree RM Alpine Bedrock & Scree RM Cliff, Canyon & Massive Bedrock | Colville NF Glacier Peak WA Mt. Baker-Snoqualmie NF Olympic NF Olympic NP Trombetta Canyon NAP |
| <i>Dryopteris cristata</i> Crested shield-fern | G5/S2 | Sens | B-Sens F-Sens | Periph | Fer, Peo, Ste | CR, OK | NRM Conifer Swamp RM Alpine-Montane Wet Meadow RM Subalpine-Montane Fen | Colville NF Halliday Fen RNA Kaniksu NF Little Pend Oreille River NAP |
| <i>Eatonella nivea</i> White eatonella | G4/S2 | Sens | | Periph | Gra, Ktt | CP | CP Scabland Shrubland IMB Big Sagebrush Steppe | Columbia Basin SWA Hanford ERP Hanford Reach NM Yakima TC |
| <i>Eleocharis atropurpurea</i> Purple spike-rush | G4G5/S1 | Sens | | Disjunct | Ben, Che, Fra | CP, EC | NA Arid West Emergent Marsh | Hanford Reach NM Okanogan-Wenatchee NF? |
| <i>Eleocharis coloradoensis</i> (<i>E. parvula</i> var. <i>anachaeta</i>) Dwarf spike-rush | G4/S1 | Sens | | Sparse | Ben, Dou, Gra, Oka, Wht | CP, OK | NA Arid West Emergent Marsh | Columbia Basin SWA |

| Species Common Name | Heritage Rank | State Status | Federal Status | Dist. Pattern | County | Eco- region | Ecological System | Managed Area |
|---|------------------|-----------------|-------------------|------------------|------------------------------------|----------------|--|--|
| <i>Eleocharis mamillata</i> ssp. <i>mamillata</i> Soft-stemmed spikerush | G5T5/S1 | Sens | F-Sens | Periph | Skg, Whc | NC | TP Freshwater Emergent Marsh TP Subalpine-Montane Wet Meadow | Mt. Baker-Snoqualmie NF |
| <i>Eleocharis rostellata</i> Walking spike-rush | G5/S2 | Sens | F-Sens | Sparse | Gra, Oka, Peo, Yak | CP, CR, OK | IMB Alkaline Closed Depression NA Arid West Emergent Marsh RM Subalpine-Montane Fen TP Freshwater Emergent Marsh | Colville NF Halliday Fen RNA Sinlahekin SWA Sun Lakes SP Yakima TC |
| <i>Epilobium mirabile</i> (<i>E. glandulosum</i> var. <i>macounii</i>) Olympic willow-herb | G4/S1 | Sens | F-Sens | RegEnd | Clm, Whc | NC, PC | NP Alpine & Subalpine Bedrock & Scree | Mt. Baker WA Mt. Baker-Snoqualmie NF Olympic NP |
| <i>Eremogone franklinii</i> var. <i>thompsonii</i> (<i>Arenaria franklinii</i> var. <i>t.</i>) Thompson's sandwort | G4T2Q/ S2 | Threat | | RegEnd | Ben, Gra | CP | IMB Active & Stabilized Dune | Columbia Basin SWA Hanford ERP |
| <i>Eremothera minor</i> (<i>Camissonia minor</i>) Smallflower mooncup | G4/S2 | Sens | | Sparse | Ben, Gra, Kli, Ktt?, Yak | CP, EC? | CP Scabland Shrubland IMB Wash | Hanford ERP Hanford Reach NM Rattlesnake Hills RNA |
| <i>Eremothera pygmaea</i> (<i>Camissonia pygmaea</i>) Dwarf mooncup | G3/S3 | Sens | B-Sens F-Sens | RegEnd | Ben, Dou, Fra, Gra, Ktt, Yak | CP | CP Scabland Shrubland IMB Cliff & Canyon IMB Semi-Desert Shrub- Steppe IMB Wash | Columbia Basin SWA Hanford ERP Hanford Reach NM Rattlesnake Hills RNA Rock Island Canyon ACEC Spokane BLM Steamboat Rock SP Sun Lakes SP Yakima TC |
| <i>Erigeron aliceeae</i> Eastwood's daisy | G4/S2 | Sens | F-Sens | RegEnd | Clm, Grh, Lew, Pac | PC | NP Alpine & Subalpine Dry Grassland NP Montane Massive Bedrock, Cliff, & Talus | Colonel Bob WA Olympic NF Olympic NP Willapa Divide NAP |

| Species Common Name | Heritage Rank | State Status | Federal Status | Dist. Pattern | County | Eco- region | Ecological System | Managed Area |
|--|------------------|-----------------|-------------------|------------------|------------------|----------------|---|---|
| <i>Erigeron basalticus</i> Basalt daisy | G2/S2 | Threat | B-Sens | LocEnd | Ktt, Yak | CP | IMB Cliff & Canyon | LT Murray SWA Selah Cliffs NAP Spokane BLM Wenas SWA Yakima River Canyon ACEC Yakima River Cliffs-Umtanum Ridge ACEC Yakima TC |
| <i>Erigeron davisii</i> (<i>E. engelmannii</i> var. <i>davisii</i>) Davis's fleabane | G2G3/S1 | Endang | B-Sens F-Sens | RegEnd | Aso, Gar | BM | NRM Subalpine-Upper Montane Grassland | Grande Ronde ACEC Vale BLM William T. Wooten SWA |
| <i>Erigeron disparipilus</i> Snake River daisy | G3/S2 | Threat | F-Sens | RegEnd | Aso, Col, Gar | BM | NRM Subalpine-Upper Montane Grassland | Asotin Creek SWA Fields Spring SP Umatilla NF William T Wooten SWA |
| <i>Erigeron flettii</i> Olympic fleabane | G1/S1 | Endang | | LocEnd | Clm, Jef | PC | NP Alpine & Subalpine Bedrock & Scree | Olympic NP Olympic NF |
| <i>Erigeron howellii</i> Howell's daisy | G2/S2 | Threat | B-Sens F-Sens | LocEnd | Skm | WC | NP Montane Massive Bedrock, Cliff, & Talus | Columbia Falls NAP Columbia River Gorge NSA Table Mt/Greenleaf Pk NRCA |
| <i>Erigeron oregonus</i> Oregon fleabane | G3/S2 | Threat | B-Sens F-Sens | RegEnd | Skm, Whk | PC, WC | NP Montane Massive Bedrock, Cliff, & Talus | Beacon Rock SP Columbia Falls NAP Columbia River Gorge NSA Gifford Pinchot NF |
| <i>Erigeron peregrinus</i> var. <i>thompsonii</i> Thompson's fleabane | G5T1/S1 | Endang | | LocEnd | Grh, Jef | PC | NP Bog & Fen | Copalis Bog Preserve Olympic NF? Olympic NP |
| <i>Erigeron salishii</i> Salish daisy | G3/S2 | Threat | B-Sens F-Sens | RegEnd | Che, Sno | EC, NC | RM Alpine Bedrock & Scree | Alpine Lakes WA Lake Chelan-Sawtooth WA Enchantment SIA Glacier Peak WA Lake Chelan NRA Mt. Baker-Snoqualmie NF Okanogan-Wenatchee NF |
| <i>Eriogonum codium</i> Umtanum desert buckwheat | G1/S1 | Endang | Threat | LocEnd | Ben | CP | IMB Cliff & Canyon | Hanford Reach NM |
| <i>Eriogonum maculatum</i> Spotted buckwheat | G5/SX | Extirp | | Periph | Yak | CP | CP Scabland Shrubland? IMB Active & Stabilized Dune | |

| Species Common Name | Heritage Rank | State Status | Federal Status | Dist. Pattern | County | Eco- region | Ecological System | Managed Area |
|--|------------------|-----------------|-------------------|------------------|------------------------------------|-------------------|---|--|
| <i>Eriophorum viridicarinatum</i> Green-keeled cottongrass | G5/S2 | Sens | F-Sens | Periph | Fer, Oka, Peo, Skm | CR, OK, WC | RM Subalpine-Montane Fen | Colville NF Gifford Pinchot NF Halliday Fen RNA Kaniksu NF Mt. St. Helens NVM Okanogan-Wenatchee NF Pasayten WA Salmo Priest WA |
| <i>Eritrichium argenteum</i> (<i>E. nanum</i> var. <i>elongatum</i>) Pale alpine forget-me-not | G4/S1 | Sens | B-Sens F-Sens | Disjunct | Che, Oka | EC, OK | RM Alpine Dwarf-Shrubland, Fell-Field, & Turf | Lake Chelan-Sawtooth WA Okanogan-Wenatchee NF |
| <i>Eryngium articulatum</i> Beefthistle coyote-thistle | G5/SH | Extirp | | Periph | Spo, Wht | CP | NA Arid West Emergent Marsh | |
| <i>Eryngium petiolatum</i> Oregon coyote-thistle | G4/S2 | Sens | | RegEnd | Clk, Kli, Lew | EC, PT | RM Alpine-Montane Wet Meadow WV Wet Prairie | Columbia River Gorge NSA Conboy Lake NWR Klickitat SWA Lacamas Prairie NAP |
| <i>Erythranthe ampliata</i> Nez Perce monkeyflower | G3/SH | Extirp | | RegEnd | Aso | BM | NA Arid West Emergent Marsh | Vale BLM? |
| <i>Erythranthe jungermannioides</i> (<i>Mimulus j.</i>) Liverwort monkeyflower | G3/SH | Extirp | | RegEnd | Kli | EC | RM Cliff, Canyon & Massive Bedrock | Columbia River Gorge NSA? |
| <i>Erythranthe patula</i> (<i>Mimulus patulus</i>) Stalk-leaved monkeyflower | G3?/S2? | Threat | B-Sens F-Sens | Periph | Aso, Oka, Spo, Waw | BM, CP, OK | CB Foothill Riparian Woodland & Shrubland | Asotin Creek SWA Grande Ronde ACEC Okanogan-Wenatchee NF Vale BLM |
| <i>Erythranthe pulsiferae</i> (<i>Mimulus pulsiferae</i>) Candelabrum monkeyflower | G4?/S2 | Sens | B-Sens F-Sens | Sparse Periph | Kli, Oka, Skm, Waw, Wht, Yak | CP, EC, OK, WC | RM Alpine-Montane Wet Meadow TP Subalpine-Montane Wet Meadow | Columbia River Gorge NSA Conboy Lake NWR Gifford Pinchot NF Klickitat Canyon NRCA Okanogan-Wenatchee NF Trout Lake NAP |
| <i>Erythranthe scouleri</i> (<i>Mimulus scouleri</i>) Scouler's monkeyflower | GNR/S1 | Endang | | RegEnd | Cow, Sno, Whk | PC, PT | NP Intertidal Freshwater Wetland | Julia Butler Hansen NWR |

| Species Common Name | Heritage Rank | State Status | Federal Status | Dist. Pattern | County | Eco- region | Ecological System | Managed Area |
|---|------------------|-----------------|-------------------|------------------|--|----------------|--|---|
| <i>Erythranthe suksdorfii</i> (<i>Mimulus suksdorfii</i>) Suksdorf's monkeyflower | G4/S2S3 | Sens | B-Sens F-Sens | Sparse | Ada, Ben, Che, Dou, Gra, Kli, Ktt, Oka, Wht, Yak | CP, EC, OK | CP Scabland Shrubland CP Vernal Pool IMB Wash | Beezley Hills Preserve Castle Rock RNA Columbia Basin SWA Columbia River Gorge NSA Crab Creek SWA Hanford ERP Marcellus Shrub Steppe NAP Mt. Adams WA Okanogan-Wenatchee NF Roger Lake RNA Steamboat Rock SP Sun Lakes SP Yakima TC |
| <i>Erythranthe washingtonensis</i> (<i>Mimulus washingtonensis</i>) Washington monkeyflower | G3/S1 | Endang | | RegEnd | Kli, Skm?, Yak | EC, WC? | NA Arid West Emergent Marsh RM Alpine-Montane Wet Meadow | Columbia River Gorge NSA Conboy Lake NWR |
| <i>Erythronium quinaultense</i> Olympic fawn-lily | G1G2/ S1S2 | Threat | F-Sens | LocEnd | Clm, Grh, Jef | PC | NP Hypermaritime Western Red-Cedar-Western Hemlock Forest NP Lowland Riparian Forest & Shrubland | Matheny Prairie Old Western Redcedar SIB Olympic NF |
| <i>Erythronium revolutum</i> Coast fawn-lily | G4G5/S3 | Sens | | Sparse | Clm, Cow, Grh, Jef, Lew, Pac, Skg, Thu, Whk | PC, PT | NP Hypermaritime Western Red-Cedar-Western Hemlock Forest NP Lowland Riparian Forest & Shrubland NP Seasonal Sitka Spruce Forest | Deception Pass SP Olympic NF |
| <i>Eucephalus glaucescens</i> Klickitat aster | G2/S2 | Threat | | LocEnd | Kli, Skm, Yak | EC | EC Mesic Montane Mixed Conifer Forest & Woodland Northern RM Dry-Mesic Montane Mixed Conifer Forest | Conboy Lake NWR Gifford Pinchot NF Indian Heaven WA |
| <i>Euonymus occidentalis</i> var. <i>occidentalis</i> Western wahoo | G5TNR/ S2 | Sens | | Periph | Clk, Cow, Lew, Pac, Thu | PC, PT, WC | NP Lowland Riparian Forest & Shrubland NP Montane Riparian Woodland & Shrubland NP Oak Woodland | Lewis & Clark SP Mt. St. Helens SWA |

| Species Common Name | Heritage Rank | State Status | Federal Status | Dist. Pattern | County | Eco- region | Ecological System | Managed Area |
|---|------------------|-----------------|-------------------|------------------|--------------------------------|-------------------|--|--|
| <i>Eurybia merita</i> (<i>Aster meritus</i>) Subalpine aster | G5/S2 | Sens | F-Sens | Periph | Oka, Saj, Sno?, Ste, Whc | CR, NC, OK, PT | NP Alpine & Subalpine Bedrock & Scree NP Montane Massive Bedrock, Cliff, & Talus RM Alpine Bedrock & Scree | Colville NF Glacier Peak WA? Moran SP Mt. Baker WA Mt. Baker-Snoqualmie NF Ronald J. Taylor RNA |
| <i>Eutrochium maculatum</i> var. <i>bruneri</i> (<i>Eupatorium maculatum</i>) Spotted Joe-Pye weed | G5T5/S1 | Sens | | Periph | Kin, Whc | PT | NP Shrub Swamp | |
| <i>Filipendula occidentalis</i> Queen-of-the-forest | G2G3/ S2S3 | Sens | | RegEnd | Pac | PC | NP Lowland Riparian Forest & Shrubland | |
| <i>Fritillaria camschatcensis</i> Kamchatka fritillary (Black lily) | G5/S2 | Sens | B-Sens F-Sens | Periph | Isl, Kin, Skg, Skm, Sno | NC, PT, WC | NP Bog & Fen NP Intertidal Freshwater Wetland TP Subalpine-Montane Wet Meadow | Alpine Lakes WA Boulder River WA Columbia River Gorge NSA Deception Pass SP Morning Star NRCA Mt. Baker-Snoqualmie NF |
| <i>Gaultheria hispidula</i> Creeping wintergreen | G5/S2 | Sens | B-Sens F-Sens | Periph | Peo | CR | RM Subalpine-Montane Fen | Colville NF Kaniksu NF Salmo Priest WA |
| <i>Gentiana douglasiana</i> Swamp gentian | G5/S2 | Sens | B-Sens F-Sens | Periph | Clm, Kin, Ktt | EC, PC, WC | NP Bog & Fen RM Subalpine-Montane Fen | Mt. Baker-Snoqualmie NF Okanogan-Wenatchee NF Olympic NP |
| <i>Gentiana glauca</i> Glaucous gentian | G5/S2 | Sens | B-Sens F-Sens | Periph | Oka, Whc | NC, OK | RM Alpine Dwarf-Shrubland, Fell-Field, & Turf | Chopaka Mountain NAP Mt. Baker WA Mt. Baker-Snoqualmie NF Okanogan-Wenatchee NF Pasayten WA Ronald J. Taylor RNA |
| <i>Geranium oreganum</i> Oregon geranium | G4G5/SX | Extirp | | Periph | Clk | PT | NP Oak Woodland WV Upland Prairie & Savanna | |
| <i>Geum rivale</i> Water avens | G5/S2S3 | Sens | B-Sens F-Sens | Periph | Fer, Oka, Peo, Ste | CR, OK | RM Alpine-Montane Wet Meadow RM Subalpine-Montane Fen | Colville NF Halliday Fen RNA Okanogan-Wenatchee NF Pasayten WA |
| <i>Geum rossii</i> var. <i>depressum</i> Ross' avens | G5T1/S1 | Endang | F-Sens | LocEnd | Che | EC | NP Serpentine Barren RM Alpine Dwarf-Shrubland, Fell-Field, & Turf | Alpine Lakes WA Enchantment SIB Okanogan-Wenatchee NF |

| Species Common Name | Heritage Rank | State Status | Federal Status | Dist. Pattern | County | Eco- region | Ecological System | Managed Area |
|--|------------------|-----------------|-------------------|------------------|---|--------------------------|---|---|
| <i>Githopsis specularioides</i> Common bluecup | G5/S2S3 | Sens | B-Sens F-Sens | Sparse | Che, Kli, Lew, Mas, Pie, Skm, Thu, Waw, Wht | CP, EC, PC, PT, WC | EC Oak-Ponderosa Pine Forest & Woodland NP Herbaceous Bald & Bluff NP Montane Massive Bedrock, Cliff, & Talus | Bald Hill NAP Lake Chelan-Sawtooth WA Columbia River Gorge NSA Gifford Pinchot NF Hamma Hamma Balds NAP Klickitat SWA Lake Chelan NRA Okanogan-Wenatchee NF Spokane BLM |
| <i>Hackelia cinerea</i> Gray stickseed | G4/S1 | Sens | B-Sens F-Sens | Periph | Lin, Spo, Ste | CP, OK | RM Cliff, Canyon & Massive Bedrock | Riverside SP |
| <i>Hackelia diffusa</i> var. <i>diffusa</i> Diffuse stickseed | G4T3/S2 | Threat | B-Sens F-Sens | RegEnd | Col, Kli, Ktt?, Yak | BM, CP?, EC | RM Cliff, Canyon & Massive Bedrock | Columbia River Gorge NSA Ginkgo Petrified Forest SP? Klickitat Canyon NRCA Klickitat SWA Umatilla NF |
| <i>Hackelia hispida</i> var. <i>disjuncta</i> Sagebrush stickseed | G4T3/S3 | Sens | B-Sens | LocEnd | Che, Dou, Gra, Ktt | CP, EC | CP Scabland Shrubland IMB Cliff & Canyon IMB Semi-Desert Shrub- Steppe | Columbia Basin SWA Columbia NWR McCartney Creek Preserve Moses Coulee Preserve Okanogan-Wenatchee NF Quincy Lakes SWA Rock Island Canyon ACEC Spokane BLM Sun Lakes SP |
| <i>Hackelia hispida</i> var. <i>hispida</i> Rough stickseed | G4T4/S1 | Sens | B-Sens F-Sens | RegEnd | Aso | BM | CB Foothill & Canyon Dry Grassland IMB Cliff & Canyon | Grande Ronde ACEC Vale BLM |
| <i>Hackelia taylorii</i> Taylor's stickseed | G1/S1 | Endang | F-Sens | LocEnd | Che | EC | RM Bedrock & Scree | Alpine Lakes WA Okanogan-Wenatchee NF |
| <i>Hackelia venusta</i> Showy stickseed | G1/S1 | Endang | Endang | LocEnd | Che | EC | RM Cliff, Canyon & Massive Bedrock | Okanogan-Wenatchee NF Tumwater SIB |
| <i>Hedysarum occidentale</i> Western sweetvetch | G5/S2 | Sens | F-Sens | Sparse | Clm, Jef, Mas, Skm | PC, WC | NP Alpine & Subalpine Bedrock & Scree NP Montane Massive Bedrock, Cliff, & Talus | Gifford Pinchot NF Mt. Skokomish WA Mt. St. Helens NVM Olympic NF Olympic NP |

| Species Common Name | Heritage Rank | State Status | Federal Status | Dist. Pattern | County | Eco- region | Ecological System | Managed Area |
|---|------------------|-----------------|-------------------|------------------|---|--------------------------|---|---|
| <i>Heterotheca oregona</i> (<i>Chrysopsis oregona</i>) Oregon goldenaster | G4/S2 | Sens | B-Sens F-Sens | Sparse | Kin, Ktt, Lew, Mas, Pie, Thu, Yak | CP, EC, PC, PT, WC | EC Oak-Ponderosa Pine Forest & Woodland NRM Lower Montane Riparian Woodland & Shrubland | Federation Forest SP JB Lewis-McChord Mather Memorial SIA Mt. Rainier NP Oak Creek SWA Okanogan-Wenatchee NF Olympic NF |
| <i>Howellia aquatilis</i> Water howellia | G3/S2 | Threat | B-Sens F-Sens | Sparse | Clk, Mas, Pie, Spo, Thu | CP, PT | NA Arid West Emergent Marsh NCP Basalt Pothole Ponds NP Shrub Swamp TP Freshwater Emergent Marsh | Blackwater Island RNA Dishman Hills NRCA JB Lewis-McChord Pine Creek RNA Ridgefield NWR Scatter Creek SWA Spokane BLM Turnbull NWR |
| <i>Hulsea nana</i> Dwarf alpinegold | G4/S1S2 | Sens | | Sparse | Pie, Lew | EC, WC | NP Dry & Mesic Alpine Dwarf-Shrubland, Fell-Field & Meadow NP Maritime Mesic Subalpine Parkland | Mt. Rainier NP Gifford Pinchot NF |
| <i>Hymenophyllum wrightii</i> Wright's filmy fern | G4G5/S1 | Sens | | Periph | Clm, Jef | PC | NP Seasonal Sitka Spruce Forest | Olympic NP |
| <i>Hypericum majus</i> Large St. John's-wort | G5/S2 | Sens | F-Sens | Sparse | Ben, Fra, Kin, Ktp, Peo, Skg, Spo, Thu, Whc | CP, CR, NC, PT | NA Arid West Emergent Marsh RM Subalpine-Montane Fen TP Freshwater Emergent Marsh | Columbia Basin SWA Colville NF Hanford ERP Square Lake SP |
| <i>Impatiens noli-tangere</i> Boreal jewelweed | G5/S1 | Sens | B-Sens F-Sens | Sparse | Skg, Whc | NC, OK, PT | NP Lowland Riparian Forest & Shrubland | Mt. Baker-Snoqualmie NF |
| <i>Isöetes minima</i> Midget quillwort | G1G2/S1 | Endang | B-Sens F-Sens | RegEnd | Ktt, Oka, Spo | CP, EC, OK | CP Vernal Pool | Okanogan-Wenatchee NF Pasayten WA |
| <i>Isöetes nuttallii</i> Nuttall's quillwort | G4?/S2 | Sens | B-Sens F-Sens | Sparse | Clk, Cow, Kli, Lew, Pie, Saj, Spo, Thu | CP, EC, PT, WC | CP Vernal Pool M Basalt Flow Vernal Pool NRM Wooded Vernal Pool WV Wet Prairie | Bald Hill NAP Cattle Point NRCA Columbia Hills Historical SP Columbia River Gorge NSA Conboy Lake NWR JB Lewis-McChord Klickitat SWA Lacamas Prairie NAP |

| Species Common Name | Heritage Rank | State Status | Federal Status | Dist. Pattern | County | Eco- region | Ecological System | Managed Area |
|---|------------------|-----------------|-------------------|------------------|------------------------------------|----------------|--|--|
| <i>Juncus hemiendytus</i> var. <i>hemiendytus</i> Dwarf rush | G5T5/S1 | Sens | | Periph | Kli, Spo, Yak | CP, EC | CP Vernal Pool M Basalt Flow Vernal Pool NRM Wooded Vernal Pool | Conboy Lake NWR Klickitat Canyon NRCA Klickitat SWA (E Simcoes Unit) Turnbull NWR |
| <i>Juncus howellii</i> Howell's rush | G4/S1 | Sens | B-Sens F-Sens | Sparse | Ktt, Skm | EC | TP Subalpine-Montane Wet Meadow | Gifford Pinchot NF Okanogan-Wenatchee NF |
| <i>Juncus kelloggii</i> Kellogg's rush | G3?/S1 | Endang | | Periph | Kli, Yak | EC | M Basalt Flow Vernal Pool NRM Wooded Vernal Pool | Columbia River Gorge NSA Conboy Lake NWR Klickitat Canyon NRCA |
| <i>Juncus patens</i> Spreading rush | G5/S1 | Sens | | Periph | Clk | PT | WV Wet Prairie | Lacamas Prairie NAP |
| <i>Juncus tiehmii</i> Tiehm's dwarf rush | G4/S1 | Sens | B-Sens | Disjunct | Dou | CP | CP Vernal Pool | Spokane BLM |
| <i>Juncus uncialis</i> Inch-high rush | G3G4/S2 | Threat | B-Sens | Sparse | Ada, Dou, Gra, Kli, Lin, Spo | CP | CP Vernal Pool M Basalt Flow Vernal Pool | Columbia Basin SWA Columbia Hills Historical SP Columbia River Gorge NSA Fairchild AFB Marcellus Shrub Steppe NAP Swanson Lakes SWA |
| <i>Kalmia procumbens</i> (<i>Loiseluria procumbens</i>) Alpine azalea | G5/SH | Extirp | B-Sens F-Sens | Periph | Che, Skg, | EC, NC | NP Dry & Mesic Alpine Dwarf-Shrubland, Fell-Field & Meadow TP Subalpine-Montane Wet Meadow | Glacier Peak WA Mt. Baker-Snoqualmie NF Okanogan-Wenatchee NF |
| <i>Lasthenia glaberrima</i> Smooth goldfields | G5/S1 | Sens | | Periph | Clk, Kli | CP, PT | M Basalt Flow Vernal Pool WV Wet Prairie | Columbia Hills Historical SP |
| <i>Lathrocasis tenerrima</i> (<i>Gilia tenerrima</i>) Delicate <i>gilia</i> | G4/S1 | Sens | B-Sens F-Sens | Sparse | Che, Dou, Oka | CP, EC, OK | IMB Big Sagebrush Steppe | Okanogan-Wenatchee NF Spokane BLM |
| <i>Lathyrus holochlorus</i> Thin-leaved peavine | G2?/S1 | Endang | | RegEnd | Lew | PT | WV Upland Prairie & Savanna | |
| <i>Lathyrus ochroleucus</i> Cream-flower peavine | G5/S1 | Sens | | | Oka, Peo | CR | | |
| <i>Lathyrus torreyi</i> Torrey's peavine | G5/S1 | Sens | | Sparse | Clk, Lew, Pie | PT, WC | NP Dry Douglas-fir Forest & Woodland | JB Lewis-McChord |
| <i>Lathyrus vestitus</i> var. <i>ochropetalus</i> Pacific peavine | G5TNR/ S1 | Endang | | RegEnd | Kin, Lew, Thu | PT | WV Upland Prairie & Savanna | Lewis & Clark SP |
| <i>Lepidium oxycarpum</i> Sharpfruit peppergrass | G4/S1 | Sens | | Disjunct | Saj | PT | NP Hardpan Vernal Pool | Cattle Point NRCA |

| Species Common Name | Heritage Rank | State Status | Federal Status | Dist. Pattern | County | Eco- region | Ecological System | Managed Area |
|--|------------------|-----------------|-------------------|------------------|--|----------------|---|---|
| <i>Leptosiphon bolanderi</i> (<i>Linanthus bakeri</i>) Bolander's linanthus | G4G5/S2 | Sens | B-Sens F-Sens | Periph | Kli | EC | EC Oak-Ponderosa Pine Forest & Woodland | Columbia River Gorge NSA Klickitat SWA (including E Simcoes Unit) Spokane BLM |
| <i>Leptosiphon minimus</i> (<i>Linanthus bicolor</i> var. <i>m.</i>) True babystars | GNR [T3]/S1S2 | Threat | | RegEnd | Isl, Pie, Saj, Skg, Thu | PT | NP Herbaceous Bald & Bluff WV Upland Prairie & Savanna | Anacortes CF Deception Pass SP Moran SP Point Colville ACEC Scatter Creek SWA Spokane BLM |
| <i>Leymus flavescens</i> (<i>Elymus flavescens</i>) Yellow wildrye | G3/S1 | Endang | B-Sens F-Sens | RegEnd | Ada, Ben, Fra, Gar, Gra, Kli, Ktt, Skm, Waw, Wht | EC, CP, WC | IMB Active & Stabilized Dune | Columbia River Gorge NSA Hanford Reach NM Juniper Dunes WA Spokane BLM |
| <i>Liparis loeselii</i> Loesel's twayblade | G5/SH | Extirp | | Disjunct | Kli, Saj | EC, PT | NP Bog & Fen RM Subalpine-Montane Fen | Conboy Lake NWR Killebrew Lake NAP |
| <i>Lipocarpha aristulata</i> (<i>Hemicarpha aristulata</i>) Awned halfchaff sedge | G5?/S1S2 | Sens | | Disjunct | Aso, Ben, Fra, Gar, Gra, Kli, Spo, Wht, Yak | CP, EC | NA Arid West Emergent Marsh TP Freshwater Mudflat | Columbia River Gorge NSA Crab Creek SWA Hanford Reach NM McNary NWR |
| <i>Lobelia dortmanna</i> Water lobelia | G5/S3 | Sens | | Sparse | Clm, Kin, Mas, Saj, Skg, Sno, Whc | NC, PC, PT | TP Freshwater Aquatic Bed | Moran SP Olympic NP |
| <i>Lobelia kalmii</i> Kalm's lobelia | G5/S1 | Sens | | Disjunct | Yak | CP | RM Subalpine-Montane Fen | Yakima TC |
| <i>Loeflingia squarrosa</i> Spreading pygmyleaf | G5/S1 | Sens | | Disjunct | Ben | CP | CP Vernal Pool IMB Wash | Hanford ERP |
| <i>Lomatium bradshawii</i> Bradshaw's biscuitroot | G2/S1 | Endang | B-Sens | RegEnd | Clk | PT | WV Wet Prairie | Lacamas Prairie NAP |
| <i>Lomatium cuspidatum</i> Wenatchee Desert-parsley | G2/S2 | Threat | | LocEnd | Che, Ktt | EC | m | Alpine Lakes WA Okanogan-Wenatchee NF |
| <i>Lomatium klickitatense</i> (previously incl. in <i>L. grayi</i>) Klickitat biscuitroot | GNR/S2 | Threat | B-Sens F-Sens | LocEnd | Kli | EC | EC Oak-Ponderosa Pine Forest & Woodland RM Cliff, Canyon & Massive Bedrock | Columbia Hills Historical SP Columbia River Gorge NSA Klickitat Canyon NRCA Klickitat Community Forest Klickitat SWA Spokane BLM |
| <i>Lomatium knokei</i> Knoke's biscuitroot | G1/S1 | Endang | B-Sens F-Sens | LocEnd | Ktt | EC | RM Alpine-Montane Wet Meadow | Okanogan-Wenatchee NF |

| Species Common Name | Heritage Rank | State Status | Federal Status | Dist. Pattern | County | Eco- region | Ecological System | Managed Area |
|--|------------------|-----------------|-------------------|------------------|------------------------------------|----------------|---|---|
| <i>Lomatium laevigatum</i> Basalt biscuitroot | G3/S2S3 | Threat | B-Sens F-Sens | LocEnd | Kli | CP | RM Cliff, Canyon & Massive Bedrock | Columbia Hills Historical SP Columbia River Gorge NSA Gifford Pinchot NF |
| <i>Lomatium lithosolamans</i> (<i>Tauschia hooveri</i>) Hoover's biscuitroot | G2G3/ S2S3 | Sens | B-Sens | LocEnd | Ktt, Yak | CP, EC | CP Scabland Shrubland | Cowiche Canyon ACEC Fort Simcoe SP LT Murray SWA Spokane BLM Yakima River Canyon ACEC Yakima TC |
| <i>Lomatium rollinsii</i> Rollins' biscuitroot | G3/S2 | Threat | B-Sens F-Sens | RegEnd | Aso | BM, CP | CB Foothill & Canyon Dry Grassland | Asotin Creek SWA Chief Joseph SWA Fields Spring SP Grande Ronde ACEC Umatilla NF Vale BLM |
| <i>Lomatium roneorum</i> Leavenworth biscuitroot | G1/S1 | Endang | F-Sens | LocEnd | Che | EC | RM Cliff, Canyon & Massive Bedrock | Okanogan-Wenatchee NF |
| <i>Lomatium sandbergii</i> Sandberg's biscuitroot | G4/SH | Extirp | | RegEnd | Oka, Peo | CR, OK | NRM Subalpine-Upper Montane Grassland | Kaniksu NF Okanogan-Wenatchee NF Round Top Mountain RNA Salmo Priest WA |
| <i>Lomatium serpentinum</i> Snake Canyon biscuitroot | G4/S2 | Sens | B-Sens F-Sens | RegEnd | Aso, Col, Gar, Gra, Waw, Wht | BM, CP | IMB Cliff & Canyon | Chief Joseph SWA Grande Ronde ACEC McNary NWR Vale BLM |
| <i>Lomatium suksdorfii</i> Suksdorf's biscuitroot | G3/S3 | Sens | B-Sens F-Sens | LocEnd | Kli | EC | EC Oak-Ponderosa Pine Forest & Woodland NRM Lower Montane, Foothill & Valley Grassland | Columbia River Gorge NSA Gifford Pinchot NF Klickitat SWA Spokane BLM Wahkiacus Oaks NAP White Salmon NRCA |
| <i>Lomatium tamanitchii</i> (<i>L. packardiae</i> var. <i>tamanitchii</i>) Ribseed biscuitroot | G2/S2 | Threat | | LocEnd | Kli | CP | NRM Lower Montane, Foothill & Valley Grassland | Cleveland Shrub Steppe NAP? Columbia River Gorge NSA |
| <i>Lomatium tenuissimum</i> (<i>Tauschia tenuissima</i>) Leiberg's umbrellawort | G3/SX | Extirp | | RegEnd | Spo | CP | NA Arid West Emergent Marsh? | |

| Species Common Name | Heritage Rank | State Status | Federal Status | Dist. Pattern | County | Eco- region | Ecological System | Managed Area |
|---|------------------|-----------------|-------------------|------------------|--|--------------------------|---|--|
| <i>Lomatium tuberosum</i> Tuberous biscuitroot (Hoover's desert-parsley) | G2G3/ S2S3 | Sens | B-Sens | RegEnd | Ben, Gra, Ktt, Yak | CP, EC | IMB Cliff & Canyon | Columbia NWR Crab Creek SWA Hanford ERP Hanford Reach NM McCoy Canyon ACEC Oak Creek SWA Selah Cliffs NAP Sentinel Slope ACEC Spokane BLM Wenas SWA Yakima River Canyon ACEC Yakima River Cliffs-Umtanum Ridge ACEC Yakima TC |
| <i>Lupinus oregonus</i> var. <i>kincaidii</i> (<i>L. sulphureus</i> ssp. <i>kincaidii</i>) Kincaid's lupine | G4T2/S1 | Endang | Threat | RegEnd | Lew | PT | WV Upland Prairie & Savanna | Lozier Prairie Preserve |
| <i>Lupinus pachylobus</i> Bigpod lupine | G4/S1 | Sens | | Disjunct | Saj | PT | NP Hypermaritime Shrub & Herbaceous Headland | Sentinel Island Preserve |
| <i>Lupinus sabinianus</i> Sabin's lupine | G4/S1 | Sens | | LocEnd | Aso, Waw | BM, CP | NRM Foothill Conifer Wooded Steppe NRM Ponderosa Pine Woodland & Savanna | |
| <i>Luzula arcuata</i> ssp. <i>unalaschcensis</i> Curved woodrush | G5T4T5/ S1 | Sens | F-Sens | Sparse | Che, Oka, Pie, Skg, Yak | EC, NC, OK, WC | RM Alpine Bedrock & Scree RM Alpine Dwarf-Shrubland, Fell-Field, & Turf | Gifford Pinchot NF Lake Chelan NRA Mt. Adams WA Mt. Rainier NP Okanogan-Wenatchee NF Pasayten WA |
| <i>Lycopodiella inundata</i> (<i>Lycopodium inundatum</i>) Northern bog clubmoss | G5/S2 | Sens | B-Sens F-Sens | Sparse | Clm, Kin, Ktp, Ktt, Mas, Pac, Pie, Skm, Thu, Whc | EC, NC, PC, PT, WC | NP Bog & Fen TP Subalpine-Montane Wet Meadow | Big Beaver RNA Columbia River Gorge NSA JB Lewis-McChord Mt. Baker-Snoqualmie NF North Cascades NP Okanogan-Wenatchee NF Olympic NP Ross Lake NRA Skating Lake SP |
| <i>Lycopodium lagopus</i> One-cone clubmoss | G5/S1 | Sens | F-Sens | Disjunct | Che, Kin, Whc | EC, NC | NP Bog & Fen RM Subalpine-Montane Fen | Mt. Baker-Snoqualmie NF Okanogan-Wenatchee NF |

| Species Common Name | Heritage Rank | State Status | Federal Status | Dist. Pattern | County | Eco- region | Ecological System | Managed Area |
|---|------------------|-----------------|-------------------|------------------|--|--------------------------|---|--|
| <i>Malaxis monophyllos</i> var. <i>brachypoda</i> (<i>M. brachypoda</i>) White adder's-mouth | G5T4T5/ S1 | Sens | F-Sens | Periph | Whc | NC | NP Bog & Fen | Mt. Baker-Snoqualmie NF |
| <i>Meconella oregana</i> White meconella | G2/S1 | Endang | B-Sens F-Sens | RegEnd | Isl, Kin, Kli, Pie, Saj | EC, PT | NP Herbaceous Bald & Bluff NP Oak Woodland WV Upland Prairie & Savanna | Columbia River Gorge NSA Deception Pass SP Gifford Pinchot NF Klickitat SWA |
| <i>Micranthes tischii</i> (<i>Saxifraga tischii</i>) Olympic saxifrage | G2G3/S1? | Endang | F-Sens | RegEnd | Clm, Jef | PC | NP Alpine & Subalpine Bedrock & Scree | Buckhorn WA Olympic NF Olympic NP |
| <i>Micromonolepis pusilla</i> (<i>Monolepis pusilla</i>) Tiny povertyweed | G5/S1 | Sens | B-Sens F-Sens | Disjunct | Dou, Gra, Yak | CP | IMB Alkaline Closed Depression IMB Playa | Hanford ERP Hanford Reach NM |
| <i>Microseris bigelovii</i> Coast silverpuffs | G4/SX | Extirp | | Periph | Saj | PT | NP Maritime Coastal Sand Dune & Strand | |
| <i>Microseris borealis</i> (<i>Apargidium boreale</i>) Northern silverpuffs | G5/S2 | Sens | B-Sens F-Sens | Sparse | Clm, Pie, Skm | EC, PC, WC | NP Bog & Fen TP Subalpine-Montane Wet Meadow | Gifford Pinchot NF Mt. Adams WA Mt. Rainier NP Mt. St. Helens NVM Olympic NP |
| <i>Mimetanthe pilosa</i> Downy false monkeyflower | G5/S1 | Sens | | Sparse | Ben, Dou, Gra, Kli, Skm?, Waw, Wht, Yak | CP, EC | IMB Wash | Gifford Pinchot NF? McCartney Creek Preserve Yakima TC |
| <i>Montia diffusa</i> Branched montia | G4/S1S2 | Sens | B-Sens F-Sens | RegEnd | Clm, Clk, Grh, Jef, Kin, Kli, Lew, Pie, Skg, Skm, Sno | EC, NC, PC, PT, WC | NP Dry Douglas-fir Forest & Woodland NRM Ponderosa Pine Woodland & Savanna | Columbia River Gorge NSA Gifford Pinchot NF Mt. St. Helens NVM Olympic NF Olympic NP |
| <i>Muhlenbergia glomerata</i> Marsh muhly | G5/S2 | Sens | B-Sens F-Sens | Periph | Oka, Peo, Spo | CP, CR, OK | RM Alpine-Montane Wet Meadow RM Subalpine-Montane Fen | Colville NF Halliday Fen RNA Kaniksu NF |

| Species Common Name | Heritage Rank | State Status | Federal Status | Dist. Pattern | County | Eco- region | Ecological System | Managed Area |
|---|------------------|-----------------|-------------------|------------------|---|----------------|---|---|
| <i>Myosurus × alopecuroides</i> (<i>M. clavicaulis</i>) Foxtail mouse-tail | G3?/S2 | Threat | B-Sens | Sparse | Ada, Ben, Kli, Lin, Spo | CP | CP Vernal Pool M Basalt Flow Vernal Pool | Columbia Hills Historical SP Columbia River Gorge NSA Fairchild AFB Hanford ERP Klickitat SWA Marcellus Shrub Steppe NAP Spokane BLM Turnbull NWR |
| <i>Myosurus sessilis</i> Vernal pool mouse-tail | GNR[G2]/ S1 | Endang | | Periph | Kli | CP | M Basalt Flow Vernal Pool | |
| <i>Myriopteris gracilis</i> (<i>Cheilanthes feei</i>) Slender lip-fern | G5/S1 | Sens | B-Sens | Periph | Aso, Wht | BM, CP | IMB Cliff & Canyon | Grande Ronde ACEC Vale BLM |
| <i>Navarretia breweri</i> Brewer's navarretia | G4G5/S1 | Sens | | Disj | Ktt, Yak | CP | CP Scabland Shrubland | |
| <i>Navarretia leucocephala</i> ssp. <i>diffusa</i> Least pincushion-plant | G4T1/S1 | Endang | B-Sens | LocEnd | Lin | CP | CP Vernal Pool | Spokane BLM Swanson Lakes SWA |
| <i>Navarretia tagetina</i> Marigold pincushion-plant | G5/S1 | Sens | B-Sens F-Sens | Periph | Kli | EC | M Basalt Flow Vernal Pool | Columbia River Gorge NSA Gifford Pinchot NF |
| <i>Nicotiana attenuata</i> Coyote tobacco | G4/S2 | Sens | B-Sens F-Sens | Sparse | Ben, Che, Dou, Fra, Gra, Kli, Ktt, Wht, Yak | CP, EC | CP Scabland Shrubland IMB Big Sagebrush Steppe IMB Wash | Colockum SWA Columbia River Gorge NSA Ginkgo Petrified Forest SP Hanford Reach NM Moses Coulee Preserve Oak Creek SWA Okanogan-Wenatchee NF Rattlesnake Hills RNA Rock Island Canyon ACEC Spokane BLM Two Steppe NAP Yakima TC |
| <i>Nuttallanthus canadensis</i> (<i>Linaria canadensis</i> ; previously included in <i>N. texanus</i>) Old field blue toadflax | G5/S1 | Sens | | Sparse | Isl, Kin, Saj, Skg, Thu | PT | WV Upland Prairie & Savanna | Deception Pass SP Scatter Creek SWA Sucia Island SP |
| <i>Nuttallanthus texanus</i> (<i>Linaria canadensis</i> var. <i>texana</i>) Texas blue toadflax | G4G5/S1 | Sens | | Sparse | Clk?, Isl, Pie, Skg, Thu | PT | WV Upland Prairie & Savanna | Deception Pass SP Glacial Heritage Preserve JB Lewis-McChord Scatter Creek SWA West Rocky Prairie SWA |

| Species Common Name | Heritage Rank | State Status | Federal Status | Dist. Pattern | County | Eco- region | Ecological System | Managed Area |
|---|------------------|-----------------|-------------------|------------------|---|------------------------------|--|---|
| <i>Nymphaea tetragona</i> Pygmy water-lily | G5/SH | Extirp | | Periph | Whc | PT | TP Freshwater Aquatic Bed | |
| <i>Oenothera cespitosa</i> ssp. <i>cespitosa</i> Tufted evening-primrose | G5T5/S2 | Sens | B-Sens | Periph | Ben, Fra, Gra, Kli, Ktt, Yak | CP | CP Scabland Shrubland IMB Cliff & Canyon | Columbia NWR Hanford ERP Hanford Reach NM Rattlesnake Hills RNA Spokane BLM Yakima TC |
| <i>Oenothera cespitosa</i> ssp. <i>marginata</i> Tufted evening-primrose | G5T3T5/ S1 | Sens | B-Sens F-Sens | Periph | Aso, Kli, Wht | BM, CP, EC | CB Foothill & Canyon Dry Grassland RM Cliff, Canyon & Massive Bedrock | Asotin Creek SWA Chief Joseph SWA Grande Ronde ACEC Vale BLM |
| <i>Oenothera flava</i> ssp. <i>flava</i> Long-tubed evening-primrose | G5T3T5/ SH | Extirp | | Periph | Yak | CP | NA Arid West Emergent Marsh | |
| <i>Ophioglossum pusillum</i> Adder's-tongue | G4/S2 | Sens | B-Sens F-Sens | Sparse | Che, Dou, Kli, Ktt, Mas, Oka, Peo, Saj, Ste | CP, CR, EC, OK, PC, PT | NP Bog & Fen NRM Subalpine-Upper Montane Grassland RM Subalpine-Montane Fen | Colville NF Conboy Lake NWR Killebrew Lake NAP Little Pend Oreille NWR Spokane BLM |
| <i>Oreocarya leucophaea</i> (<i>Cryptantha leucophaea</i>) Gray cryptantha | G1/S1 | Endang | B-Sens | RegEnd | Ben, Dou, Fra, Gra, Ktt, Waw, Yak | CP | IMB Active & Stabilized Dune | Colockum SWA Columbia Basin SWA Crab Creek SWA Ginkgo Petrified Forest SP Hanford ERP Hanford Reach NM Juniper Dunes WA Juniper Forest ACEC Sentinel Slope ACEC Spokane BLM Yakima TC |
| <i>Oreocarya spiculifera</i> (<i>Cryptantha spiculifera</i>) Snake River cryptantha | G4?/ S2S3 | Sens | B-Sens | Sparse | Ada, Ben, Che, Fra, Gra, Kli, Lin, Oka, Yak | CP, EC, OK | CP Scabland Shrubland IMB Cliff & Canyon IMB Semi-Desert Shrub- Steppe | Columbia Basin SWA Entiat Slopes NAP Hanford ERP Hanford Reach NM Keystone Point ACEC Rattlesnake Hills RNA Riverside Breaks NAP Sentinel Slope ACEC Spokane BLM |

| Species Common Name | Heritage Rank | State Status | Federal Status | Dist. Pattern | County | Eco- region | Ecological System | Managed Area |
|--|------------------|-----------------|-------------------|------------------|--|------------------------------|---|---|
| <i>Orthocarpus bracteosus</i> Rosy owl's-clover | G3?/S2 | Threat | B-Sens F-Sens | RegEnd | Kli, Saj, Skm, Whc, Yak | EC, PT | NP Hardpan Vernal Pool? RM Alpine-Montane Wet Meadow | Conboy Lake NWR Gifford Pinchot NF Klickitat Canyon NRCA Trout Lake NAP |
| <i>Oxalis suksdorfii</i> Western yellow wood-sorrel | G4/SH | Extirp | | RegEnd | Clm, Clk, Kli, Ktp | EC, PC, PT | NP Maritime Coastal Sand Dune & Strand NP Maritime Dry-Mesic Douglas-fir-Western Hemlock Forest | Columbia River Gorge NSA? |
| <i>Oxytropis borealis</i> var. <i>viscida</i> (<i>Oxytropis viscida</i>) Sticky crazyweed | G5T5/S1 | Sens | | Periph | Clm | PC | RM Alpine Dwarf-Shrubland, Fell-Field, & Turf | Olympic NP |
| <i>Oxytropis campestris</i> var. <i>columbiana</i> Columbia crazyweed | G5T2/S1 | Endang | | RegEnd | Fer, Oka, Ste | CR, OK | NA Arid West Emergent Marsh | Lake Roosevelt NRA |
| <i>Oxytropis campestris</i> var. <i>gracilis</i> (<i>O. monticola</i> , <i>O. c.</i> var. <i>spicata</i>) Slender crazyweed | G5T5/S2 | Sens | B-Sens F-Sens | Sparse | Clm, Jef, Ktt, Oka, Pie, Saj, Whc | EC, NC, OK, PC, PT, WC | NP Alpine & Subalpine Bedrock & Scree NP Alpine & Subalpine Dry Grassland RM Alpine Bedrock & Scree RM Alpine Dwarf-Shrubland, Fell-Field, & Turf WV Upland Prairie & Savanna | Buckhorn WA Chopaka Mountain NAP Iceberg Point ACEC Mt. Baker WA Mt. Baker-Snoqualmie NF Mt. Rainier NP Okanogan-Wenatchee NF Olympic NF Olympic NP Pasayten WA San Juan Islands NWR Spokane BLM |
| <i>Oxytropis campestris</i> var. <i>wanapum</i> Wanapum crazyweed | G5T1/S1 | Endang | B-Sens | LocEnd | Gra | CP | IMB Cliff & Canyon | Sentinel Slope ACEC Spokane BLM |
| <i>Packera bolanderi</i> var. <i>harfordii</i> (<i>Senecio bolanderi</i> var. <i>h.</i>) Harford's groundsel | G4T3?/S1 | Endang | F-Sens | RegEnd | Skm, Whk | EC, PC, WC | NP Montane Massive Bedrock, Cliff, & Talus RM Alpine Dwarf-Shrubland, Fell-Field, & Turf RM Subalpine Mesic Spruce- Fir Forest & Woodland | Beacon Rock SP Columbia River Gorge NSA Gifford Pinchot NF |
| <i>Packera macounii</i> (<i>Senecio macounii</i>) Puget groundsel | G4?/S1 | Sens | | RegEnd | Saj, Skg | PT | NP Herbaceous Bald & Bluff WV Upland Prairie & Savanna | Burrows Island SP Moran SP |

| Species Common Name | Heritage Rank | State Status | Federal Status | Dist. Pattern | County | Eco- region | Ecological System | Managed Area |
|--|------------------|-----------------|-------------------|------------------------|-----------------------|----------------|---|---|
| <i>Packera porteri</i> (<i>Ligularia porteri</i> , <i>Senecio p.</i>) Porter's groundsel | G4/S1 | Sens | F-Sens | Disjunct | Oka | OK | RM Alpine Bedrock & Scree | Lake Chelan-Sawtooth WA Okanogan-Wenatchee NF |
| <i>Parnassia cirrata</i> var. <i>intermedia</i> (<i>P. fimbriata</i> var. <i>hoodiana</i>) Cascade grass-of-Parnassus | GNRTNR /S1 | Endang | | Periph Reg End?? | Skm | WC | TP Subalpine-Montane Wet Meadow | |
| <i>Parnassia kotzebuei</i> Kotzebue's grass-of-Parnassus | G5/S1 | Sens | B-Sens F-Sens | Periph | Che, Oka | EC, OK | RM Alpine-Montane Wet Meadow RM Subalpine-Montane Fen | Lake Chelan NRA Lake Chelan-Sawtooth WA Okanogan-Wenatchee NF |
| <i>Parnassia palustris</i> (includes var. <i>neogaea</i> & <i>tenuis</i>) Marsh grass-of-Parnassus | G5/S2 | Sens | B-Sens F-Sens | Periph | Grh, Jef, Mas, Pac | PC | TP Subalpine-Montane Wet Meadow | North Fork Matheny Ponds Old Alaska yellowcedar SIB Olympic NF Olympic NP Three Peaks SIB |
| <i>Pedicularis bracteosa</i> var. <i>siifolia</i> Smothflower bracted lousewort | G5T1T3/ SH | Extirp | | RegEnd | Aso | BM | NRM Dry-Mesic Montane Mixed Conifer Forest | Umatilla NF? |
| <i>Pedicularis pulchella</i> Pretty dwarf lousewort | G3/S1 | Endang | F-Sens | Disjunct | Che | EC | NP Alpine & Subalpine Bedrock & Scree | Alpine Lakes WA Okanogan-Wenatchee NF |
| <i>Pedicularis rainierensis</i> Mt. Rainier lousewort | G2/S2 | Threat | F-Sens | LocEnd | Lew, Pie, Yak | EC, WC | NP Dry & Mesic Alpine Dwarf-Shrubland, Fell-Field & Meadow NP Maritime Mesic Subalpine Parkland | Clearwater WA Mt. Baker-Snoqualmie NF Mt. Rainier NP Okanogan-Wenatchee NF |
| <i>Pediocactus nigrispinus</i> Dark-spine ball cactus | G4/S2 | Sens | B-Sens | RegEnd | Dou, Gra, Ktt, Yak | EC, CP | CB Scabland Shrubland | Beezley Hills Preserve Colockum SWA Columbia Basin SWA Ginkgo Petrified Forest SP LT Murray SWA Spokane BLM Yakima River Canyon ACEC Yakima TC |
| <i>Pellaea brachyptera</i> Sierra cliffbrake | G4G5/S2 | Sens | B-Sens F-Sens | Disjunct | Che | EC | RM Cliff, Canyon & Massive Bedrock | Lake Chelan-Sawtooth WA Okanogan-Wenatchee NF |

| Species Common Name | Heritage Rank | State Status | Federal Status | Dist. Pattern | County | Eco- region | Ecological System | Managed Area |
|---|------------------|-----------------|-------------------|------------------|---|--------------------------|---|---|
| <i>Pellaea breweri</i> Brewer's cliffbrake | G5/S2 | Sens | F-Sens | Sparse | Che, Jef, Kin, Ktt, Mas, Oka, Ste | CR, EC, NC, OK, PC | NP Alpine & Subalpine Bedrock & Scree RM Alpine Bedrock & Scree | Alpine Lakes WA Buckhorn WA Enchantment SIA Glacier Peak WA Lake Chelan-Sawtooth WA Mt Baker Snoqualmie NF Okanogan-Wenatchee NF Olympic NF Olympic NP Spokane BLM |
| <i>Pellaea gastonyi</i> Gastony's cliffbrake | G3/S1 | Endang | | Periph | Ste | OK | RM Cliff, Canyon & Massive Bedrock | Trombetta Canyon NAP |
| <i>Penstemon barrettiae</i> Barrett's beardtongue | G2/S2 | Threat | B-Sens F-Sens | LocEnd | Kli, Skm | EC | RM Cliff, Canyon & Massive Bedrock | Columbia River Gorge NSA Gifford Pinchot NF Klickitat SWA Spokane BLM |
| <i>Penstemon deustus</i> var. <i>variabilis</i> Hot-rock beardtongue | G5T2/S1 | Endang | | RegEnd | Kli | CP | NRM Lower Montane, Foothill & Valley Grassland | Columbia Hills NAP Columbia River Gorge NSA? |
| <i>Penstemon eriantherus</i> var. <i>whitedii</i> Whited's fuzzytongue beardtongue | G4G5T2/ S2 | Threat | B-Sens F-Sens | RegEnd | Che, Dou, Fra, Gra, Kli, Ktt, Lin, Spo | CP, EC | IMB Cliff & Canyon IMB Semi-Desert Shrub- Steppe RM Cliff, Canyon & Massive Bedrock | Colockum SWA Columbia Basin SWA Entiat Slopes NAP Hanford Reach NM Okanogan-Wenatchee NF Peshastin Pinnacles SP Riverside SP Spokane BLM |
| <i>Penstemon hesperius</i> (<i>P. rydbergii</i> , misapplied) Tall beardtongue | G1/S1 | Endang | | RegEnd | Clk | PT | NP Lowland Riparian Forest & Shrubland | Lacamas Prairie NAP |
| <i>Penstemon pennellianus</i> Blue Mountain beardtongue | G3/S2 | Threat | B-Sens F-Sens | RegEnd | Aso, Col, Gar, Waw? | BM | NRM Lower Montane, Foothill & Valley Grassland | Chief Joseph SWA Fields Spring SP Spokane BLM? Umatilla NF Wenaha-Tucannon WA |

| Species Common Name | Heritage Rank | State Status | Federal Status | Dist. Pattern | County | Eco- region | Ecological System | Managed Area |
|---|------------------|-----------------|-------------------|------------------|------------------------------------|-------------------|--|--|
| <i>Penstemon washingtonensis</i> Washington beardtongue | G2/S2 | Threat | | LocEnd | Che, Oka | EC, OK | RM Alpine & Subalpine Bedrock & Scree RM Lodgepole Pine Forest Northern RM Dry-Mesic Montane Mixed Conifer Forest Northern RM Subalpine Woodland & Parkland | Glacier Peak WA Okanogan-Wenatchee NF |
| <i>Penstemon wilcoxii</i> Wilcox's beardtongue | G4/S1 | Sens | B-Sens F-Sens | RegEnd | Col, Gra, Oka, Skm, Spo, Wht | BM, CP, OK, WC | NRM Dry-Mesic Montane Mixed Conifer Forest | Columbia Basin SWA Columbia River Gorge NSA Gifford Pinchot NF Okanogan-Wenatchee NF Trapper Creek WA Umatilla NF |
| <i>Perideridia oregana</i> Oregon yampah | G4G5/SH | Extirp | | Periph | Skm | WC | NP Montane Massive Bedrock, Cliff, & Talus | Columbia River Gorge NSA |
| <i>Petrophytum caespitosum</i> ssp. <i>caespitosum</i> Rocky Mountain rockmat | G5T4T5/ S1 | Sens | B-Sens | Periph | Aso | BM | IMB Cliff & Canyon | Grande Ronde ACEC Vale BLM |
| <i>Petrophytum cinerascens</i> Chelan rockmat | G1G2/ S1S2 | Endang | B-Sens F-Sens | LocEnd | Che, Dou | CP, EC | IMB Cliff & Canyon | Colockum SWA Earthquake Point ACEC Okanogan-Wenatchee NF Spokane BLM |
| <i>Petrophytum hendersonii</i> Henderson's rockmat | G3/S3 | Sens | | LocEnd | Clm, Grh, Jef, Mas | PC | NP Alpine & Subalpine Bedrock & Scree | Colonel Bob WA Mt. Skokomish WA Olympic NF |
| <i>Phacelia glandulifera</i> Sticky phacelia | G5/S1 | Sens | | Periph | Ben, Gra | CP | CP Scabland Shrubland | |
| <i>Phacelia lenta</i> Sticky phacelia | G2?/S2? | Threat | B-Sens | LocEnd | Dou | CP | IMB Cliff & Canyon | Rock Island Canyon ACEC Spokane BLM |
| <i>Phacelia minutissima</i> Least phacelia | G3/S1 | Endang | B-Sens F-Sens | Disjunct | Ktt | EC | RM Alpine-Montane Wet Meadow | Okanogan-Wenatchee NF |
| <i>Phacelia tetramera</i> Dwarf phacelia | G4/S1 | Sens | B-Sens F-Sens | Sparse | Dou, Gra | CP | CP Vernal Pool IMB Playa | McCartney Creek Preserve Spokane BLM Sun Lakes SP |
| <i>Phlox solivaga</i> Yeti phlox | G1/S1 | Endang | F-Sens | LocEnd | Col, Gar, Waw? | BM | NRM Subalpine-Upper Montane Grassland | Asotin Creek SWA Pataha Bunchgrass RNA Spokane BLM? Umatilla NF Wenaha-Tucannon WA |

| Species Common Name | Heritage Rank | State Status | Federal Status | Dist. Pattern | County | Eco- region | Ecological System | Managed Area |
|---|------------------|-----------------|-------------------|------------------|---|------------------------------|---|--|
| <i>Physaria didymocarpa</i> ssp. <i>didymocarpa</i> Common twinpod | G5T4/SH | Extirp | | Periph | Ste | OK | RM Cliff, Canyon & Massive Bedrock? | |
| <i>Physaria douglasii</i> ssp. <i>tuplashensis</i> (<i>Lesquerella tuplashensis</i>) White Bluffs bladderpod | G5T1Q/ S1 | Endang | Threat | LocEnd | Fra, Gra | CP | IMB Cliff & Canyon IMB Semi-Desert Shrub- Steppe | Columbia Basin SWA Hanford Reach NM |
| <i>Pilularia americana</i> American pillwort | G4?/S2 | Sens | B-Sens | Disjunct | Ada, Lin, Spo | CP | CP Vernal Pool | Fairchild AFB Marcellus Shrub Steppe NAP Spokane BLM Swanson Lakes SWA Turnbull NWR |
| <i>Pinus albicaulis</i> Whitebark pine | G3G4/S3 | Sens | Threat | Widesp | Che, Clm, Fer, Jef, Kin, Kli, Ktt, Lew, Oka, Peo, Pie, Skg, Skm, Sno, Ste, Whc, Yak | CR, EC, NC, OK, PC, WC | NP Mountain Hemlock Forest NRM Subalpine Woodland & Parkland RM Subalpine Dry-Mesic Spruce-Fir Forest & Woodland | Alpine Lakes WA Boston Glacier RNA Buckhorn WA Butter Creek RNA Chopaka Mountain NAP Colville NF Eldorado Creek NAP Gifford Pinchot NF Glacier Peak WA Goat Rocks WA Henry M. Jackson WA Mt Adams WA Mt. Baker WA Mt Baker-Snoqualmie NF Mt Rainier NP Norse Peak WA North Cascades NP Okanogan-Wenatchee NF Olympic NF Olympic NP Pasayten WA Ross Lake NRA William O. Douglas WA |
| <i>Pityopus californicus</i> Pine-foot | G4G5/S1 | Extirp | | Disjunct | Pie | PT | NP Maritime Mesic-Wet Douglas-fir-Western Hemlock Forest | JB Lewis-McChord |
| <i>Plantago macrocarpa</i> Alaska plantain | G4/S2 | Sens | | Periph | Clm, Grh, Jef | PC | NP Bog & Fen TP Freshwater Emergent Marsh | Clearwater Bogs NAP Olympic NP |

| Species Common Name | Heritage Rank | State Status | Federal Status | Dist. Pattern | County | Eco- region | Ecological System | Managed Area |
|---|-------------------|-----------------|-------------------|------------------|---|-------------------|---|---|
| <i>Platanthera chorisiana</i> (<i>Habenaria chorisiana</i>) Choriso's bog-orchid | G4/S2 | Sens | B-Sens F-Sens | Periph | Kin, Sno | NC | NP Bog & Fen | Boulder River WA Henry M. Jackson WA Morning Star NRCA Mt. Baker-Snoqualmie NF |
| <i>Plectritis brachystemon</i> (<i>P. congesta</i> ssp. <i>brachystemon</i>) Short-spurred plectritis | G5?/S1? | Sens | F-Sens | Sparse | Clm. Grh, Isl, Kli, Mas, Saj, Skg, Skm | EC, PC, PT, WC | NP Herbaceous Bald & Bluff WV Upland Prairie & Savanna | Anacortes CF Columbia River Gorge NSA Conboy Lake NWR Deception Pass SP Elwha SWA Fort Casey SP Gifford Pinchot NF Olympic NF Olympic NP Trout Lake NAP? |
| <i>Poa curtifolia</i> <i>Little Mountain bluegrass</i> | G2/S2 | Threat | | LocEnd | Che, Ktt, Oka | EC | NP Serpentine Barren | Alpine Lakes WA Okanogan-Wenatchee NF |
| <i>Poa laxiflora</i> Lax-flower bluegrass | G4G5/ S2S3 | Sens | F-Sens | Sparse | Clm, Cow, Grh, Jef, Lew, Pac, Whk | PC, PT | NP Lowland Riparian Forest & Shrubland | Olympic NF Olympic NP |
| <i>Poa unilateralis</i> ssp. <i>pachypholis</i> Sea-bluff bluegrass | G4TNR [T2?]/S1 | Endang | | RegEnd | Pac | PC | NP Coastal Cliff & Bluff | Cape Disappointment SP |
| <i>Polemonium carneum</i> Salmon Jacob's-ladder | G3G4/S2 | Threat | B-Sens F-Sens | RegEnd | Clm, Clk, Grh, Lew, Pac, Skm, Thu | PC, PT, WC | NP Dry Douglas-fir Forest & Woodland NP Herbaceous Bald & Bluff NP Maritime Dry-Mesic Douglas-fir-Western Hemlock Forest WV Upland Prairie & Savanna | Columbia River Gorge NSA Olympic NP |
| <i>Polemonium pectinatum</i> Washington Jacob's-ladder | G2/S2 | Threat | B-Sens | RegEnd | Ada, Lin, Spo, Wht | CP | CB Foothill Riparian Woodland & Shrubland IMB Big Sagebrush Steppe NA Arid West Emergent Marsh NCP Basalt Pothole Ponds | Coal Creek ACEC Spokane BLM |
| <i>Polemonium viscosum</i> Sticky sky-pilot | G5/S2 | Sens | B-Sens F-Sens | Periph | Oka | OK | RM Alpine Bedrock & Scree | Lake Chelan-Sawtooth WA Okanogan-Wenatchee NF Pasayten WA |

| Species Common Name | Heritage Rank | State Status | Federal Status | Dist. Pattern | County | Eco- region | Ecological System | Managed Area |
|---|--------------------------|-----------------|-------------------|------------------|--|-------------------|--|--|
| <i>Polycytenium fremontii</i> Fremont's combleaf | G4/S1 | Sens | B-Sens | Disjunct | Gra | CP | CP Vernal Pool | Spokane BLM |
| <i>Polygonum austinae</i> (<i>P. douglasii</i> ssp. <i>austinae</i>) Austin's knotweed | G4/S1 | Sens | F-Sens | Sparse | Col, Gar, Gra, Spo, Yak | BM, CP, EC | CP Scabland Shrubland NRM Subalpine-Upper Montane Grassland | Okanogan-Wenatchee NF Sun Lakes SP Umatilla NF |
| <i>Polygonum parryi</i> Parry's knotweed | G4/S1 | Sens | | Periph | Kli | EC | NRM Wooded Vernal Pool | Conboy Lake NWR Trout Lake NAP |
| <i>Polystichum californicum</i> California swordfern | G4/S1 | Sens | B-Sens F-Sens | Sparse | Pie, Skm, Thu | WC | NP Montane Massive Bedrock, Cliff, & Talus | Bald Hill NAP Gifford Pinchot NF Mt St. Helens NVM |
| <i>Potamogeton obtusifolius</i> Blunt-leaved pondweed | G5/S2 | Sens | F-Sens | Sparse | Jef, Mas, Oka, Saj, Skg, Skm, Thu | NC, OK, PT, WC | TP Freshwater Aquatic Bed | Gifford Pinchot NF Sinlahekin SWA |
| <i>Potentilla breweri</i> (<i>P. drummondii</i> ssp. <i>breweri</i>) Brewer's cinquefoil | G4G5/S1 | Sens | B-Sens F-Sens | Sparse | Clm, Ktt, Lew, Yak | EC, PC, WC | NP Alpine & Subalpine Dry Grassland NRM Subalpine-Montane Mesic Meadow RM Cliff, Canyon & Massive Bedrock | Gifford Pinchot NF Goat Rocks WA Okanogan-Wenatchee NF Olympic NP |
| <i>Potentilla jepsonii</i> var. <i>kluanensis</i> (<i>P. pensylvanica</i> var. <i>ovium</i>) Kluane cinquefoil | G4G5 TNR [T3T4]/S1 | Sens | | Periph | Oka | OK | RM Alpine Bedrock & Scree | Chopaka Mountain NAP |
| <i>Potentilla newberryi</i> Newberry's cinquefoil | G3G4/SX | Extirp | | Periph | Kli, Waw | CP, EC | NA Arid West Emergent Marsh | Columbia River Gorge NSA? |
| <i>Potentilla nivea</i> Snowy cinquefoil | G5/S2 | Sens | B-Sens F-Sens | Periph | Oka | OK | RM Alpine Bedrock & Scree RM Alpine Dwarf-Shrubland, Fell-Field, & Turf | Lake Chelan-Sawtooth WA Chopaka Mountain NAP Okanogan-Wenatchee NF Pasayten WA |
| <i>Primula austrofrigidum</i> Frigid shootingstar | G2/S1 | Endang | B-Sens F-Sens | RegEnd | Grh, Pac | PC | NP Montane Massive Bedrock, Cliff, & Talus | Colonel Bob WA Olympic NF |
| <i>Pulsatilla nuttalliana</i> Pasqueflower | G5T5/S1 | Sens | B-Sens F-Sens | Periph | Che | EC | NRM Dry-Mesic Montane Mixed Conifer Forest | Colockum SWA Okanogan-Wenatchee NF |
| <i>Pyrrocoma hirta</i> var. <i>sonchifolia</i> (<i>Haplopappus hirtus</i> var. <i>s.</i>) Hairy goldenweed | G4G5T3/ S2 | Threat | B-Sens F-Sens | RegEnd | Ktt | EC | NRM Lower Montane, Foothill & Valley Grassland | LT Murray SWA Okanogan-Wenatchee NF |
| <i>Pyrrocoma liatrifomis</i> (<i>Haplopappus liatrifomis</i>) Smallhead goldenweed | G2/S2 | Threat | | RegEnd | Spo, Wht | CP | CB Palouse Prairie | Campus Prairie BSA Kramer Palouse BSA Smoot Hill BSA Steptoe Butte NA Steptoe Butte SP |

| Species Common Name | Heritage Rank | State Status | Federal Status | Dist. Pattern | County | Eco- region | Ecological System | Managed Area |
|---|------------------|-----------------|-------------------|------------------|------------------------|----------------|---|---|
| <i>Pyrocoma scaberula</i> (<i>Haplopappus scaberulus</i>) Palouse goldenweed | G2/S1 | Endang | B-Sens F-Sens | RegEnd | Aso | BM, CP | CB Foothill & Canyon Dry Grassland NRM Ponderosa Pine Woodland & Savanna | Chief Joseph SWA Fields Spring SP Grande Ronde ACEC Umatilla NF Vale BLM |
| <i>Ranunculus californicus</i> California buttercup | G5/S1 | Sens | B-Sens | Periph | Saj | PT | NP Hypermaritime Shrub & Herbaceous Headland WV Upland Prairie & Savanna | Iceberg Island SP Iceberg Point ACEC San Juan Islands NWR Spokane BLM |
| <i>Ranunculus hebecarpus</i> Downy buttercup | G5/S1 | Sens | | Periph | Ada, Gar?, Kli, Wht | CP, EC | M Basalt Flow Vernal Pool | Columbia Hills Historical SP Columbia River Gorge NSA Spokane BLM |
| <i>Ranunculus populago</i> Mountain buttercup | G4/S2 | Sens | B-Sens F-Sens | Sparse | Col, Gar, Pie | BM, NC | RM Alpine-Montane Wet Meadow | Gifford Pinchot NF Glacier View WA Umatilla NF Wenaha-Tucannon WA |
| <i>Ranunculus tritematus</i> (<i>R. glaberrimus</i> var. <i>reconditus</i> , <i>R. reconditus</i>) Obscure buttercup | G2/ S1S2 | Endang | B-Sens F-Sens | LocEnd | Kli | CP, EC | EC Oak-Ponderosa Pine Forest & Woodland NRM Lower Montane, Foothill & Valley Grassland | Columbia Hills Historical SP Columbia Hills NAP Columbia River Gorge NSA Klickitat SWA Spokane BLM |
| <i>Ribes cereum</i> var. <i>colubrinum</i> Snake wax currant | G5T3/S1 | Endang | B-Sens F-Sens | RegEnd | Aso | BM, CP | CB Foothill & Canyon Dry Grassland RM Subalpine-Montane Mesic Meadow | Asotin Creek SWA Grande Ronde ACEC Vale BLM |
| <i>Ribes oxycanthoides</i> var. <i>irriguum</i> Idaho gooseberry | G5T4/S2 | Sens | B-Sens F-Sens | RegEnd | Aso, Spo?, Wht? | BM, CP | CB Foothill & Canyon Dry Grassland RM Lower Montane Riparian Woodland & Shrubland | Chief Joseph SWA Fields Spring SP Umatilla NF |
| <i>Ribes wolfii</i> Wolf's currant | G4/S2 | Sens | F-Sens | Periph | Aso, Gar | BM | NRM Subalpine-Upper Montane Grassland | Umatilla NF |
| <i>Rorippa columbiae</i> Columbia yellowcress | G3/S1S2 | Threat | B-Sens F-Sens | RegEnd | Ben, Fra, Kli, Skm | CP, EC, WC | NA Arid West Emergent Marsh TP Freshwater Mudflat | Beacon Rock SP Columbia Basin SWA Columbia River Gorge NSA Hanford Reach NM McNary NWR Pierce Island NWR Pierce Island Preserve Spokane BLM Yakima and Columbia River Islands ACEC |

| Species Common Name | Heritage Rank | State Status | Federal Status | Dist. Pattern | County | Eco- region | Ecological System | Managed Area |
|---|------------------|-----------------|-------------------|------------------|------------------------------------|----------------|---|---|
| <i>Rubus arcticus</i> ssp. <i>acaulis</i> Nagoonberry | G5T5/S1 | Sens | B-Sens F-Sens | Periph | Oka | OK | RM Subalpine-Montane Fen RM Subalpine-Montane Riparian Woodland | Okanogan-Wenatchee NF Roger Lake RNA |
| <i>Rubus nigerrimus</i> Northwest raspberry | G2/S2 | Threat | B-Sens | LocEnd | Aso, Gar, Wht | BM, CP | CB Foothill & Canyon Dry Grassland RM Lower Montane Riparian Woodland & Shrubland | Grande Ronde ACEC? Vale BLM? |
| <i>Sabulina basaltica</i> Olympic Mountain sandwort | G2/S2 | Threat | F-Sens | LocEnd | CIm, Jef | PC | NP Alpine & Subalpine Bedrock & Scree | Buckhorn WA Olympic NF Olympic NP |
| <i>Sabulina nuttallii</i> var. <i>fragilis</i> (<i>Minuartia nuttallii</i> var. <i>fragilis</i>) Nuttall's sandwort | G5T4/S1 | Sens | B-Sens | Periph | Ben, Gra, Ktt | CP | IMB Cliff & Canyon | Columbia NWR McCoy Canyon ACEC Sentinel Slopes ACEC Spokane BLM Yakima TC |
| <i>Sabulina pusilla</i> (<i>Minuartia pusilla</i>) Dwarf sandwort | G3G5/S1 | Sens | | Sparse | Ben, Gra, Kli, Spo, Waw, Wht | CP, EC | CP Scabland Shrubland | Columbia River Gorge NSA Hanford Reach NM |
| <i>Sabulina sororia</i> Twin Sisters sandwort | G1/S1 | Endang | F-Sens | LocEnd | Whc | NC | NP Serpentine Barren | Mt. Baker WA Mt. Baker-Snoqualmie NF |
| <i>Salix candida</i> Hoary willow | G5/S1 | Sens | B-Sens F-Sens | Periph | Peo, Ste | CR | RM Subalpine-Montane Fen | Colville NF Halliday Fen RNA |
| <i>Salix glauca</i> var. <i>villosa</i> Gray willow | G5T5/ S1S2 | Sens | B-Sens F-Sens | Periph | Oka | OK | RM Alpine Dwarf-Shrubland, Fell-Field, & Turf RM Subalpine-Montane Riparian Shrubland | Okanogan-Wenatchee NF Pasayten WA Roger Lake RNA |
| <i>Salix maccalliana</i> MacCalla's willow | G5/S1 | Sens | B-Sens F-Sens | Periph | Oka, Peo, Ste | CR, OK | RM Subalpine-Montane Fen | Colville NF Halliday Fen RNA Sinlahekin SWA |
| <i>Salix pseudomonticola</i> False mountain willow | G5/S1 | Sens | B-Sens F-Sens | Periph | Che, Peo | CR, EC | RM Subalpine-Montane Fen | Alpine Lakes WA Colville NF Halliday Fen RNA Okanogan-Wenatchee NF |
| <i>Salix sessilifolia</i> Soft-leaved willow | G4?/S2 | Sens | | RegEnd | Clk, Cow, Kli, Skg, Whc, Whk | EC, PC, PT | NP Intertidal Freshwater Wetland NP Lowland Riparian Forest & Shrubland TP Freshwater Mudflat | Columbia River Gorge NSA Ridgefield NWR |

| Species Common Name | Heritage Rank | State Status | Federal Status | Dist. Pattern | County | Eco- region | Ecological System | Managed Area |
|--|------------------|-----------------|-------------------|------------------|---|--------------------------|---|---|
| <i>Salix vestita</i> Rock willow | G5/SH | Extirp | | Periph | Che, Whc | EC, NC | RM Alpine Dwarf-Shrubland, Fell-Field, & Turf | Alpine Lakes WA Enchantment SIB Mt. Baker WA Mt. Baker-Snoqualmie NF Okanogan-Wenatchee NF |
| <i>Samolus parviflorus</i> (<i>S. valerandi</i> ssp. <i>p.</i>) Seaside brookweed | G5/S1 | Sens | | Disjunct | Whk | PC | NP Intertidal Freshwater Wetland | |
| <i>Sandbergia perplexa</i> (<i>Halimolobos perplexa</i> var. <i>p.</i>) Puzzling halimolobos | G4/S1 | Sens | | Disjunct | Dou | CP | CP Scabland Shrubland | Sagebrush Flat SWA |
| <i>Sanguisorba menziesii</i> Menzies' burnet | G3G4/S2 | Threat | | Periph | Clm, Grh? | PC | NP Bog & Fen | Carlisle Bog NAP? Olympic NP |
| <i>Sanicula arctopoides</i> Bear's-foot sanicle | G5/S1 | Sens | B-Sens | Sparse | Grh, Pac, Saj | PC, PT | NP Coastal Cliff & Bluff NP Maritime Coastal Sand Dune & Strand | Leadbetter Point SP? Pacific Pines SP? Point Colville ACEC San Juan Islands NM San Juan Islands NWR Spokane BLM Turn Island SP |
| <i>Saxifraga cernua</i> Nodding saxifrage | G5/S1 | Sens | B-Sens F-Sens | Periph | Che, Oka | EC, OK | RM Alpine Dwarf-Shrubland, Fell-Field, & Turf | North Cascades NP Okanogan-Wenatchee NF Pasayten WA |
| <i>Saxifraga hyperborea</i> (<i>Saxifraga debilis</i> , <i>S. rivularis</i>) Pygmy saxifrage | G5/S3 | Sens | | Sparse | Che, Clm, Jef, Oka, Pie, Skg, Sno, Whc | EC, NC, OK, PC, WC | NP Alpine & Subalpine Bedrock & Scree RM Alpine Bedrock & Scree | Buckhorn WA Chopaka Mountain NAP Glacier Peak WA Lake Chelan NRA Lake Chelan-Sawtooth WA Mt. Baker WA Mt. Baker-Snoqualmie NF Mt. Rainier NP North Cascades NP Okanogan-Wenatchee NF Olympic NF Olympic NP Pasayten WA Ronald J. Taylor RNA Silver Lake RNA |
| <i>Saxifragopsis fragarioides</i> (<i>Saxifraga fragarioides</i>) Strawberry saxifrage | G3?/S2 | Threat | B-Sens F-Sens | Disjunct | Che | EC | RM Cliff, Canyon & Massive Bedrock | Alpine Lakes WA Okanogan-Wenatchee NF |

| Species Common Name | Heritage Rank | State Status | Federal Status | Dist. Pattern | County | Eco- region | Ecological System | Managed Area |
|--|------------------|-----------------|---------------------|------------------|------------------------------------|----------------|---|---|
| <i>Schizachyrium scoparium</i> var. <i>scoparium</i> Little bluestem | G5T5/S1 | Sens | B-Sens | Disjunct | Che, Dou, Gra, Ste | CP, CR, EC | NA Arid West Emergent Marsh | Spokane BLM |
| <i>Schoenoplectus saximontanus</i> Rocky Mountain bulrush | G5/S1 | Sens | | Sparse | Spo | CP | IMB Alkaline Closed Depression | Turnbull NWR |
| <i>Sclerolinon digynum</i> Yellow hard flax | G5/S2 | Sens | | Periph | Spo, Wht | CP | CP Vernal Pool IMB Alkaline Closed Depression | Fairchild AFB Turnbull NWR |
| <i>Scribneria bolanderi</i> Scribner's grass | G4/S1 | Sens | B-Sens F-Sens | Periph | Kli, Skm | EC | CP Vernal Pool | Columbia Hills Historical SP Columbia River Gorge NSA Gifford Pinchot NF |
| <i>Senecio neowebsteri</i> Olympic Mountain groundsel | G1/S1 | Endang | | LocEnd | Clm, Jef | PC | NP Dry & Mesic Alpine Dwarf-Shrubland, Fell-Field & Meadow | Olympic NP Olympic NF |
| <i>Sericocarpus oregonensis</i> ssp. <i>oregonensis</i> (<i>Aster oregonensis</i>) Oregon white-top aster | G5T3T4/ S1 | Endang | B-Sens F-Sens | RegEnd | Skm | EC, WC | NRM Foothill Conifer Wooded Steppe NRM Ponderosa Pine Woodland & Savanna | Columbia River Gorge NSA |
| <i>Sericocarpus rigidus</i> (<i>Aster curtus</i>) Columbia white-topped aster | G3/S3 | Sens | B-Sens F-Sens | RegEnd | Grh, Isl, Kin, Pie, Saj, Thu | PC, PT | WV Upland Prairie & Savanna | Glacial Heritage Preserve Iceberg Point ACEC JB Lewis-McChord Mima Mounds NAP Rocky Prairie NAP Scatter Creek SWA Spokane BLM West Rocky Prairie SWA |
| <i>Sidalcea hirtipes</i> Hairy-stemmed checkermallow | G2/S2 | Threat | B-Sens F-Sens | RegEnd | Clk, Lew, Whk | PC, PT, WC | WV Upland Prairie & Savanna | Gifford Pinchot NF |
| <i>Sidalcea nelsoniana</i> Nelson's checkermallow | G2G3/S1 | Endang | Delist'd in 2023 | RegEnd | Clk, Cow, Lew | PC, PT | WV Wet Prairie | Ridgefield NWR Steigerwald Lake NWR |
| <i>Sidalcea oregana</i> var. <i>calva</i> Wenatchee Mountains checkermallow | GNRT1/ S1 | Endang | Endang | LocEnd | Che, Ktt? | EC | RM Alpine-Montane Wet Meadow | Camas Meadows NAP Colockum SWA? Okanogan-Wenatchee NF |
| <i>Sidalcea virgata</i> (<i>S. malviflora</i> ssp. <i>virgata</i>) Rose checkermallow | GNR/S1 | Sens | | RegEnd | Thu | PT | WV Upland Prairie & Savanna | Scatter Creek SWA |
| <i>Silene douglasii</i> var. <i>rupinae</i> Douglas's catchfly | G5TNR/ S1 | Endang | | | Che, Ska | EC | NRM Dry-Mesic Montane Mixed Conifer Forest | Beacon Rock SP Okanogan-Wenatchee NF |

| Species Common Name | Heritage Rank | State Status | Federal Status | Dist. Pattern | County | Eco- region | Ecological System | Managed Area |
|--|------------------|-----------------|-------------------|------------------|--|------------------------------|---|--|
| <i>Silene scouleri</i> ssp. <i>scouleri</i> Scouler's catchfly | G5T3T5/ S1 | Sens | B-Sens F-Sens | Sparse | Che, Clm, Fer, Gar, Isl, Pie, Spo, Ste, Thu, Wht, Yak | BM, CP, CR, EC, OK, PT | NP Herbaceous Bald & Bluff NRM Lower Montane, Foothill & Valley Grassland WV Upland Prairie & Savanna | Asotin Creek SWA Colville NF JB Lewis-McChord Okanogan-Wenatchee NF Steptoe Butte SP William O. Douglas WA |
| <i>Silene seelyi</i> Seely's catchfly | G3/S3 | Sens | B-Sens F-Sens | LocEnd | Che, Ktt | EC | NP Serpentine Barren RM Cliff, Canyon & Massive Bedrock | Alpine Lakes WA Enchantment SIB Lake Chelan NRA North Cascades NP Okanogan-Wenatchee NF Tumwater SIB |
| <i>Silene spaldingii</i> Spalding's catchfly | G2/S2 | Threat | Threat | RegEnd | Ada, Aso, Gar, Lin, Spo, Wht | BM, CP, CR | CB Foothill & Canyon Dry Grassland CB Palouse Prairie IMB Big Sagebrush Steppe | Asotin Creek SWA Campus Prairie BSA Coal Creek ACEC Fairchild AFB Kramer Palouse BSA Nez Perce NHP Smoot Hill BSA Spokane BLM Steptoe Butte NA Steptoe Butte SP Swanson Lakes SWA Turnbull NWR Umatilla NF |
| <i>Sisyrinchium montanum</i> var. <i>montanum</i> Strict blue-eyed grass | G5T5/S1 | Sens | B-Sens F-Sens | Periph | Dou, Peo | CP, CR | CP Vernal Pool? RM Alpine-Montane Wet Meadow | Colville NF Kaniksu NF? Spokane BLM |
| <i>Sisyrinchium sarmentosum</i> Pale blue-eyed grass | G2/S2 | Threat | B-Sens F-Sens | LocEnd | Kli, Skm | EC, WC | RM Alpine-Montane Wet Meadow TP Subalpine-Montane Wet Meadow | Columbia River Gorge NSA Conboy Lake NWR? Gifford Pinchot NF Trout Lake NAP |
| <i>Sisyrinchium septentrionale</i> Northern blue-eyed grass | G4/S3 | Sens | | Periph | Fer, Oka, Peo, Ste | CR, OK | NRM Subalpine-Upper Montane Grassland RM Alpine-Montane Wet Meadow | Colville NF Little Pend Oreille NWR Okanogan-Wenatchee NF Spokane BLM |
| <i>Sparganium fluctuans</i> Floating-leaved bur-reed | G5/S1 | Sens | | Periph | Clm | PC | TP Freshwater Aquatic Bed | Olympic NP |

| Species Common Name | Heritage Rank | State Status | Federal Status | Dist. Pattern | County | Eco- region | Ecological System | Managed Area |
|---|------------------|-----------------|-----------------------------|------------------|---|--------------------------|---|--|
| <i>Spartina pectinata</i> (<i>Sporobolus michauxianus</i>) Prairie cordgrass | G5/S2 | Sens | B-Sens F-Sens | Sparse | Aso, Dou, Fra, Gar, Gra, Peo, Spo, Waw, Wht | BM, CP, CR, OK | NA Arid West Emergent Marsh NCP Basalt Pothole Ponds | Chief Joseph SWA Colville NF Grande Ronde ACEC Little Pend Oreille NWR McNary NWR Palouse Falls SP Riverside SP Vale BLM Wells SWA |
| <i>Spiranthes diluvialis</i> Ute ladies'-tresses | G2G3/S1 | Endang | Threat; Prop'd delist | Sparse | Che, Dou, Gra, Oka | CP, EC, OK | CB Foothill Riparian Woodland & Shrubland IMB Alkaline Closed Depression NA Arid West Emergent Marsh | Chelan County PUD Chelan SWA Grant County PUD Spokane BLM |
| <i>Spiranthes porrifolia</i> (<i>S. romanzoffiana</i> var. <i>p.</i>) Western ladies'-tresses | G4/S2 | Sens | B-Sens F-Sens | Sparse | Che, Clk, Kli, Ktt, Lin, Oka, Skm | CP, EC, OK, PT, WC | CB Foothill Riparian Woodland & Shrubland M Basalt Flow Vernal Pool NCP Basalt Pothole Ponds WV Wet Prairie | Columbia Hills Historical SP Columbia River Gorge NSA Klickitat SWA Lake Chelan-Sawtooth WA Okanogan-Wenatchee NF Pasayten WA |
| <i>Sullivantia oregana</i> Oregon sullivantia | G2/S1 | Endang | B-Sens F-Sens | LocEnd | Skm | WC | NP Montane Massive Bedrock, Cliff, & Talus | Beacon Rock SP Columbia Falls NAP Columbia River Gorge NSA |
| <i>Swertia perennis</i> Swertia | G5/S1 | Sens | B-Sens F-Sens | Periph | Che, Sno | EC, NC | NP Bog & Fen RM Alpine-Montane Wet Meadow RM Subalpine-Montane Fen TP Subalpine-Montane Wet Meadow | Glacier Peak WA Henry M. Jackson WA Mt. Baker-Snoqualmie NF Okanogan-Wenatchee NF |
| <i>Symphyotrichum boreale</i> (<i>Aster borealis</i>) Rush aster | G5/S1 | Sens | F-Sens | Periph | Peo, Pie, Saj, Ste | CR, PT | NP Bog & Fen RM Subalpine-Montane Fen | Colville NF Killebrew Lake NAP |
| <i>Symphyotrichum hallii</i> (<i>Aster hallii</i>) Hall's aster | G4/S2 | Sens | | RegEnd | Clk, Lew, Thu | PT | WV Upland Prairie & Savanna | JB Lewis-McChord Scatter Creek SWA West Rocky Prairie SWA |
| <i>Symphyotrichum jessicae</i> (<i>Aster jessicae</i>) Jessica's aster | G2/S1S2 | Endang | | RegEnd | Spo, Wht | CP | CB Palouse Prairie NRM Lower Montane, Foothill & Valley Grassland | Rose Creek Preserve Turnbull NWR |
| <i>Thelypodium howellii</i> ssp. <i>howellii</i> Howell's thelypody | G1T1/SH | Extirp | | RegEnd | Yak | CP | IMB Alkaline Closed Depression | |

| Species Common Name | Heritage Rank | State Status | Federal Status | Dist. Pattern | County | Eco- region | Ecological System | Managed Area |
|--|-----------------------|-----------------|-------------------|------------------|------------------------------------|------------------------------|---|---|
| <i>Thelypodium sagittatum</i> ssp. <i>sagittatum</i> Slender thelypody | G4T4/S1 | Sens | B-Sens | Disjunct | Dou, Gra, Lin | CP | IMB Alkaline Closed Depression IMB Big Sagebrush Steppe | Spokane BLM Steamboat Rock SP |
| <i>Trifolium douglasii</i> Douglas' clover | G3/S1 | Endang | B-Sens F-Sens | RegEnd | Aso, Gar, Whit | BM, CP | NA Arid West Emergent Marsh RM Alpine-Montane Wet Meadow | Umatilla NF |
| <i>Trifolium plumosum</i> var. <i>plumosum</i> Plumed clover | G4T4/SH | Extirp | | RegEnd | Waw | BM | NRM Lower Montane, Foothill & Valley Grassland | |
| <i>Trifolium thompsonii</i> Thompson's clover | G2/S2 | Threat | B-Sens F-Sens | LocEnd | Che, Dou | CP, EC | NRM Ponderosa Pine Woodland & Savanna | Colockum SWA Entiat Slopes NAP Keystone Point ACEC Okanogan-Wenatchee NF Spokane BLM Thompson Clover RNA |
| <i>Triglochin palustris</i> Marsh arrowgrass | G5/S1 | Sens | F-Sens | Periph | Oka, Peo, Ste | CR, OK | RM Subalpine-Montane Fen | Colville NF Halliday Fen RNA Okanogan-Wenatchee NF |
| <i>Trillium albidum</i> ssp. <i>parviflorum</i> (<i>T. parviflorum</i>) Small-flowered trillium | G4G5 T2T3/ S2S3 | Sens | | RegEnd | Clk, Lew, Pie, Thu | PC, PT, WC | NP Lowland Riparian Forest & Shrubland WV Wet Prairie | Bald Hill NAP Blackwater Islands RNA Columbia River Gorge NSA Glacial Heritage Preserve JB Lewis-McChord Lacamas Prairie NAP Ridgefield NWR Scatter Creek SWA Washougal Oaks NAP/NRCA West Rocky Prairie SWA Willapa Hills SP |
| <i>Utricularia intermedia</i> Flat-leaved bladderwort | G5/S2S3 | Sens | B-Sens F-Sens | Sparse | Clm, Kin, Kli, Peo, Skm, Sno | CR, EC, NC, PC, PT, WC | NA Arid West Emergent Marsh RM Subalpine-Montane Fen TP Freshwater Aquatic Bed | Conboy Lake NWR Gifford Pinchot NF Olympic NP Snoqualmie Bog NAP |
| <i>Vaccinium myrtilloides</i> Velvet-leaf blueberry | G5/S1 | Sens | B-Sens F-Sens | Periph | Oka | OK | RM Subalpine Mesic-Wet Spruce-Fir Forest & Woodland | Okanogan-Wenatchee NF |
| <i>Veratrum insolitum</i> Siskiyou false hellebore | G3/S1 | Endang | | RegEnd | Kli | EC | NP Alpine & Subalpine Dry Grassland NRM Dry-Mesic Montane Mixed Conifer Forest | Columbia River Gorge NSA |

| Species Common Name | Heritage Rank | State Status | Federal Status | Dist. Pattern | County | Eco- region | Ecological System | Managed Area |
|--|------------------|-----------------|-------------------|------------------|-------------------------------|----------------|--|---|
| <i>Veronica dissecta</i> ssp. <i>lanuginosa</i> (<i>S. lanuginosa</i> , <i>S. pinnatifida</i> var. <i>lanuginosa</i>) Woolly kittentails | G4T2/S2 | Threat | B-Sens F-Sens | RegEnd | Clm, Jef | PC | NP Dry & Mesic Alpine Dwarf-Shrubland, Fell-Field & Meadow | Buckhorn SIB Buckhorn WA Olympic NF Olympic NP |
| <i>Veronica schizantha</i> (<i>Synthyris schizantha</i>) Fringed kittentails | G2/S1 | Endang | F-Sens | RegEnd | Grh, Lew | PC, WC | NP Montane Massive Bedrock, Cliff, & Talus | Colonel Bob WA Gifford Pinchot NF Mt Baker Snoqualmie NF Olympic NF Olympic NP? |
| <i>Viola flettii</i> Olympic violet | G1/S1 | Endang | | LocEnd | Clm, Jef | PC | NP Alpine & Subalpine Bedrock & Scree | Olympic NP Olympic NF |
| <i>Whipplea modesta</i> Whipplevine | G4/S1 | Sens | | Periph | Clm, Thu | PC, PT | NP Herbaceous Bald & Bluff | Olympic NP |
| <i>Woodwardia fimbriata</i> Giant chainfern | G5/S2 | Sens | | Sparse | Jef, Ktp, Mas, Pie, Thu | PC, PT | NP Intertidal Freshwater Wetland NP Lowland Riparian Forest & Shrubland | Blake Island SP Hamma Hamma Balds NAP Joemma Beach SP Olympic NF |
| <i>Wyethia angustifolia</i> Narrow-leaf mule's-ears | G4/S1 | Sens | | Periph | Clk, Kli, Lew, Thu | EC, PT | WV Upland Prairie & Savanna | Columbia River Gorge NSA Lacamas Prairie NAP Scatter Creek SWA |
| <i>Zeltnera muelenbergii</i> (<i>Centaurium muelenbergii</i>) Monterey centaury | G5?/S1 | Sens | | Sparse | Kli, Ktt, Spo, Thu | CP, EC, WC | RM Alpine-Montane Wet Meadow TP Subalpine-Montane Wet Meadow | Bald Hill NAP Conboy Lake NWR? Klickitat SWA (E Simcoes Unit) Turnbull NWR |

Acknowledgments

Thanks to the following individuals for contributing new data and recommendations on species ranks: Carlo Abbruzzese, Rose Agbalog, Ed Alverson, Joe Arnett, Laurel Baldwin, Susan Ballinger, Cheryl Bartlett, Ryan Batten, Katy Beck, Matt Below, Laura Blomfield, Molly Boyter, Bec Braisted, Tom Brannon, Karen Brimacombe, Paula Brooks, Tom Brumbelow, Keyna Bugner, Janet Burcham, Amy Cabral, Tara Callaway, Gabriel Campbell, Sarah Canman, Kimberly Carlson, Mickie Chamness, Alex Chmielewski, Janet Coles, Kelli Cordell, Mark Darrach, Nate Dietrich, Peter Dunwiddie, Rich Dwelkotte, Tatiana Dreisbach, Richard Easterly, Mark Egger, Clint Emerson, Kathleen Foley, Joan Frazee, Kim Frymire, Wendy Gible, David Giblin, Rod Gilbert, Bridget Glass, Ann Gray, Erica Heinlen, Carol Hughes, Beau Johnson, Heidi Jump, Stacy Kinsell, Sarah Krock, Linda Kunze, Helen Lau, Ben Legler, Joe LeMoine, Peter Lesica, Ed Lisowski, Larry Loftis, Michael Lowry, Lauri Malmquist, Danielle Marshall, Amber Martens, Adam Martin, Stacy McDonough, Kelli Van Norman, Emily Orling, Von Pope, Tynan Ramm-Granberg, Bridgette Ranne, Randi Riggs, Allison Rossman, Joe Rocchio, Kayla Saager, Debra Salstrom, Sarah Shank, Mark Sheehan, Paul Slichter, Kathleen Smayda, Pene Speaks, Nick Teague, George Thornton, Andrea Thorpe, Ron Tressler, Jenny von Reis, Dana Visalli, Ann Weinmann, Fred Weinmann, Barry Wendling, Ariel Whitacre, David Wilderman, David Woodall, Alex Wright, Carolyn Wright, and Peter Zika. Special thanks to all the UW RareCare staff and volunteers (40 or more dedicated community scientists) for contributing data. Jasa Holt, database specialist with the WNHP, assisted with data entry and editing. Jake Kleinknecht, formerly of WNHP, created the state map in Figure 1. To any other contributors we have omitted, please accept our apologies, and thank you!