

**Scenario: M 5.5 Spokane Fault
Adams County**

Casualties Summary Report

| | Injury Severity Level | | | | | | | | | | | | | | |
|--------------------|-----------------------|----------|----------|------------|----------|----------|------------|----------|----------|------------|----------|----------|----------|----------|----------|
| | Severity 1 | | | Severity 2 | | | Severity 3 | | | Severity 4 | | | Total | | |
| | 2:00 AM | 2:00 PM | 5:00 PM | 2:00 AM | 2:00 PM | 5:00 PM | 2:00 AM | 2:00 PM | 5:00 PM | 2:00 AM | 2:00 PM | 5:00 PM | 2:00 AM | 2:00 PM | 5:00 PM |
| Commuting | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Commercial | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Educational | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Hotels | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Industrial | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other-Residential | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Single Family | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total Adams | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Severity Level 1: Injuries will require medical attention but hospitalization is not needed.
 Severity Level 2: Injuries will require hospitalization but are not considered life-threatening.
 Severity Level 3: Injuries will require hospitalization and can become life threatening if not promptly treated.
 Severity Level 4: Victims are killed by the earthquake

Number of Buildings Damaged by General Occupancy Class

| | Number of Buildings | | | | | |
|-------------------|---------------------|--------|----------|-----------|----------|-------|
| | None | Slight | Moderate | Extensive | Complete | Total |
| Agriculture | 170 | 0 | 0 | 0 | 0 | 170 |
| Commercial | 396 | 0 | 0 | 0 | 0 | 396 |
| Education | 17 | 0 | 0 | 0 | 0 | 17 |
| Government | 22 | 0 | 0 | 0 | 0 | 22 |
| Industrial | 70 | 0 | 0 | 0 | 0 | 70 |
| Religion | 37 | 0 | 0 | 0 | 0 | 37 |
| Other Residential | 3,226 | 0 | 0 | 0 | 0 | 3,226 |
| Single Family | 3,646 | 0 | 0 | 0 | 0 | 3,646 |

Structural damage states vary by building type. See HAZUS Technical Manual Vol. I. "Complete damage" indicates structural collapse or is in imminent danger of collapse.

Direct Economic Losses For Buildings

| Capital Stock Losses | | | | Income Losses | | | | | Total Loss |
|------------------------|----------------------------|----------------------|----------------|---------------|-----------------|--------------|--------------|--------------------|------------|
| Cost Structural Damage | Cost Non-structural Damage | Cost Contents Damage | Inventory Loss | Loss Ratio % | Relocation Loss | Capital Loss | Wages Losses | Rental Income Loss | |
| \$0 | \$0 | \$0 | \$0 | 0 | \$0 | \$0 | \$0 | \$0 | \$000 |

Hospital Functionality

| | At Day 1 | | | At day 3 | | At day 7 | | At day 30 | | At day 90 | |
|--------------|----------------------|----------------|----------|----------------|----------|----------------|----------|----------------|----------|----------------|----------|
| | Total Number of Beds | Number of Beds | % |
| Large | | | | | | | | | | | |
| Medium | | | | | | | | | | | |
| Small | 69 | 69 | 100 | 69 | 100 | 69 | 100 | 69 | 100 | 69 | 100 |
| Total | 69 | 69 | — |

Large Hospital: > 150 beds
 Medium Hospital: 50-150 beds
 Small Hospital: < 50 beds

Highway Bridge Damage

| Total Number of Bridges | Average Number for Damage State | | | | |
|-------------------------|---------------------------------|--------|----------|-----------|----------|
| | None | Slight | Moderate | Extensive | Complete |
| 202 | 202 | 0 | 0 | 0 | 0 |

**Scenario: M 5.5 Spokane Fault
Adams County**

Fire Following Analysis Summary Report

| Number of Ignitions | Population Exposed | Value Exposed |
|---------------------|--------------------|---------------|
| 0 | 0 | \$0 |

Potable Water System Performance

| Total Households | Number of Households Without Water | | | | | | | | | |
|------------------|------------------------------------|---|----------|---|----------|---|-----------|---|-----------|---|
| | At day 1 | | At day 3 | | At day 7 | | At day 30 | | At day 90 | |
| | Count | % | Count | % | Count | % | Count | % | Count | % |
| 5,425 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Electrical Power System Performance

| Total Households | Number of Households Without Power | | | | | | | | | |
|------------------|------------------------------------|---|----------|---|----------|---|-----------|---|-----------|---|
| | At day 1 | | At day 3 | | At day 7 | | At day 30 | | At day 90 | |
| | Count | % | Count | % | Count | % | Count | % | Count | % |
| 5,425 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Debris Summary Report

| Brick, Wood & Others (tons) | Concrete & Steel (tons) | Total (tons) | Number of Truckloads |
|-----------------------------|-------------------------|--------------|----------------------|
| 0 | 0 | 0 | 0 |

Shelter Summary Report

| Number of Displaced Households | Number of People Needing Short Term Shelter |
|--------------------------------|---|
| 0 | 0 |

Essential Facilities Functionality

| | Count | Functionality (%) |
|----------------------------|-------|-------------------|
| | | At Day 1 |
| Emergency Operation Center | 1 | 100 |
| Fire Station Facilities | 9 | 100 |
| Police Station Facilities | 4 | 100 |
| School | 15 | 100 |

**Scenario: M 5.5 Spokane Fault
Ferry County**

Casualties Summary Report

| | Injury Severity Level | | | | | | | | | | | | | | |
|--------------------|-----------------------|----------|----------|------------|----------|----------|------------|----------|----------|------------|----------|----------|----------|----------|----------|
| | Severity 1 | | | Severity 2 | | | Severity 3 | | | Severity 4 | | | Total | | |
| | 2:00 AM | 2:00 PM | 5:00 PM | 2:00 AM | 2:00 PM | 5:00 PM | 2:00 AM | 2:00 PM | 5:00 PM | 2:00 AM | 2:00 PM | 5:00 PM | 2:00 AM | 2:00 PM | 5:00 PM |
| Commuting | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Commercial | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Educational | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Hotels | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Industrial | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other-Residential | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Single Family | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total Ferry | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Severity Level 1: Injuries will require medical attention but hospitalization is not needed.
 Severity Level 2: Injuries will require hospitalization but are not considered life-threatening.
 Severity Level 3: Injuries will require hospitalization and can become life threatening if not promptly treated.
 Severity Level 4: Victims are killed by the earthquake

Number of Buildings Damaged by General Occupancy Class

| | Number of Buildings | | | | | |
|-------------------|---------------------|--------|----------|-----------|----------|-------|
| | None | Slight | Moderate | Extensive | Complete | Total |
| Agriculture | 25 | 0 | 0 | 0 | 0 | 25 |
| Commercial | 170 | 0 | 0 | 0 | 0 | 170 |
| Education | 7 | 0 | 0 | 0 | 0 | 7 |
| Government | 22 | 0 | 0 | 0 | 0 | 22 |
| Industrial | 58 | 0 | 0 | 0 | 0 | 58 |
| Religion | 12 | 0 | 0 | 0 | 0 | 12 |
| Other Residential | 1808 | 0 | 0 | 0 | 0 | 1,808 |
| Single Family | 2,668 | 0 | 0 | 0 | 0 | 2,668 |

Structural damage states vary by building type. See HAZUS Technical Manual Vol. I. "Complete damage" indicates structural collapse or is in imminent danger of collapse.

Direct Economic Losses For Buildings

| Capital Stock Losses | | | | Income Losses | | | | | Total Loss |
|------------------------|----------------------------|----------------------|----------------|---------------|-----------------|--------------|--------------|--------------------|------------|
| Cost Structural Damage | Cost Non-structural Damage | Cost Contents Damage | Inventory Loss | Loss Ratio % | Relocation Loss | Capital Loss | Wages Losses | Rental Income Loss | |
| \$000 | \$0 | \$0 | \$0 | 0 | \$0 | \$0 | \$0 | \$0 | \$000 |

Hospital Functionality

| | At Day 1 | | | At day 3 | | At day 7 | | At day 30 | | At day 90 | |
|--------------|----------------------|----------------|----------|----------------|----------|----------------|----------|----------------|----------|----------------|----------|
| | Total Number of Beds | Number of Beds | % |
| Large | | | | | | | | | | | |
| Medium | | | | | | | | | | | |
| Small | 25 | 25 | 100 | 25 | 100 | 25 | 100 | 25 | 100 | 25 | 100 |
| Total | 25 | 25 | — |

Large Hospital: > 150 beds
 Medium Hospital: 50-150 beds
 Small Hospital: < 50 beds

Highway Bridge Damage

| Total Number of Bridges | Average Number for Damage State | | | | |
|-------------------------|---------------------------------|--------|----------|-----------|----------|
| | None | Slight | Moderate | Extensive | Complete |
| 41 | 41 | 0 | 0 | 0 | 0 |

**Scenario: M 5.5 Spokane Fault
Ferry County**

Fire Following Analysis Summary Report

| Number of Ignitions | Population Exposed | Value Exposed |
|---------------------|--------------------|---------------|
| 0 | 0 | \$0 |

Potable Water System Performance

| Total Households | Number of Households Without Water | | | | | | | | | |
|------------------|------------------------------------|---|----------|---|----------|---|-----------|---|-----------|---|
| | At day 1 | | At day 3 | | At day 7 | | At day 30 | | At day 90 | |
| | Count | % | Count | % | Count | % | Count | % | Count | % |
| 2,859 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Electrical Power System Performance

| Total Households | Number of Households Without Power | | | | | | | | | |
|------------------|------------------------------------|---|----------|---|----------|---|-----------|---|-----------|---|
| | At day 1 | | At day 3 | | At day 7 | | At day 30 | | At day 90 | |
| | Count | % | Count | % | Count | % | Count | % | Count | % |
| 2,859 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Debris Summary Report

| Brick, Wood & Others (tons) | Concrete & Steel (tons) | Total (tons) | Number of Truckloads |
|-----------------------------|-------------------------|--------------|----------------------|
| 0 | 0 | 0 | 0 |

Shelter Summary Report

| Number of Displaced Households | Number of People Needing Short Term Shelter |
|--------------------------------|---|
| 0 | 0 |

Essential Facilities Functionality

| | Count | Functionality (%) |
|----------------------------|----------|-------------------|
| | At Day 1 | |
| Emergency Operation Center | 1 | 100 |
| Fire Station Facilities | 12 | 100 |
| Police Station Facilities | 2 | 100 |
| School | 12 | 100 |

**Scenario: M 5.5 Spokane Fault
Pend Oreille County**

Casualties Summary Report

| | Injury Severity Level | | | | | | | | | | | | | | |
|---------------------------|-----------------------|----------|----------|------------|----------|----------|------------|----------|----------|------------|----------|----------|----------|----------|----------|
| | Severity 1 | | | Severity 2 | | | Severity 3 | | | Severity 4 | | | Total | | |
| | 2:00 AM | 2:00 PM | 5:00 PM | 2:00 AM | 2:00 PM | 5:00 PM | 2:00 AM | 2:00 PM | 5:00 PM | 2:00 AM | 2:00 PM | 5:00 PM | 2:00 AM | 2:00 PM | 5:00 PM |
| Commuting | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Commercial | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Educational | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Hotels | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Industrial | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other-Residential | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Single Family | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total Pend Oreille | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Severity Level 1: Injuries will require medical attention but hospitalization is not needed.

Severity Level 2: Injuries will require hospitalization but are not considered life-threatening.

Severity Level 3: Injuries will require hospitalization and can become life threatening if not promptly treated.

Severity Level 4: Victims are killed by the earthquake

Number of Buildings Damaged by General Occupancy Class

| | Number of Buildings | | | | | |
|-------------------|---------------------|--------|----------|-----------|----------|-------|
| | None | Slight | Moderate | Extensive | Complete | Total |
| Agriculture | 45 | 0 | 0 | 0 | 0 | 45 |
| Commercial | 283 | 0 | 0 | 0 | 0 | 283 |
| Education | 9 | 0 | 0 | 0 | 0 | 9 |
| Government | 21 | 0 | 0 | 0 | 0 | 21 |
| Industrial | 103 | 0 | 0 | 0 | 0 | 103 |
| Religion | 26 | 0 | 0 | 0 | 0 | 26 |
| Other Residential | 2571 | 0 | 0 | 0 | 0 | 2,571 |
| Single Family | 4,782 | 0 | 0 | 0 | 0 | 4,782 |

Structural damage states vary by building type. See HAZUS Technical Manual Vol. I. "Complete damage" indicates structural collapse or is in imminent danger of collapse.

Direct Economic Losses For Buildings

| Capital Stock Losses | | | | Income Losses | | | | Total Loss | |
|------------------------|----------------------------|----------------------|----------------|---------------|-----------------|--------------|--------------|------------|--------------------|
| Cost Structural Damage | Cost Non-structural Damage | Cost Contents Damage | Inventory Loss | Loss Ratio % | Relocation Loss | Capital Loss | Wages Losses | | Rental Income Loss |
| \$0 | \$2,000 | \$2,000 | \$0 | 0 | \$0 | \$0 | \$0 | \$0 | \$4,000 |

Hospital Functionality

| | Total Number of Beds | At Day 1 | | At day 3 | | At day 7 | | At day 30 | | At day 90 | |
|--------------|----------------------|----------------|----------|----------------|----------|----------------|----------|----------------|----------|----------------|----------|
| | | Number of Beds | % |
| Large | | | | | | | | | | | |
| Medium | 74 | 74 | 100 | 74 | 100 | 74 | 100 | 74 | 100 | 74 | 100 |
| Small | | | | | | | | | | | |
| Total | 74 | 74 | — |

Large Hospital: > 150 beds

Medium Hospital: 50-150 beds

Small Hospital: < 50 beds

Highway Bridge Damage

| Total Number of Bridges | Average Number for Damage State | | | | |
|-------------------------|---------------------------------|--------|----------|-----------|----------|
| | None | Slight | Moderate | Extensive | Complete |
| 42 | 42 | 0 | 0 | 0 | 0 |

**Scenario: M 5.5 Spokane Fault
Pend Oreille County**

Fire Following Analysis Summary Report

| Number of Ignitions | Population Exposed | Value Exposed |
|---------------------|--------------------|---------------|
| 0 | 0 | \$0 |

Potable Water System Performance

| Total Households | Number of Households Without Water | | | | | | | | | |
|------------------|------------------------------------|---|----------|---|----------|---|-----------|---|-----------|---|
| | At day 1 | | At day 3 | | At day 7 | | At day 30 | | At day 90 | |
| | Count | % | Count | % | Count | % | Count | % | Count | % |
| 4,841 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Electrical Power System Performance

| Total Households | Number of Households Without Power | | | | | | | | | |
|------------------|------------------------------------|---|----------|---|----------|---|-----------|---|-----------|---|
| | At day 1 | | At day 3 | | At day 7 | | At day 30 | | At day 90 | |
| | Count | % | Count | % | Count | % | Count | % | Count | % |
| 4,841 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Debris Summary Report

| Brick, Wood & Others (tons) | Concrete & Steel (tons) | Total (tons) | Number of Truckloads |
|-----------------------------|-------------------------|--------------|----------------------|
| 0 | 0 | 0 | 0 |

Shelter Summary Report

| Number of Displaced Households | Number of People Needing Short Term Shelter |
|--------------------------------|---|
| 0 | 0 |

Essential Facilities Functionality

| | Count | Functionality (%) |
|----------------------------|-------|-------------------|
| | | At Day 1 |
| Emergency Operation Center | 1 | 100 |
| Fire Station Facilities | 16 | 100 |
| Police Station Facilities | 1 | 100 |
| School | 9 | 100 |

**Scenario: M 5.5 Spokane Fault
Spokane County**

Casualties Summary Report

| | Injury Severity Level | | | | | | | | | | | | | | |
|----------------------|-----------------------|-----------|-----------|------------|----------|----------|------------|----------|----------|------------|----------|----------|-----------|-----------|-----------|
| | Severity 1 | | | Severity 2 | | | Severity 3 | | | Severity 4 | | | Total | | |
| | 2:00 AM | 2:00 PM | 5:00 PM | 2:00 AM | 2:00 PM | 5:00 PM | 2:00 AM | 2:00 PM | 5:00 PM | 2:00 AM | 2:00 PM | 5:00 PM | 2:00 AM | 2:00 PM | 5:00 PM |
| Commuting | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Commercial | 0 | 21 | 15 | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 23 | 16 |
| Educational | 0 | 4 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 1 |
| Hotels | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Industrial | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 |
| Other-Residential | 10 | 2 | 4 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 11 | 2 | 4 |
| Single Family | 14 | 3 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 14 | 3 | 5 |
| Total Spokane | 24 | 32 | 26 | 1 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 25 | 34 | 27 |

Severity Level 1: Injuries will require medical attention but hospitalization is not needed.
 Severity Level 2: Injuries will require hospitalization but are not considered life-threatening.
 Severity Level 3: Injuries will require hospitalization and can become life threatening if not promptly treated.
 Severity Level 4: Victims are killed by the earthquake

Number of Buildings Damaged by General Occupancy Class

| | Number of Buildings | | | | | |
|-------------------|---------------------|--------|----------|-----------|----------|---------|
| | None | Slight | Moderate | Extensive | Complete | Total |
| Agriculture | 663 | 42 | 12 | 1 | 0 | 718 |
| Commercial | 7,803 | 919 | 298 | 14 | 0 | 9,034 |
| Education | 269 | 27 | 7 | 0 | 0 | 303 |
| Government | 151 | 14 | 4 | 0 | 0 | 169 |
| Industrial | 2,369 | 248 | 90 | 4 | 0 | 2,711 |
| Religion | 533 | 55 | 14 | 0 | 0 | 602 |
| Other Residential | 32,839 | 3,465 | 585 | 13 | 0 | 36,902 |
| Single Family | 110,977 | 9,346 | 422 | 3 | 0 | 120,748 |

Structural damage states vary by building type. See HAZUS Technical Manual Vol. I. "Complete damage" indicates structural collapse or is in imminent danger of collapse.

Direct Economic Losses For Buildings

| Capital Stock Losses | | | | Income Losses | | | | | Total Loss |
|------------------------|----------------------------|----------------------|----------------|---------------|-----------------|--------------|--------------|--------------------|---------------|
| Cost Structural Damage | Cost Non-structural Damage | Cost Contents Damage | Inventory Loss | Loss Ratio % | Relocation Loss | Capital Loss | Wages Losses | Rental Income Loss | |
| \$20,500,000 | \$210,456,000 | \$126,719,000 | \$3,163,000 | 0.73 | \$10,158,000 | \$4,749,000 | \$6,001,000 | \$7,311,000 | \$389,057,000 |

Hospital Functionality

| | At Day 1 | | | At day 3 | | At day 7 | | At day 30 | | At day 90 | |
|--------------|----------------------|----------------|----------|----------------|----------|----------------|----------|----------------|----------|----------------|----------|
| | Total Number of Beds | Number of Beds | % |
| Large | 1,586 | 1,445 | 91 | 1,448 | 91 | 1,567 | 99 | 1,584 | 100 | 1,584 | 100 |
| Medium | 322 | 268 | 83 | 269 | 84 | 306 | 95 | 321 | 100 | 322 | 100 |
| Small | 76 | 74 | 97 | 74 | 97 | 76 | 99 | 76 | 100 | 76 | 100 |
| Total | 1,984 | 1,787 | — | 1,791 | — | 1,949 | — | 1,981 | — | 1,982 | — |

Large Hospital: > 150 beds
 Medium Hospital: 50-150 beds
 Small Hospital: < 50 beds

Highway Bridge Damage

| Total Number of Bridges | Average Number for Damage State | | | | |
|-------------------------|---------------------------------|--------|----------|-----------|----------|
| | None | Slight | Moderate | Extensive | Complete |
| 303 | 300 | 3 | 0 | 0 | 0 |

**Scenario: M 5.5 Spokane Fault
Spokane County**

Fire Following Analysis Summary Report

| Number of Ignitions | Population Exposed | Value Exposed |
|---------------------|--------------------|---------------|
| 14 | 2,040 | \$210,082,000 |

Potable Water System Performance

| Total Households | Number of Households Without Water | | | | | | | | | |
|------------------|------------------------------------|---|----------|---|----------|---|-----------|---|-----------|---|
| | At day 1 | | At day 3 | | At day 7 | | At day 30 | | At day 90 | |
| | Count | % | Count | % | Count | % | Count | % | Count | % |
| 172,665 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Electrical Power System Performance

| Total Households | Number of Households Without Power | | | | | | | | | |
|------------------|------------------------------------|---|----------|---|----------|---|-----------|---|-----------|---|
| | At day 1 | | At day 3 | | At day 7 | | At day 30 | | At day 90 | |
| | Count | % | Count | % | Count | % | Count | % | Count | % |
| 172,665 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Debris Summary Report

| Brick, Wood & Others (tons) | Concrete & Steel (tons) | Total (tons) | Number of Truckloads |
|-----------------------------|-------------------------|--------------|----------------------|
| 22,000 | 18,000 | 40,000 | 1,600 |

Shelter Summary Report

| Number of Displaced Households | Number of People Needing Short Term Shelter |
|--------------------------------|---|
| 24 | 16 |

Essential Facilities Functionality

| | Count | Functionality (%) |
|----------------------------|----------|-------------------|
| | At Day 1 | |
| Emergency Operation Center | 2 | 92 |
| Fire Station Facilities | 75 | 96 |
| Police Station Facilities | 13 | 95 |
| School | 218 | 93 |

**Scenario: M 5.5 Spokane Fault
Stevens County**

Casualties Summary Report

| | Injury Severity Level | | | | | | | | | | | | | | |
|----------------------|-----------------------|----------|----------|------------|----------|----------|------------|----------|----------|------------|----------|----------|----------|----------|----------|
| | Severity 1 | | | Severity 2 | | | Severity 3 | | | Severity 4 | | | Total | | |
| | 2:00 AM | 2:00 PM | 5:00 PM | 2:00 AM | 2:00 PM | 5:00 PM | 2:00 AM | 2:00 PM | 5:00 PM | 2:00 AM | 2:00 PM | 5:00 PM | 2:00 AM | 2:00 PM | 5:00 PM |
| Commuting | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Commercial | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Educational | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Hotels | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Industrial | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other-Residential | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Single Family | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total Stevens | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Severity Level 1: Injuries will require medical attention but hospitalization is not needed.
 Severity Level 2: Injuries will require hospitalization but are not considered life-threatening.
 Severity Level 3: Injuries will require hospitalization and can become life threatening if not promptly treated.
 Severity Level 4: Victims are killed by the earthquake

Number of Buildings Damaged by General Occupancy Class

| | Number of Buildings | | | | | |
|-------------------|---------------------|--------|----------|-----------|----------|--------|
| | None | Slight | Moderate | Extensive | Complete | Total |
| Agriculture | 188 | 0 | 0 | 0 | 0 | 188 |
| Commercial | 926 | 0 | 0 | 0 | 0 | 926 |
| Education | 31 | 0 | 0 | 0 | 0 | 31 |
| Government | 49 | 0 | 0 | 0 | 0 | 49 |
| Industrial | 417 | 0 | 0 | 0 | 0 | 417 |
| Religion | 80 | 0 | 0 | 0 | 0 | 80 |
| Other Residential | 7,164 | 10 | 0 | 0 | 0 | 7,174 |
| Single Family | 12,651 | 1 | 0 | 0 | 0 | 12,652 |

Structural damage states vary by building type. See HAZUS Technical Manual Vol. I. "Complete damage" indicates structural collapse or is in imminent danger of collapse.

Direct Economic Losses For Buildings

| Capital Stock Losses | | | | Income Losses | | | | | Total Loss |
|------------------------|----------------------------|----------------------|----------------|---------------|-----------------|--------------|--------------|--------------------|------------|
| Cost Structural Damage | Cost Non-structural Damage | Cost Contents Damage | Inventory Loss | Loss Ratio % | Relocation Loss | Capital Loss | Wages Losses | Rental Income Loss | |
| \$3,000 | \$34,000 | \$21,000 | \$1,000 | 0 | \$1,000 | \$0 | \$0 | \$1,000 | \$61,000 |

Hospital Functionality

| | At Day 1 | | | At day 3 | | At day 7 | | At day 30 | | At day 90 | |
|--------------|----------------------|----------------|----------|----------------|----------|----------------|----------|----------------|----------|----------------|----------|
| | Total Number of Beds | Number of Beds | % |
| Large | | | | | | | | | | | |
| Medium | 65 | 65 | 100 | 65 | 100 | 65 | 100 | 65 | 100 | 65 | 100 |
| Small | 25 | 25 | 100 | 25 | 100 | 25 | 100 | 25 | 100 | 25 | 100 |
| Total | 90 | 90 | — |

Large Hospital: > 150 beds
 Medium Hospital: 50-150 beds
 Small Hospital: < 50 beds

Highway Bridge Damage

| Total Number of Bridges | Average Number for Damage State | | | | |
|-------------------------|---------------------------------|--------|----------|-----------|----------|
| | None | Slight | Moderate | Extensive | Complete |
| 74 | 74 | 0 | 0 | 0 | 0 |

**Scenario: M 5.5 Spokane Fault
Stevens County**

Fire Following Analysis Summary Report

| Number of Ignitions | Population Exposed | Value Exposed |
|---------------------|--------------------|---------------|
| 0 | 0 | \$0 |

Potable Water System Performance

| Total Households | Number of Households Without Water | | | | | | | | | |
|------------------|------------------------------------|---|----------|---|----------|---|-----------|---|-----------|---|
| | At day 1 | | At day 3 | | At day 7 | | At day 30 | | At day 90 | |
| | Count | % | Count | % | Count | % | Count | % | Count | % |
| 15,373 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Electrical Power System Performance

| Total Households | Number of Households Without Power | | | | | | | | | |
|------------------|------------------------------------|---|----------|---|----------|---|-----------|---|-----------|---|
| | At day 1 | | At day 3 | | At day 7 | | At day 30 | | At day 90 | |
| | Count | % | Count | % | Count | % | Count | % | Count | % |
| 15,373 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Debris Summary Report

| Brick, Wood & Others (tons) | Concrete & Steel (tons) | Total (tons) | Number of Truckloads |
|-----------------------------|-------------------------|--------------|----------------------|
| 0 | 0 | 0 | 0 |

Shelter Summary Report

| Number of Displaced Households | Number of People Needing Short Term Shelter |
|--------------------------------|---|
| 0 | 0 |

Essential Facilities Functionality

| | Count | Functionality (%) |
|----------------------------|----------|-------------------|
| | At Day 1 | |
| Emergency Operation Center | 1 | 100 |
| Fire Station Facilities | 43 | 100 |
| Police Station Facilities | 5 | 100 |
| School | 42 | 100 |

**Scenario: M 5.5 Spokane Fault
Whitman County**

Casualties Summary Report

| | Injury Severity Level | | | | | | | | | | | | | | |
|----------------------|-----------------------|----------|----------|------------|----------|----------|------------|----------|----------|------------|----------|----------|----------|----------|----------|
| | Severity 1 | | | Severity 2 | | | Severity 3 | | | Severity 4 | | | Total | | |
| | 2:00 AM | 2:00 PM | 5:00 PM | 2:00 AM | 2:00 PM | 5:00 PM | 2:00 AM | 2:00 PM | 5:00 PM | 2:00 AM | 2:00 PM | 5:00 PM | 2:00 AM | 2:00 PM | 5:00 PM |
| Commuting | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Commercial | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Educational | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Hotels | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Industrial | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other-Residential | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Single Family | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total Whitman | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Severity Level 1: Injuries will require medical attention but hospitalization is not needed.
 Severity Level 2: Injuries will require hospitalization but are not considered life-threatening.
 Severity Level 3: Injuries will require hospitalization and can become life threatening if not promptly treated.
 Severity Level 4: Victims are killed by the earthquake

Number of Buildings Damaged by General Occupancy Class

| | Number of Buildings | | | | | |
|-------------------|---------------------|--------|----------|-----------|----------|-------|
| | None | Slight | Moderate | Extensive | Complete | Total |
| Agriculture | 308 | 0 | 0 | 0 | 0 | 308 |
| Commercial | 784 | 0 | 0 | 0 | 0 | 784 |
| Education | 54 | 0 | 0 | 0 | 0 | 54 |
| Government | 50 | 0 | 0 | 0 | 0 | 50 |
| Industrial | 179 | 0 | 0 | 0 | 0 | 179 |
| Religion | 90 | 0 | 0 | 0 | 0 | 90 |
| Other Residential | 6,818 | 0 | 0 | 0 | 0 | 6,818 |
| Single Family | 8,862 | 0 | 0 | 0 | 0 | 8,862 |

Structural damage states vary by building type. See HAZUS Technical Manual Vol. I. "Complete damage" indicates structural collapse or is in imminent danger of collapse.

Direct Economic Losses For Buildings

| Capital Stock Losses | | | | Income Losses | | | | | Total Loss |
|------------------------|----------------------------|----------------------|----------------|---------------|-----------------|--------------|--------------|--------------------|------------|
| Cost Structural Damage | Cost Non-structural Damage | Cost Contents Damage | Inventory Loss | Loss Ratio % | Relocation Loss | Capital Loss | Wages Losses | Rental Income Loss | |
| \$0 | \$0 | \$0 | \$0 | 0 | \$0 | \$0 | \$0 | \$0 | \$000 |

Hospital Functionality

| | At Day 1 | | | At day 3 | | At day 7 | | At day 30 | | At day 90 | |
|--------------|----------------------|----------------|----------|----------------|----------|----------------|----------|----------------|----------|----------------|----------|
| | Total Number of Beds | Number of Beds | % |
| Large | | | | | | | | | | | |
| Medium | | | | | | | | | | | |
| Small | 90 | 90 | 100 | 90 | 100 | 90 | 100 | 90 | 100 | 90 | 100 |
| Total | 90 | 90 | — |

Large Hospital: > 150 beds
 Medium Hospital: 50-150 beds
 Small Hospital: < 50 beds

Highway Bridge Damage

| Total Number of Bridges | Average Number for Damage State | | | | |
|-------------------------|---------------------------------|--------|----------|-----------|----------|
| | None | Slight | Moderate | Extensive | Complete |
| 398 | 398 | 0 | 0 | 0 | 0 |

**Scenario: M 5.5 Spokane Fault
Whitman County**

Fire Following Analysis Summary Report

| Number of Ignitions | Population Exposed | Value Exposed |
|---------------------|--------------------|---------------|
| 0 | 0 | \$0 |

Potable Water System Performance

| Total Households | Number of Households Without Water | | | | | | | | | |
|------------------|------------------------------------|---|----------|---|----------|---|-----------|---|-----------|---|
| | At day 1 | | At day 3 | | At day 7 | | At day 30 | | At day 90 | |
| | Count | % | Count | % | Count | % | Count | % | Count | % |
| 16,411 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Electrical Power System Performance

| Total Households | Number of Households Without Power | | | | | | | | | |
|------------------|------------------------------------|---|----------|---|----------|---|-----------|---|-----------|---|
| | At day 1 | | At day 3 | | At day 7 | | At day 30 | | At day 90 | |
| | Count | % | Count | % | Count | % | Count | % | Count | % |
| 16,411 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Debris Summary Report

| Brick, Wood & Others (tons) | Concrete & Steel (tons) | Total (tons) | Number of Truckloads |
|-----------------------------|-------------------------|--------------|----------------------|
| 0 | 0 | 0 | 0 |

Shelter Summary Report

| Number of Displaced Households | Number of People Needing Short Term Shelter |
|--------------------------------|---|
| 0 | 0 |

Essential Facilities Functionality

| | Count | Functionality (%) |
|----------------------------|-------|-------------------|
| | | At Day 1 |
| Emergency Operation Center | 2 | 100 |
| Fire Station Facilities | 28 | 100 |
| Police Station Facilities | 9 | 100 |
| School | 30 | 100 |

HAZUS-MH: Earthquake Event Report

Region Name: SpokaneM55Oct09Redo

Earthquake Scenario: Spokane M5.5 Oct09Redo

Print Date: March 10, 2010

Totals only reflect data for those census tracts/blocks included in the user's study region.

Disclaimer:

The estimates of social and economic impacts contained in this report were produced using HAZUS loss estimation methodology software which is based on current scientific and engineering knowledge. There are uncertainties inherent in any loss estimation technique. Therefore, there may be significant differences between the modeled results contained in this report and the actual social and economic losses following a specific earthquake. These results can be improved by using enhanced inventory, geotechnical, and observed ground motion data.

Table of Contents

| Section | Page # |
|--|---------------|
| General Description of the Region | 3 |
| Building and Lifeline Inventory | 4 |
| Building Inventory | |
| Critical Facility Inventory | |
| Transportation and Utility Lifeline Inventory | |
| Earthquake Scenario Parameters | 6 |
| Direct Earthquake Damage | 7 |
| Buildings Damage | |
| Critical Facilities Damage | |
| Transportation and Utility Lifeline Damage | |
| Induced Earthquake Damage | 11 |
| Fire Following Earthquake | |
| Debris Generation | |
| Social Impact | 12 |
| Shelter Requirements | |
| Casualties | |
| Economic Loss | 13 |
| Building Losses | |
| Transportation and Utility Lifeline Losses | |
| Long-term Indirect Economic Impacts | |
| | |
| Appendix A: County Listing for the Region | |
| Appendix B: Regional Population and Building Value Data | |

General Description of the Region

HAZUS is a regional earthquake loss estimation model that was developed by the Federal Emergency Management Agency and the National Institute of Building Sciences. The primary purpose of HAZUS is to provide a methodology and software application to develop earthquake losses at a regional scale. These loss estimates would be used primarily by local, state and regional officials to plan and stimulate efforts to reduce risks from earthquakes and to prepare for emergency response and recovery.

The earthquake loss estimates provided in this report was based on a region that includes 10 county(ies) from the following state(s):

Washington

Note:

Appendix A contains a complete listing of the counties contained in the region.

The geographical size of the region is 16,631.53 square miles and contains 154 census tracts. There are over 232 thousand households in the region and has a total population of 602,712 people (2005 Census Bureau data). The distribution of population by State and County is provided in Appendix B.

There are an estimated 252 thousand buildings in the region with a total building replacement value (excluding contents) of 42,173 (millions of dollars). Approximately 92.00 % of the buildings (and 77.00% of the building value) are associated with residential housing.

The replacement value of the transportation and utility lifeline systems is estimated to be 28,660 and 3,551 (millions of dollars) , respectively.

Building and Lifeline Inventory

Building Inventory

HAZUS estimates that there are 252 thousand buildings in the region which have an aggregate total replacement value of 42,173 (millions of dollars) . Appendix B provides a general distribution of the building value by State and County.

In terms of building construction types found in the region, wood frame construction makes up 79% of the building inventory. The remaining percentage is distributed between the other general building types.

Critical Facility Inventory

HAZUS breaks critical facilities into two (2) groups: essential facilities and high potential loss (HPL) facilities. Essential facilities include hospitals, medical clinics, schools, fire stations, police stations and emergency operations facilities. High potential loss facilities include dams, levees, military installations, nuclear power plants and hazardous material sites.

For essential facilities, there are 22 hospitals in the region with a total bed capacity of 2,676 beds. There are 361 schools, 201 fire stations, 42 police stations and 12 emergency operation facilities. With respect to HPL facilities, there are 111 dams identified within the region. Of these, 20 of the dams are classified as 'high hazard'. The inventory also includes 94 hazardous material sites, 0 military installations and 0 nuclear power plants.

Transportation and Utility Lifeline Inventory

Within HAZUS, the lifeline inventory is divided between transportation and utility lifeline systems. There are seven (7) transportation systems that include highways, railways, light rail, bus, ports, ferry and airports. There are six (6) utility systems that include potable water, wastewater, natural gas, crude & refined oil, electric power and communications. The lifeline inventory data are provided in Tables 1 and 2.

The total value of the lifeline inventory is over 32,211.00 (millions of dollars). This inventory includes over 3,081 kilometers of highways, 1,406 bridges, 99,114 kilometers of pipes.

Table 1: Transportation System Lifeline Inventory

| System | Component | # locations/ # Segments | Replacement value (millions of dollars) |
|-------------------|------------------|------------------------------------|--|
| Highway | Bridges | 1,406 | 9,726.90 |
| | Segments | 536 | 16,013.10 |
| | Tunnels | 1 | 1.10 |
| | Subtotal | | 25,741.10 |
| Railways | Bridges | 96 | 20.80 |
| | Facilities | 12 | 32.00 |
| | Segments | 732 | 1,698.10 |
| | Tunnels | 0 | 0.00 |
| | Subtotal | | 1,750.90 |
| Light Rail | Bridges | 0 | 0.00 |
| | Facilities | 0 | 0.00 |
| | Segments | 0 | 0.00 |
| | Tunnels | 0 | 0.00 |
| | Subtotal | | 0.00 |
| Bus | Facilities | 6 | 7.20 |
| | Subtotal | | 7.20 |
| Ferry | Facilities | 4 | 5.30 |
| | Subtotal | | 5.30 |
| Port | Facilities | 16 | 32.00 |
| | Subtotal | | 32.00 |
| Airport | Facilities | 20 | 213.00 |
| | Runways | 24 | 911.10 |
| | Subtotal | | 1,124.20 |
| | | Total | 28,660.60 |

Table 2: Utility System Lifeline Inventory

| System | Component | # Locations / Segments | Replacement value (millions of dollars) |
|-------------------------|--------------------|-------------------------------|--|
| Potable Water | Distribution Lines | NA | 991.10 |
| | Facilities | 2 | 73.30 |
| | Pipelines | 0 | 0.00 |
| | | Subtotal | 1,064.40 |
| Waste Water | Distribution Lines | NA | 594.70 |
| | Facilities | 29 | 2,124.50 |
| | Pipelines | 0 | 0.00 |
| | | Subtotal | 2,719.20 |
| Natural Gas | Distribution Lines | NA | 396.50 |
| | Facilities | 13 | 15.60 |
| | Pipelines | 0 | 0.00 |
| | | Subtotal | 412.00 |
| Oil Systems | Facilities | 0 | 0.00 |
| | Pipelines | 0 | 0.00 |
| | | Subtotal | 0.00 |
| Electrical Power | Facilities | 11 | 1,331.00 |
| | | Subtotal | 1,331.00 |
| Communication | Facilities | 61 | 6.70 |
| | | Subtotal | 6.70 |
| | | Total | 5,533.40 |

Earthquake Scenario

HAZUS uses the following set of information to define the earthquake parameters used for the earthquake loss estimate provided in this report.

| | |
|--------------------------------------|------------------------|
| Scenario Name | Spokane M5.5 Oct09Redo |
| Type of Earthquake | User-defined |
| Fault Name | NA |
| Historical Epicenter ID # | NA |
| Probabilistic Return Period | NA |
| Longitude of Epicenter | NA |
| Latitude of Epicenter | NA |
| Earthquake Magnitude | 5.50 |
| Depth (Km) | NA |
| Rupture Length (Km) | NA |
| Rupture Orientation (degrees) | NA |
| Attenuation Function | NA |

Building Damage

Building Damage

HAZUS estimates that about 1,466 buildings will be at least moderately damaged. This is over 1.00 % of the total number of buildings in the region. There are an estimated 0 buildings that will be damaged beyond repair. The definition of the 'damage states' is provided in Volume 1: Chapter 5 of the HAZUS technical manual. Table 3 below summarizes the expected damage by general occupancy for the buildings in the region. Table 4 summarizes the expected damage by general building type.

Table 3: Expected Building Damage by Occupancy

| | None | | Slight | | Moderate | | Extensive | | Complete | |
|--------------------------|----------------|-------|---------------|-------|--------------|-------|-----------|-------|----------|-------|
| | Count | (%) | Count | (%) | Count | (%) | Count | (%) | Count | (%) |
| Agriculture | 1,649 | 0.70 | 42 | 0.30 | 12 | 0.82 | 1 | 1.44 | 0 | 0.87 |
| Commercial | 11,207 | 4.73 | 919 | 6.51 | 298 | 20.81 | 14 | 39.42 | 0 | 46.62 |
| Education | 428 | 0.18 | 27 | 0.19 | 7 | 0.50 | 0 | 0.74 | 0 | 0.89 |
| Government | 360 | 0.15 | 14 | 0.10 | 4 | 0.25 | 0 | 0.33 | 0 | 0.40 |
| Industrial | 3,428 | 1.45 | 248 | 1.76 | 90 | 6.26 | 4 | 12.10 | 0 | 5.66 |
| Other Residential | 62,263 | 26.30 | 3,475 | 24.60 | 585 | 40.90 | 13 | 36.00 | 0 | 43.58 |
| Religion | 872 | 0.37 | 55 | 0.39 | 14 | 0.96 | 0 | 1.35 | 0 | 1.98 |
| Single Family | 156,559 | 66.12 | 9,346 | 66.16 | 422 | 29.50 | 3 | 8.63 | 0 | 0.00 |
| Total | 236,766 | | 14,127 | | 1,431 | | 36 | | 0 | |

Table 4: Expected Building Damage by Building Type (All Design Levels)

| | None | | Slight | | Moderate | | Extensive | | Complete | |
|-----------------|----------------|-------|---------------|-------|--------------|-------|-----------|-------|----------|-------|
| | Count | (%) | Count | (%) | Count | (%) | Count | (%) | Count | (%) |
| Wood | 187,632 | 79.25 | 10949 | 77.50 | 403 | 28.16 | 0 | 0.00 | 0 | 0.00 |
| Steel | 5,490 | 2.32 | 334 | 2.36 | 146 | 10.18 | 7 | 19.94 | 0 | 1.37 |
| Concrete | 5,724 | 2.42 | 388 | 2.75 | 78 | 5.47 | 1 | 4.08 | 0 | 0.00 |
| Precast | 3,397 | 1.43 | 317 | 2.25 | 169 | 11.82 | 9 | 26.65 | 0 | 1.93 |
| RM | 9,093 | 3.84 | 500 | 3.54 | 204 | 14.27 | 7 | 19.48 | 0 | 0.00 |
| URM | 1,834 | 0.77 | 349 | 2.47 | 126 | 8.83 | 8 | 22.89 | 0 | 96.69 |
| MH | 23,597 | 9.97 | 1290 | 9.13 | 305 | 21.28 | 2 | 6.96 | 0 | 0.00 |
| Total | 236,766 | | 14,127 | | 1,431 | | 36 | | 0 | |

*Note:

RM Reinforced Masonry
URM Unreinforced Masonry
MH Manufactured Housing

Essential Facility Damage

Before the earthquake, the region had 2,676 hospital beds available for use. On the day of the earthquake, the model estimates that only 2,563 hospital beds (96.00%) are available for use by patients already in the hospital and those injured by the earthquake. After one week, 99.00% of the beds will be back in service. By 30 days, 100.00% will be operational.

Table 5: Expected Damage to Essential Facilities

| Classification | Total | # Facilities | | |
|----------------|-------|-----------------------------------|--------------------------|--------------------------------------|
| | | At Least Moderate Damage > 50% | Complete Damage > 50% | With Functionality > 50% on day 1 |
| Hospitals | 22 | 0 | 0 | 22 |
| Schools | 361 | 0 | 0 | 361 |
| EOCs | 12 | 0 | 0 | 12 |
| PoliceStations | 42 | 0 | 0 | 42 |
| FireStations | 201 | 0 | 0 | 201 |

Transportation and Utility Lifeline Damage

Table 6 provides damage estimates for the transportation system.

Table 6: Expected Damage to the Transportation Systems

| System | Component | Locations/ Segments | Number of Locations_ | | | |
|------------|------------|------------------------|------------------------------|-------------------------|---------------------------|-------------|
| | | | With at Least Mod. Damage | With Complete Damage | With Functionality > 50 % | |
| | | | | | After Day 1 | After Day 7 |
| Highway | Segments | 536 | 0 | 0 | 536 | 536 |
| | Bridges | 1,406 | 0 | 0 | 1,406 | 1,406 |
| | Tunnels | 1 | 0 | 0 | 1 | 1 |
| Railways | Segments | 732 | 0 | 0 | 732 | 732 |
| | Bridges | 96 | 0 | 0 | 96 | 96 |
| | Tunnels | 0 | 0 | 0 | 0 | 0 |
| | Facilities | 12 | 0 | 0 | 12 | 12 |
| Light Rail | Segments | 0 | 0 | 0 | 0 | 0 |
| | Bridges | 0 | 0 | 0 | 0 | 0 |
| | Tunnels | 0 | 0 | 0 | 0 | 0 |
| | Facilities | 0 | 0 | 0 | 0 | 0 |
| Bus | Facilities | 6 | 0 | 0 | 6 | 6 |
| Ferry | Facilities | 4 | 0 | 0 | 4 | 4 |
| Port | Facilities | 16 | 0 | 0 | 16 | 16 |
| Airport | Facilities | 20 | 0 | 0 | 20 | 20 |
| | Runways | 24 | 0 | 0 | 24 | 24 |

Note: Roadway segments, railroad tracks and light rail tracks are assumed to be damaged by ground failure only. If ground failure maps are not provided, damage estimates to these components will not be computed.

Tables 7-9 provide information on the damage to the utility lifeline systems. Table 7 provides damage to the utility system facilities. Table 8 provides estimates on the number of leaks and breaks by the pipelines of the utility systems. For electric power and potable water, HAZUS performs a simplified system performance analysis. Table 9 provides a summary of the system performance information.

Table 7 : Expected Utility System Facility Damage

| System | # of Locations | | | | |
|------------------|----------------|-------------------------------|----------------------|---------------------------|-------------|
| | Total # | With at Least Moderate Damage | With Complete Damage | with Functionality > 50 % | |
| | | | | After Day 1 | After Day 7 |
| Potable Water | 2 | 0 | 0 | 2 | 2 |
| Waste Water | 29 | 0 | 0 | 28 | 29 |
| Natural Gas | 13 | 0 | 0 | 13 | 13 |
| Oil Systems | 0 | 0 | 0 | 0 | 0 |
| Electrical Power | 11 | 0 | 0 | 9 | 11 |
| Communication | 61 | 0 | 0 | 61 | 61 |

Table 8 : Expected Utility System Pipeline Damage (Site Specific)

| System | Total Pipelines Length (kms) | Number of Leaks | Number of Breaks |
|---------------|------------------------------|-----------------|------------------|
| Potable Water | 49,557 | 68 | 17 |
| Waste Water | 29,734 | 54 | 14 |
| Natural Gas | 19,823 | 58 | 14 |
| Oil | 0 | 0 | 0 |

Table 9: Expected Potable Water and Electric Power System Performance

| | Total # of Households | Number of Households without Service | | | | |
|----------------|-----------------------|--------------------------------------|----------|----------|-----------|-----------|
| | | At Day 1 | At Day 3 | At Day 7 | At Day 30 | At Day 90 |
| Potable Water | 232,812 | 0 | 0 | 0 | 0 | 0 |
| Electric Power | | 0 | 0 | 0 | 0 | 0 |

Fire Following Earthquake

Fires often occur after an earthquake. Because of the number of fires and the lack of water to fight the fires, they can often burn out of control. HAZUS uses a Monte Carlo simulation model to estimate the number of ignitions and the amount of burnt area. For this scenario, the model estimates that there will be 14 ignitions that will burn about 0.69 sq. mi 0.00 % of the region's total area.) The model also estimates that the fires will displace about 2,040 people and burn about 210 (millions of dollars) of building value.

Debris Generation

HAZUS estimates the amount of debris that will be generated by the earthquake. The model breaks the debris into two general categories: a) Brick/Wood and b) Reinforced Concrete/Steel. This distinction is made because of the different types of material handling equipment required to handle the debris.

The model estimates that a total of 0.040 million tons of debris will be generated. Of the total amount, Brick/Wood comprises 55.00% of the total, with the remainder being Reinforced Concrete/Steel. If the debris tonnage is converted to an estimated number of truckloads, it will require 1,560,000 truckloads (@25 tons/truck) to remove the debris generated by the earthquake.

Social Impact

Shelter Requirement

HAZUS estimates the number of households that are expected to be displaced from their homes due to the earthquake and the number of displaced people that will require accommodations in temporary public shelters. The model estimates 23 households to be displaced due to the earthquake. Of these, 16 people (out of a total population of 602,712) will seek temporary shelter in public shelters.

Casualties

HAZUS estimates the number of people that will be injured and killed by the earthquake. The casualties are broken down into four (4) severity levels that describe the extent of the injuries. The levels are described as follows;

- Severity Level 1: Injuries will require medical attention but hospitalization is not needed.
- Severity Level 2: Injuries will require hospitalization but are not considered life-threatening
- Severity Level 3: Injuries will require hospitalization and can become life threatening if not promptly treated.
- Severity Level 4: Victims are killed by the earthquake.

The casualty estimates are provided for three (3) times of day: 2:00 AM, 2:00 PM and 5:00 PM. These times represent the periods of the day that different sectors of the community are at their peak occupancy loads. The 2:00 AM estimate considers that the residential occupancy load is maximum, the 2:00 PM estimate considers that the educational, commercial and industrial sector loads are maximum and 5:00 PM represents peak commute time.

Table 10 provides a summary of the casualties estimated for this earthquake

Table 10: Casualty Estimates

| | | Level 1 | Level 2 | Level 3 | Level 4 |
|-------------|-------------------|-----------|----------|----------|----------|
| 2 AM | Commercial | 0 | 0 | 0 | 0 |
| | Commuting | 0 | 0 | 0 | 0 |
| | Educational | 0 | 0 | 0 | 0 |
| | Hotels | 0 | 0 | 0 | 0 |
| | Industrial | 0 | 0 | 0 | 0 |
| | Other-Residential | 10 | 1 | 0 | 0 |
| | Single Family | 14 | 0 | 0 | 0 |
| | Total | 25 | 1 | 0 | 0 |
| 2 PM | Commercial | 21 | 2 | 0 | 0 |
| | Commuting | 0 | 0 | 0 | 0 |
| | Educational | 4 | 0 | 0 | 0 |
| | Hotels | 0 | 0 | 0 | 0 |
| | Industrial | 2 | 0 | 0 | 0 |
| | Other-Residential | 2 | 0 | 0 | 0 |
| | Single Family | 3 | 0 | 0 | 0 |
| | Total | 32 | 2 | 0 | 0 |
| 5 PM | Commercial | 15 | 1 | 0 | 0 |
| | Commuting | 0 | 0 | 0 | 0 |
| | Educational | 1 | 0 | 0 | 0 |
| | Hotels | 0 | 0 | 0 | 0 |
| | Industrial | 1 | 0 | 0 | 0 |
| | Other-Residential | 4 | 0 | 0 | 0 |
| | Single Family | 5 | 0 | 0 | 0 |
| | Total | 26 | 2 | 0 | 0 |

Economic Loss

The total economic loss estimated for the earthquake is 450.78 (millions of dollars), which includes building and lifeline related losses based on the region's available inventory. The following three sections provide more detailed information about these losses.

Building-Related Losses

The building losses are broken into two categories: direct building losses and business interruption losses. The direct building losses are the estimated costs to repair or replace the damage caused to the building and its contents. The business interruption losses are the losses associated with inability to operate a business because of the damage sustained during the earthquake. Business interruption losses also include the temporary living expenses for those people displaced from their homes because of the earthquake.

The total building-related losses were 389.13 (millions of dollars); 7 % of the estimated losses were related to the business interruption of the region. By far, the largest loss was sustained by the residential occupancies which made up over 63 % of the total loss. Table 11 below provides a summary of the losses associated with the building damage.

Table 11: Building-Related Economic Loss Estimates

(Millions of dollars)

| Category | Area | Single Family | Other Residential | Commercial | Industrial | Others | Total |
|-----------------------------|-----------------|---------------|-------------------|---------------|--------------|--------------|---------------|
| Income Losses | | | | | | | |
| | Wage | 0.00 | 0.27 | 5.14 | 0.22 | 0.37 | 6.00 |
| | Capital-Related | 0.00 | 0.11 | 4.41 | 0.13 | 0.10 | 4.75 |
| | Rental | 0.74 | 2.09 | 4.25 | 0.10 | 0.13 | 7.31 |
| | Relocation | 1.69 | 1.44 | 5.50 | 0.54 | 0.98 | 10.16 |
| | Subtotal | 2.43 | 3.91 | 19.30 | 1.00 | 1.58 | 28.22 |
| Capital Stock Losses | | | | | | | |
| | Structural | 7.81 | 3.74 | 6.78 | 1.17 | 1.01 | 20.50 |
| | Non_Structural | 97.48 | 50.95 | 43.04 | 10.93 | 8.09 | 210.50 |
| | Content | 56.57 | 20.40 | 34.49 | 8.17 | 7.10 | 126.74 |
| | Inventory | 0.00 | 0.00 | 1.13 | 1.90 | 0.14 | 3.16 |
| | Subtotal | 161.87 | 75.09 | 85.44 | 22.17 | 16.34 | 360.91 |
| | Total | 164.30 | 79.00 | 104.75 | 23.17 | 17.92 | 389.13 |

Transportation and Utility Lifeline Losses

For the transportation and utility lifeline systems, HAZUS computes the direct repair cost for each component only. There are no losses computed by HAZUS for business interruption due to lifeline outages. Tables 12 & 13 provide a detailed breakdown in the expected lifeline losses.

HAZUS estimates the long-term economic impacts to the region for 15 years after the earthquake. The model quantifies this information in terms of income and employment changes within the region. Table 14 presents the results of the region for the given earthquake.

Table 12: Transportation System Economic Losses
(Millions of dollars)

| System | Component | Inventory Value | Economic Loss | Loss Ratio (%) |
|--------------|-----------------|-----------------|---------------|----------------|
| Highway | Segments | 16,013.05 | \$0.00 | 0.00 |
| | Bridges | 9,726.90 | \$3.87 | 0.04 |
| | Tunnels | 1.14 | \$0.01 | 1.19 |
| | Subtotal | 25741.10 | 3.90 | |
| Railways | Segments | 1,698.10 | \$0.00 | 0.00 |
| | Bridges | 20.83 | \$0.00 | 0.01 |
| | Tunnels | 0.00 | \$0.00 | 0.00 |
| | Facilities | 31.96 | \$1.78 | 5.56 |
| | Subtotal | 1750.90 | 1.80 | |
| Light Rail | Segments | 0.00 | \$0.00 | 0.00 |
| | Bridges | 0.00 | \$0.00 | 0.00 |
| | Tunnels | 0.00 | \$0.00 | 0.00 |
| | Facilities | 0.00 | \$0.00 | 0.00 |
| | Subtotal | 0.00 | 0.00 | |
| Bus | Facilities | 7.19 | \$0.76 | 10.63 |
| | Subtotal | 7.20 | 0.80 | |
| Ferry | Facilities | 5.32 | \$0.01 | 0.11 |
| | Subtotal | 5.30 | 0.00 | |
| Port | Facilities | 31.95 | \$0.00 | 0.00 |
| | Subtotal | 32.00 | 0.00 | |
| Airport | Facilities | 213.02 | \$4.12 | 1.93 |
| | Runways | 911.14 | \$0.00 | 0.00 |
| | Subtotal | 1124.20 | 4.10 | |
| Total | | 28660.60 | 10.50 | |

Table 13: Utility System Economic Losses

(Millions of dollars)

| System | Component | Inventory Value | Economic Loss | Loss Ratio (%) |
|------------------|--------------------|-----------------|----------------|----------------|
| Potable Water | Pipelines | 0.00 | \$0.00 | 0.00 |
| | Facilities | 73.30 | \$2.76 | 3.76 |
| | Distribution Lines | 991.10 | \$0.31 | 0.03 |
| | Subtotal | 1,064.40 | \$3.06 | |
| Waste Water | Pipelines | 0.00 | \$0.00 | 0.00 |
| | Facilities | 2,124.50 | \$6.67 | 0.31 |
| | Distribution Lines | 594.70 | \$0.24 | 0.04 |
| | Subtotal | 2,719.23 | \$6.91 | |
| Natural Gas | Pipelines | 0.00 | \$0.00 | 0.00 |
| | Facilities | 15.60 | \$0.29 | 1.86 |
| | Distribution Lines | 396.50 | \$0.26 | 0.07 |
| | Subtotal | 412.04 | \$0.55 | |
| Oil Systems | Pipelines | 0.00 | \$0.00 | 0.00 |
| | Facilities | 0.00 | \$0.00 | 0.00 |
| | Subtotal | 0.00 | \$0.00 | |
| Electrical Power | Facilities | 1,331.00 | \$40.47 | 3.04 |
| | Subtotal | 1,331.00 | \$40.47 | |
| Communication | Facilities | 6.70 | \$0.11 | 1.69 |
| | Subtotal | 6.71 | \$0.11 | |
| | Total | 5,533.39 | \$51.11 | |

Table 14. Indirect Economic Impact with outside aid
 (Employment as # of people and Income in millions of \$)

| | LOSS | Total | % |
|----------------------|-------------------|-------|-------|
| First Year | | | |
| | Employment Impact | 262 | 0.17 |
| | Income Impact | (1) | -0.02 |
| Second Year | | | |
| | Employment Impact | 96 | 0.06 |
| | Income Impact | (8) | -0.10 |
| Third Year | | | |
| | Employment Impact | 0 | 0.00 |
| | Income Impact | (11) | -0.13 |
| Fourth Year | | | |
| | Employment Impact | 0 | 0.00 |
| | Income Impact | (11) | -0.13 |
| Fifth Year | | | |
| | Employment Impact | 0 | 0.00 |
| | Income Impact | (11) | -0.13 |
| Years 6 to 15 | | | |
| | Employment Impact | 0 | 0.00 |
| | Income Impact | (11) | -0.13 |

Appendix A: County Listing for the Region

Adams,WA

Asotin,WA

Columbia,WA

Ferry,WA

Garfield,WA

Lincoln,WA

Pend Oreille,WA

Spokane,WA


Stevens,WA

Whitman,WA

Appendix B: Regional Population and Building Value Data

| State | County Name | Population | Building Value (millions of dollars) | | |
|---------------------|--------------|----------------|--------------------------------------|-----------------|---------------|
| | | | Residential | Non-Residential | Total |
| Washington | Adams | 17,108 | 650 | 278 | 928 |
| | Asotin | 20,343 | 1,117 | 272 | 1,390 |
| | Columbia | 4,106 | 266 | 67 | 334 |
| | Ferry | 7,347 | 381 | 140 | 522 |
| | Garfield | 2,375 | 142 | 77 | 220 |
| | Lincoln | 10,493 | 558 | 215 | 773 |
| | Pend Oreille | 12,255 | 691 | 132 | 824 |
| | Spokane | 441,141 | 24,456 | 7,295 | 31,751 |
| | Stevens | 41,007 | 1,990 | 535 | 2,525 |
| | Whitman | 46,537 | 2,231 | 671 | 2,902 |
| Total State | | 602,712 | 32,482 | 9,682 | 42,169 |
| Total Region | | 602,712 | 32,482 | 9,682 | 42,169 |


Population Density and Ground Shaking Intensities - Earthquake Scenario: Washington



Sources: 2009 HAZUS runs by URS Corporation, MMI Map USGS 2009
Projection: NAD83 Harn State Plane Washington 4602 (feet)

Figure 1


Impaired Hospitals (Day 1) - Earthquake Scenario: Washington



Sources: 2009 HAZUS runs by URS Corporation, Highways HCIP Gold 2007
Projection: NAD83 Harn State Plane Washington 4602 (feet)

Figure 2


Impaired Hospitals (Day 1), Hospital Bed Availability, & Bridge Functionality - Earthquake Scenario: Washington



Sources: 2009 HAZUS runs by URS Corporation, Highways HCIP Gold 2007
 Projection: NAD83 Harn State Plane Washington 4602 (feet)

Figure 3


Distribution of Elderly, Impaired Hospitals (Day 1), & Hospital Bed Availability - Earthquake Scenario: Washington



Sources: 2009 HAZUS runs by URS Corporation, Highways and Nursing homes HCIP Gold 2007
 Projection: NAD83 Harn State Plane Washington 4602 (feet)

Figure 4


Estimated Displaced Households & Short Term Public Shelter Needs - Earthquake Scenario: Washington



Sources: 2009 HAZUS runs by URS Corporation, Highways HCIP Gold 2007
 Projection: NAD83 Harn State Plane Washington 4602 (feet)

Figure 5


Injuries (2pm), Collapsed Structures, and Impaired Hospitals - Earthquake Scenario: Washington



Sources: 2009 HAZUS runs by URS Corporation, Highways HCIP Gold 2007
 Projection: NAD83 Harn State Plane Washington 4602 (feet)

Figure 6


Power Lines and Facilities, Households Without Electricity, and Ground Shaking Intensities - Earthquake Scenario: Washington



Sources: 2009 HAZUS runs by URS Corporation, Power lines and facilities HCIP Gold 2007
 Projection: NAD83 Harn State Plane Washington 4602 (feet)

Figure 7


Estimated Building Inspection Needs - Earthquake Scenario: Washington



Sources: 2009 HAZUS runs by URS Corporation, Highways HCIP Gold 2007
 Projection: NAD83 Harn State Plane Washington 4602 (feet)

Figure 8


Direct Building Economic Loss - Earthquake Scenario: Washington



Sources: 2009 HAZUS runs by URS Corporation, Highways HCIP Gold 2007
 Projection: NAD83 Harn State Plane Washington 4602 (feet)

Figure 9


Natural Gas, and Oil Facility Damage - Earthquake Scenario: Washington



Sources: 2009 HAZUS runs by URS Corporation, Highways HCIP Gold 2007
 Projection: NAD83 Harn State Plane Washington 4602 (feet)

Figure 10


Sewage Treatment Facility Distribution, Households Without Potable Water, and Liquefaction Susceptibility - Earthquake Scenario: Washington



Sources: 2009 HAZUS runs by URS Corporation, Sewage Treatment Facilities HCIP Gold 2007, Liquefaction The Wash State Geological Survey
 Projection: NAD83 Harn State Plane Washington 4602 (feet)

Figure 11


Estimated Highway Bridge Damage - Earthquake Scenario: Washington



Sources: 2009 HAZUS runs by URS Corporation, Highways HCIP Gold 2007
Projection: NAD83 Harn State Plane Washington 4602 (feet)

Figure 12

Estimated Brick, Concrete, Steel, and Wood Debris - Earthquake Scenario: Washington



Sources: 2009 HAZUS runs by URS Corporation, Highways HCIP Gold 2007
Projection: NAD83 Harn State Plane Washington 4602 (feet)

Figure 13