

References





References

ACRONYMS USED IN TEXT:

DNR = Washington Department of Natural Resources
FEMAT = Forest Ecosystem Management Assessment Team
USDA = U.S. Department of Agriculture
USDI = U.S. Department of the Interior
WDF = Washington Department of Fisheries
WDFW = Washington Department of Fish and Wildlife
WDW = Washington Department of Wildlife
WFPB = Washington Forest Practices Board

- Agee, J. K. 1993. Fire ecology of Pacific Northwest forests. Island Press, Covelo, CA. 493 p.
- Agee, J. K. 1994. Catastrophic forest disturbance on the Olympic Peninsula. James K. Agee, Redmond, WA [for] Rayonier Corp., Hoquiam, WA. Unpublished report. 19 p.
- Agee, J. K., and R. L. Edmonds. 1992. Forest protection guidelines for the northern spotted owl. *In* U.S. Department of the Interior. Recovery plan for the northern spotted owl—draft. U.S. Department of the Interior, Fish and Wildlife Service, Portland, OR. Appendix F, p. 419-480.
- Allen, H. 1991. Status and management of the peregrine falcon in Washington. *In* J. E. Pagel, ed. Proceedings, Symposium on Peregrine Falcons in the Pacific Northwest. Rogue River National Forest, Medford, OR.
- Almack, J. A. 1986. North Cascades Grizzly Bear Project annual report. Washington Department of Game, Sedro Woolley, WA. 1 v.
- Almack, J. A., W. L. Gaines, R. H. Naney, et al. 1993. North Cascades grizzly bear ecosystem evaluation: final report. Interagency Grizzly Bear Committee, Denver, CO. 156 p.
- Anderson, N. H., and J. R. Sedell. 1979. Detritus processing by macroinvertebrates in stream ecosystems. *Annual Review of Entomology*. v. 24, p. 351-377.

-
- Andrus, C. W., and H. A. Froelich. [1986.] Wind damage within streamside buffers and its effect on accelerated sedimentation in coastal Oregon streams. Unpublished draft report. 12 p.
- Anthony, R. G., R. L. Knight, G. T. Allen, et al. 1982. Habitat use by nesting and roosting bald eagles in the Pacific Northwest. *In* K. Sabol, ed. Transactions of the forty-seventh North American Wildlife and Natural Resources Conference, Portland, OR, 1982. Wildlife Management Institute, Washington, D.C. p. 332-342.
- Aubry, K. B., and P. A. Hall. 1991. Terrestrial amphibian communities in the southern Washington Cascade Range. *In* L. F. Ruggiero, K. B. Aubry, A. B. Carey, and M. H. Huff, tech. coords. Wildlife and vegetation of unmanaged Douglas-fir forests. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station, Portland, OR. General technical report PNW-285. p. 326-338.
- Austin, K. K. 1994. Habitat use and home range size of breeding northern goshawks in the southern Cascades. M.S. Thesis, Oregon State University, Corvallis.
- Avery, M. W. 1965. Washington: a history of the Evergreen State. University of Washington Press, Seattle. 362 p.
- Bahls, P. And M. Ereth. 1994. Stream Typing error in Washington water type maps for watersheds of Hood Canal and the southwest Olympic Peninsula. Point No Point Treaty Council, Kingston, WA.
- Banci, V. 1994. Wolverine. *In* L. F. Ruggiero, K. B. Aubry, S. W. Buskirk, et al., eds. American marten, fisher, lynx, and wolverine in the western United States. U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, CO. General technical report RM-254. p. 99-127.
- Barbour, R. W., and W. H. Davis. 1969. Bats of America. University Press of Kentucky, Lexington. 286 p.
- Bart, J. 1995. Amount of suitable habitat and viability of northern spotted owls. *Conservation Biology*. v. 9, no. 4, p. 943-946.
- Bart, J., and E. D. Forsman. 1992. Dependence of northern spotted owls (*Strix occidentalis caurina*) on old-growth forests in the western USA. *Biological Conservation*. v. 62, no. 2, p. 95-100.
- Bartlet, P. E. 1977. Management of the American goshawk in the Black Hills National Forest. M.S. Thesis, University of South Dakota, Vermillion. 102 p.
- Basile, J. V., and T. N. Lonner. 1979. Vehicle restrictions influence elk and hunter distribution in Montana. *Journal of Forestry*. v. 77, no. 3, p. 155-159.

-
- Beak Consultants Inc. 1993. Habitat conservation plan for the northern spotted owl (*Strix occidentalis caurina*) on timberlands owned by the Murray Pacific Corporation, Lewis County, Washington. Murray Pacific Corporation, Tacoma, WA. 1 v.
- Beak Consultants Inc. 1995. Amendment to the habitat conservation plan and incidental take permit PRT-777837 for the northern spotted owl on timberlands owned by the Murray Pacific Corporation, Lewis County, Washington. Murray Pacific Corporation, Tacoma, WA. 1 v.
- Beechie, T. J., and K. Wyman. 1992. Stream habitat conditions, unstable slopes and status of roads in four small watersheds of the Skagit River. Skagit System Cooperative, Fisheries Service for the Swinomish Indian Tribal Community, LaConner, WA, Upper Skagit Tribal Council, Sedro Woolley, WA, and Sauk-Suiattle Tribal Council, Darrington, WA.
- Beissinger, S. R. 1995. Population trends of the marbled murrelet projected from demographic analyses. In C. J. Ralph, G. L. Hunt, Jr., M. G. Raphael, and J. F. Piatt, eds. Ecology and conservation of the marbled murrelet. U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station, Arcata, CA. General technical report PSW-152. p. 385-393.
- Bell, M. C. 1986. Fisheries handbook of engineering requirements and biological criteria. U.S. Army Corps of Engineers, North Pacific Division, Fish Passage Development and Evaluation Program, Portland, OR. 290 p.
- Bellrose, F. C. 1976. Ducks, geese, and swans of North America: a completely new and expanded version of the classic work by F. H. Kortright. Stackpole Books, Harrisburg, PA. 543 p.
- Benda, L. E. 1993. Geomorphic analysis of the South Fork Green Creek, (Olympic Peninsula). Cavenham-Hanson Natural Resources Company, Port Angeles, WA. Unpublished report.
- Bent, A. C. 1963. Life histories of North American flycatchers, larks, swallows, and their allies. Dover Publications, Inc., New York, NY. 555 p.
- Berris, S. N., and R. D. Harr. 1987. Comparative snow accumulation and melt during rainfall in forested and clear-cut plots in the western Cascades of Oregon. Water Resources Research. v. 23, no. 1, p. 135-142.
- Beschta, R. L. 1978. Long-term patterns of sediment production following road construction and logging in the Oregon Coast Range. Water Resources Research. v. 14, no. 6, p. 1011-1016.
- Beschta, R. L., R. E. Bilby, G. W. Brown, et al. 1987. Stream temperature and aquatic habitat: fisheries and forestry interactions. In E. O. Salo, and T. W. Cundy, eds.

Streamside management: forestry and fishery interactions. University of Washington, Institute of Forest Resources, Seattle. Contribution 57. p. 191-232.

- Bigley, R., and S. Hull. [in preparation] Elements of site interpretation for western Washington forests. Washington Department of Natural Resources, Resource Planning and Asset Management Division, Olympia.
- Bilby, R. E. 1979. The function and distribution of organic debris dams in forest stream ecosystems. Ph.D. Dissertation, Cornell University, Ithaca, NY.
- Bilby, R. E. 1988. Interactions between aquatic and terrestrial systems. In K. J. Raedeke, ed. Streamside management: riparian wildlife and forestry interactions. University of Washington, Institute of Forest Resources, Seattle. Contribution 59. p. 13-30.
- Bilby, R. E., and P. A. Bisson. 1992. Allochthonous versus autochthonous organic matter contributions to the trophic support of fish populations in clear-cut and old-growth forested streams. Canadian Journal of Fisheries and Aquatic Sciences. v. 49, no. 3, p. 540-551.
- Bilby, R. E., B. R. Fransen, and P. A. Bisson. [in press] Incorporation of nitrogen and carbon from spawning coho salmon into the trophic system of small streams: evidence from stable isotopes. Canadian Journal of Fisheries and Aquatic Sciences [1996].
- Bilby, R. E., and J. W. Ward. 1989. Changes in characteristics and function of woody debris with increasing size of streams in western Washington. Transactions of the American Fisheries Society. v. 118, no. 4, p. 368-378.
- Bilby, R. E., and J. W. Ward. 1991. Characteristics and function of large woody debris in streams draining old-growth, clear-cut, and second-growth forests in southwestern Washington. Canadian Journal of Fisheries and Aquatic Sciences. v. 48, no. 12, p. 2499-2508.
- Bilton, H. T., D. F. Alderdice, and J. T. Schnute. 1982. Influence of time and size at release of juvenile coho salmon (*Oncorhynchus kisutch*) on returns at maturity. Canadian Journal of Fisheries and Aquatic Sciences. v. 39, no. 3, p. 426-447.
- Bisson, P. A., R. E. Bilby, M. D. Bryant, et al. 1987. Large woody debris in forested streams in the Pacific Northwest: past, present, and future. In E. O. Salo, and T. W. Cundy, eds. Streamside management: forestry and fishery interactions. University of Washington, Institute of Forest Resources, Seattle. Contribution 57. p. 143-190.
- Bisson, P. A., J. L. Nielsen, and J. W. Ward. 1988a. Summer production of coho salmon stocked in Mount St. Helens streams 3-6 years after the 1980 eruption. Transactions of the American Fisheries Society. v. 117, no. 4, p. 322-335.

-
- Bisson, P. A., T. P. Quinn, G. H. Reeves, and S. V. Gregory. 1992. Best management practices, cumulative effects, and long-term trends in fish abundance in Pacific Northwest river systems. *In* R. J. Naiman, ed. *Watershed management: balancing sustainability and environmental change*. Springer-Verlag, New York, NY. p. 189-232.
- Bisson, P. A., and J. R. Sedell. 1984. Salmonid populations in streams in clearcut vs. old-growth forests of western Washington. *In* W. R. Meehan, T. R. Merrell, Jr., and T. A. Hanley, eds. *Fish and wildlife relationships in old-growth forests: proceedings of a symposium*. American Institute of Fishery Research Biologists, Morehead City, NC. p. 121-129.
- Bisson, P. A., K. Sullivan, and J. L. Nielsen. 1988b. Channel hydraulics, habitat use, and body form of juvenile coho salmon, steelhead, and cutthroat trout in streams. *Transactions of the American Fisheries Society*. v. 117, no. 3, p. 262-273.
- Bjornn, T. C. 1971. Trout and salmon movements in two Idaho streams as related to temperature, food, stream flow, cover, and population density. *Transactions of the American Fisheries Society*. v. 100, no. 3, p. 423-438.
- Bjornn, T. C., and D. W. Reiser. 1991. Habitat requirements of salmonids in streams. *In* W. R. Meehan, ed. *Influences of forest and rangeland management on salmonid fishes and their habitats*. American Fisheries Society, Bethesda, MD. Special publication no. 19. p. 83-138.
- Blanchard, B. 1978. Grizzly bear distribution in relation to habitat areas and recreational use: Cabin Creek-Hilgard Mountains. M.S. Thesis, Montana State University, Bozeman. 75 p.
- Bond, C. E. 1992. Notes on the nomenclature and distribution of the bull trout and the effects of human activity on the species. *In* P. J. Howell, and D. W. Buchanan, eds. *Proceedings of the Gearhart Mountain bull trout workshop*. Oregon Chapter of the American Fisheries Society, Corvallis, OR. p. 1-4.
- Booth, D. E. 1991. Estimating prelogging old-growth in the Pacific Northwest. *Journal of Forestry*. v. 89, no. 10, p. 25-29.
- Bosch, J. M., and J. D. Hewlett. 1982. A review of catchment experiments to determine the effect of vegetation changes on water yield and evapotranspiration. *Journal of Hydrology*. v. 55, no. 1/4, p. 3-23.
- Braun, C. E. 1994. Band-tailed pigeon. *In* T. C. Tacha and C. E. Braun, eds. *Migratory shore and upland game bird management in North America*. International Association of Fish and Wildlife Agencies in cooperation with U.S. Department of the Interior, Fish and Wildlife Service, Washington, D.C. p. 61-74.

-
- Brett, J. R. 1952. Temperature tolerance in young Pacific salmon, genus *Oncorhynchus*. Journal of the Fisheries Research Board of Canada. v. 9, no. 6, p. 265-323.
- Brigham, R. M., D. J. N. Aldridge, and R. L. Mackey. 1992. Variation in habitat use and prey selection by Yuma bats, *Myotis yumanensis*. Journal of Mammalogy. v. 73, no. 3, p. 640-645.
- Brinson, M. M. 1993. Changes in the functioning of wetlands along environmental gradients. Wetlands. v. 13, p. 65-74.
- Brittall, J. D., R. J. Poelker, S. J. Sweeney, and G.M. Koehler. 1989. Native cats of Washington. Washington Department of Wildlife, Olympia. 169 p.
- Broderson, J. M. 1973. Sizing buffer strips to maintain water quality. M.S.C.E. Thesis, University of Washington, Seattle. 86 p.
- Brown, E. R., ed. 1985. Management of wildlife and fish habitats in forests of western Oregon and Washington. U.S. Department of Agriculture, Forest Service, Pacific Northwest Region, Portland, OR. 2 v.
- Brown, G. W. 1969. Predicting temperatures of small streams. Water Resources Research. v. 5, no. 1, p. 68-75.
- Brown, G. W. 1971. Water temperature in small streams as influenced by environmental factors and logging. In Forest land uses and stream environment: proceedings of a symposium. Oregon State University Continuing Education Publications, Corvallis. p. 175-181.
- Brown, G. W. 1972. Logging and water quality in the Pacific Northwest. In S. C. Csallany, T. G. McLaughlin, and W. D. Striffler, eds. Watersheds in transition: proceedings of symposium. American Water Resources Association, Urbana, IL. Proceedings series no. 14. p. 330-334.
- Brown, G. W. 1974. Fish habitat. In O. P. Cramer, ed. Environmental effects of forest residues management in the Pacific Northwest: a state-of-knowledge compendium. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station, Portland, OR. General technical report PNW-24. p. E1-E15.
- Brown, G. W., and J. T. Krygier. 1970. Effects of clear-cutting on stream temperature. Water Resources Research. v. 6, no. 4, p. 1133-1139.
- Brown, H. A. 1975. Reproduction and development of the red-legged frog, *Rana aurora*, in northwestern Washington. Northwest Science. v. 49, no. 4, p. 241-252.
- Brown, J. L. 1969. Territorial behavior and population regulation in birds: a review and re-evaluation. Wilson Bulletin. v. 81, p. 293-329.

-
- Bruce, A. M., R. J. Anderson, and G. T. Allen. 1982. Observations of golden eagles nesting in western Washington. *Raptor Research*. v. 16, no. 4, p. 132-134.
- Bryant, A. A. 1994. Montane alternative silvicultural systems (MASS): pre-treatment breeding bird communities. Forestry Canada, and British Columbia Ministry of Forests, Victoria. FRDA report 216. 1 v.
- Buchanan, J., E. Hanson, D. Hayes, and L. Young. 1994. An evaluation of the Forest Practices Board Wildlife Committee preferred alternative for a spotted owl protection rule: a report to the Washington Forest Practices Board. Washington Forest Practices Board Spotted Owl Science Advisory Group, Olympia. 32 p.
- Buchanan, J. B., L. L. Irwin, and E. L. McCutchen. 1993. Characteristics of spotted owl nest trees in the Wenatchee National Forest. *Journal of Raptor Research*. v. 27, no. 1, p. 1-7.
- Buckingham, N. M., and E. L. Tisch. 1979. Vascular plants of the Olympic Peninsula, Washington: a catalog. U.S. Department of the Interior, Park Service, Cooperative Park Studies Unit, Seattle. 74 p.
- Buettner, K. J., and N. Thyer. 1962. Valley winds in the Mt. Rainier National Park. *Weatherwise*. v. 15, p. 63-67.
- Bull, E. L., and R. C. Beckwith. 1993. Diet and foraging behavior of Vaux's swifts in northeastern Oregon. *Condor*. v. 95, no. 4, p. 1016-1023.
- Bull, E. L., and C. T. Collins. 1993. Vaux's swift. *In* A. Poole, and F. Gill, eds. *The birds of North America*. Academy of Natural Sciences of Philadelphia, Philadelphia, PA. No. 77.
- Burnham, K. P., D. R. Anderson, and G. C. White. 1994. Estimation of vital rates of the northern spotted owl. *In* U.S. Department of Agriculture, and U.S. Department of the Interior. Final supplemental environmental impact statement on management of habitat for late-successional and old-growth forest related species within the range of the northern spotted owl. Interagency SEIS Team, Portland, OR. v. 2, Appendix J, p. J3-J26.
- Burroughs, E. R., Jr., and J. G. King. 1989. Reduction of soil erosion on forest roads. U.S. Department of Agriculture, Forest Service, Intermountain Research Station, Ogden, UT. General technical report INT-264. 21 p.
- Bury, R. B., and P. S. Corn. 1988. Douglas-fir forests in the Oregon and Washington Cascades: relation of the herpetofauna to stand age and moisture. *In* R. C. Szaro, K. E. Severson, and D. R. Patton, tech. coords. *Management of amphibians, reptiles, and small mammals in North America*. U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, CO. General technical report RM-166. p. 11-22.

-
- Butts, T. W. 1992. Wolverine (*Gulo gulo*) biology and management: a literature review and annotated bibliography. U.S. Department of Agriculture, Forest Service, Northern Region, Threatened, Endangered, and Sensitive Program, Missoula, MT. 1 v.
- Caldwell, J. E., K. Doughty, and K. Sullivan. 1991. Evaluation of downstream temperature effects of Type 4/5 Waters. Washington Department of Natural Resources, Timber, Fish, and Wildlife Program, Olympia. TFW-WQ5-91-004. 1 v.
- Calef, G. W. 1973. Spatial distribution and "effective" breeding population of red-legged frogs (*Rana aurora*) in Marion Lake, British Columbia. Canadian Field-Naturalist. v. 87, no. 3, p. 279-284.
- Canada. Environment Canada. 1992. Marine weather hazards manual: a guide to local forecasts and conditions. West coast. Environment Canada, and Gordon Soules Book Publishers Ltd., West Vancouver, BC. 141 p.
- Carey, A. B. 1989. Wildlife associated with old-growth forests in the Pacific Northwest. Natural Areas Journal. v. 9, no. 3, p. 151-162.
- Carey, A. B. 1995. Sciurids in Pacific Northwest managed and old-growth forests. Ecological Applications. v. 5, no. 3.
- Carey, A. B., and M. L. Johnson. 1995. Small mammals in managed, naturally young, and old-growth forests. Ecological Applications. v. 5, no. 2.
- Carey, A. B., C. Elliott, B. R. Lippke, et al. [in press] A pragmatic, ecological approach to small landscape management: final report of the Biodiversity Pathways Working Group of the Washington Landscape Management Project. Washington Department of Natural Resources, Olympia. Washington Landscape Management Project report no. 2. 82 p.
- Carey, A. B., M. M. Hardt, S. P. Horton, and B. L. Biswell. 1991. Spring bird communities in the Oregon Coast Range. In L. F. Ruggiero, K. B. Aubry, A. B. Carey, and M. H. Huff, tech. coords. Wildlife and vegetation of unmanaged Douglas-fir forests. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station, Portland, OR. General technical report PNW-285. p. 123-142.
- Carey, A. B., S. P. Horton, and B. L. Biswell. 1992. Northern spotted owls: influence of prey base and landscape character. Ecological Monographs. v. 62, no. 2, p. 223-250.
- Carlson, J. Y., C. W. Andrus, and H. A. Froehlich. 1990. Woody debris, channel features, and macroinvertebrates of streams with logged and undisturbed riparian timber in northeastern Oregon, U.S.A. Canadian Journal of Fisheries and Aquatic Sciences. v. 47, no. 6, p. 1103-1111.

-
- Castelle, A. J., C. Conolly, M. Emers, et al. 1992. Wetland buffers: use and effectiveness. Washington Department of Ecology, Shorelands and Coastal Zone Management Program, Olympia. Publication 92-10. 171 p.
- Caswell, H. 1989. Matrix population models: construction, analysis, and interpretation. Sinauer Associates, Sunderland, MA. 328 p.
- Cederholm, C. J. 1994. A suggested landscape approach for salmon and wildlife habitat protection in western Washington riparian ecosystems. In A. B. Carey, and C. Elliott, compilers. Washington forest landscape management project: progress report. Washington Department of Natural Resources, Olympia. Washington Forest Landscape Management Project report no. 1. p. 78-90.
- Cederholm, C. J., D. B. Houston, D. L. Cole, and W. J. Scarlett. 1989. Fate of coho salmon (*Oncorhynchus kisutch*) carcasses in spawning streams. Canadian Journal of Fisheries and Aquatic Sciences. v. 46, no. 8, p. 1347-1355.
- Cederholm, C. J., and L. C. Lestelle. 1974. Observations on the effects of landslide siltation on salmon and trout resources of the Clearwater River, Jefferson County, Washington, 1972-73: final report, part I. University of Washington, Fisheries Research Institute, Seattle. FRI-UW-7404. 133 p.
- Cederholm, C. J., L. C. Lestelle, B. G. Edie, et al. 1978. The effects of landslide siltation on the salmon and trout resources of Stequaleho Creek and the main Clearwater River, Jefferson County, Washington, 1972-1975: final report, part II. University of Washington, Fisheries Research Institute, Seattle. FRI-UW-7804. 53 p.
- Cederholm, C. J., and N. P. Peterson. 1985. The retention of coho salmon (*Oncorhynchus kisutch*) carcasses by organic debris in small streams. Canadian Journal of Fisheries and Aquatic Sciences. v. 42, no. 6, p. 1222-1225.
- Cederholm, C. J., and L. M. Reid. 1987. Impact of forest management on coho salmon (*Oncorhynchus kisutch*) populations of the Clearwater River, Washington: a project summary. In E. O. Salo, and T. W. Cundy, eds. Streamside management: forestry and fishery interactions. University of Washington, Institute of Forest Resources, Seattle. Contribution 57. p. 373-398.
- Cederholm, C. J., L. M. Reid, B. G. Edie, and E. O. Salo. 1981a. Effects of forest road erosion on salmonid spawning gravel composition and populations of the Clearwater River, Washington. In K. A. Hashagen, ed. Habitat disturbance and recovery: proceedings of a symposium, conducted January 1981. California Trout, San Francisco, CA. p. 1-17.
- Cederholm, C. J., L. M. Reid, and E. O. Salo. 1981b. Cumulative effects of logging road sediment on salmonid populations in the Clearwater River, Jefferson County, Washington. In Proceedings from the conference, salmon-spawning gravel: a

renewable resource in the Pacific Northwest? Washington Water Research Center, Pullman. Report 39. p. 38-74.

- Cederholm, C. J., and E. O. Salo. 1979. The effects of logging road landslide siltation on the salmon and trout spawning gravels of Stequaleho Creek and the Clearwater River basin, Jefferson County, Washington, 1972-1978: final report, part III. University of Washington, Fisheries Research Institute, Seattle. FRI-UW-7915. 99 p.
- Cederholm, C. J., and W. J. Scarlett. 1982. Seasonal immigration of juvenile salmonids into four small tributaries of the Clearwater River, Washington, 1977-1981. *In* E. L. Brannon, and E. O. Salo, eds. Proceedings of the salmon and trout migratory behavior symposium. University of Washington, School of Fisheries, Seattle. p. 98-110.
- Chamberlin, T. W., R. D. Harr, and F. H. Everest. 1991. Timber harvesting, silviculture, and watershed processes. *In* W. R. Meehan, ed. Influences of forest and rangeland management on salmonid fishes and their habitats. American Fisheries Society, Bethesda, MD. Special publication no. 19. p. 181-204.
- Chapman, D. W., and K. P. McLeod. 1987. Development of criteria for fine sediment in the northern Rockies ecoregion: final report. U.S. Environmental Protection Agency, Seattle. EPA 910/9-87-162. 279 p.
- Chen, J., J. F. Franklin, and T. A. Spies. 1992. Vegetation responses to edge environments in old-growth Douglas-fir forests. *Ecological Applications*. v. 2, no. 4, p. 387-396.
- Chen, J., J. F. Franklin, and T. A. Spies. 1993. Contrasting microclimates among clearcut, edge, and interior of old-growth Douglas-fir forest. *Agricultural and Forest Meteorology*. v. 63, no. 3/4, p. 219-237.
- Cheng, J. D. 1988. Subsurface stormflows in the highly permeable forested watersheds of southwestern British Columbia. *Journal of Contaminant Hydrology*. v. 3, no. 2-4, p. 171-191.
- Chesney, C. J. 1982. Mass erosion occurrence and debris torrent impacts on some streams in the Willamette National Forest. M.S. Thesis, Oregon State University, Corvallis. 114 p.
- Chorley, R. J., S. A. Schumm, and D. E. Sugden. 1984. *Geomorphology*. Methuen and Company, New York, NY. 605 p.
- Christy, R. E., and S. D. West. 1993. Biology of bats in Douglas-fir forests. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station, Portland, OR. General technical report PNW-308. 28 p.

-
- Coffin, B. A., and R. D. Harr. 1992. Effects of forest cover on volume of water delivery to soil during rain-on-snow. Washington Department of Natural Resources, Timber, Fish, and Wildlife Program (TFW)/Cooperative Monitoring, Evaluation and Research (CMER) Sediment, Hydrology, and Mass Wasting Steering Committee (SHAMW), Olympia. Project SH-1. 118 p.
- Collings, M. R. 1973. Generalization of stream-temperature data in Washington. U.S. Department of the Interior, Geological Survey. Water supply paper 2024-B. 45 p.
- Collins, D. 1993. Rate of timber harvest for 1988-1991: preliminary report and summary statistics for state and privately owned land. Washington Department of Natural Resources, Forest Practices Division, Olympia. Unpublished report. 40 p.
- Columbian White-Tailed Deer Recovery Team. 1983. Revised Columbian white-tailed deer recovery plan. U.S. Department of the Interior, Fish and Wildlife Service, Portland, OR. 75 p.
- Commission on Old Growth Alternatives for Washington's Forest Trust Lands. 1989. Commission on Old Growth Alternatives for Washington's Forest Trust Lands: final report, June 1989. Washington Department of Natural Resources, Olympia. 40 p.
- Compton, J. E., and D. W. Cole. 1991. Impact of harvest intensity on growth and nutrition of successive rotations of Douglas-fir. In W. J. Dyck, and C. A. Mees, eds. Long-term field trials to assess environmental impacts of harvesting: proceedings of the IEA/BE Workshop '90 (1990, Florida). Forest Research Institute, Rotorua, New Zealand. IEA/BET6/A6 Report no. 5. FRI Bulletin no. 161. p. 151-161.
- Cordone, A. J., and D. W. Kelley. 1960. The influence of inorganic sediment on the aquatic life of streams. California Fish and Game. v. 46, p. 189-228.
- Coutts, M. P. 1986. Components of tree stability in Sitka spruce on peaty gley soil. Forestry. v. 59, no. 2, p. 173-197.
- Cowardin, L. M., V. Carter, F. C. Golet, and E. T. LaRoe. 1979. Classification of wetlands and deepwater habitats of the United States. U.S. Department of the Interior, Fish and Wildlife Service, Office of Biological Services, Washington, D.C. FWS/OBS-79/31. 103 p.
- Craig, G. 1986. The peregrine falcon. In R. L. DiSilvestro, ed. Audubon wildlife report 1986. National Audubon Society, New York, NY. p. 807-826.
- Crawford, R. 1994. Insect habitat conservation information for DNR Habitat Conservation Plan phase 1. Washington Department of Natural Resources, Olympia. Unpublished report.
- Crocker-Bedford, D. C. 1990a. Status of the Queen Charlotte goshawk. U.S. Department of Agriculture, Tongass National Forest, Ketchikan, AK. 16 p.

-
- Crocker-Bedford, D. C. 1990b. Goshawk reproduction and forest management. *Wildlife Society Bulletin*. v. 18, no. 3, p. 262-269.
- Cummins, E. B., J. Engbring, C. Turley, and N. Wilkens. 1993. Marbled murrelet protection on nonfederal forest lands in Washington: a report of the Science Advisory Group to the Forest Practices Board on marbled murrelet rule making. Washington Forest Practices Board, Olympia. Unpublished report. 14 p.
- Cummins, K. W. 1974. Structure and function of stream ecosystems. *BioScience*. v. 24, no. 11, p. 631-642.
- Cummins, K. W., M. A. Wilzbach, D. M. Gates, et al. 1989. Shredders and riparian vegetation. *BioScience*. v. 39, no. 1, p. 24-30.
- Curtis, J. G., D. W. Pelren, D. B. George, et al. 1990. Effectiveness of best management practices in preventing degradation of streams caused by silvicultural activities in Pickett State Forest, Tennessee. Tennessee Technological University, Center for the Management, Utilization and Protection of Water Resources.
- Dawson, N. 1965. A comparative study of the ecology of eight species of fenland Carabidae (*Coleoptera*). *Journal of Animal Ecology*. v. 34, p. 299-314.
- DeGraaf, R. M., et al. 1991. Forest and rangeland birds of the United States: natural history and habitat use. U.S. Department of Agriculture, Forest Service, Washington, D.C. Agricultural handbook no. 688. 625 p.
- Den Boer, P. J. 1981. On the survival of populations in a heterogeneous and variable environment. *Oecologia*. v. 50, p. 39-53.
- Diamond, J. M. 1984. Normal extinctions of isolated populations. *In* M. H. Nitecke, ed. *Extinctions*. University of Chicago Press, Chicago. p. 191-246.
- Dietrich, W. E., and T. Dunne. 1978. Sediment budget for a small catchment in mountainous terrain. *In* O. Slaymaker, A. Rapp, and T. Dunne, eds. *Field instrumentation and geomorphological problems*. *Zeitschrift fur Geomorphologie, Supplementband 29*. p. 191-206.
- Divoky, G. J., and M. Horton. 1995. Breeding and natal dispersal, nest habitat loss and implications for marbled murrelet populations. *In* C. J. Ralph, G. L. Hunt, Jr., M. G. Raphael, and J. F. Piatt, eds. *Ecology and conservation of the marbled murrelet*. U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station, Arcata, CA. General technical report PSW-152. p. 83-87.
- Doak, D. 1989. Spotted owls and old growth logging in the Pacific Northwest. *Conservation Biology*. v. 3, no. 4, p. 389-396.

-
- Doak, D. F. 1992. Declaration in support of a motion for a preliminary injunction. Court case no. C92-479WD, document no. 15, filed 4/6/92. Available at: Clerk's Office, U.S. District Court, Western District of Washington, Seattle. [160 p.]
- Dunbar, D. L., and I. R. Blackburn. 1993. Management strategies for the northern spotted owl in British Columbia. Canadian Spotted Owl Recovery Team. Unpublished draft report. 112 p.
- Dunbar, D. L., B. P. Booth, E. D. Forsman, et al. 1991. Status of the spotted owl, *Strix occidentalis*, and barred owl, *Strix varia*, in southwestern British Columbia. Canadian Field-Naturalist. v. 105, no. 4, p. 464-468.
- Duncan, S. H. 1986. Peak stream discharge during thirty years of sustained yield timber management in two fifth order watersheds in Washington State. Northwest Science. v. 60, no. 4, p. 258-264.
- Duncan, S. H., and J. W. Ward. 1985. The influence of watershed geology and forest roads on the composition of salmon spawning gravel. Northwest Science. v. 59, no. 3, p. 204-212.
- Dunne, T., and L. B. Leopold. Water in environmental planning. W. H. Freeman and Company, San Francisco. 818 p.
- Eby, J. R., and M. C. Snyder. 1990. The status of old growth in western Washington: a Landsat perspective. Washington Department of Wildlife, Wildlife Management Division, Remote Sensing Program, Olympia. 34 p.
- Emmett, R. L., S. L. Stone, S. A. Hinton, and M. E. Monaco. 1991. Distribution and abundance of fishes and invertebrates in West Coast estuaries—Species life history summaries. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Nation Ocean Service, Rockville, MD. Estuarine Living Marine Resources Program ELMR report no. 8. v. 2, 329 p.
- Ehrlich, P. R., D. S. Dobkin, and D. Wheye. 1988. The birder's handbook: a field guide to the natural history of North American birds. Simon and Schuster, New York. 785 p.
- Erman, D. C., and D. Mahoney. 1983. Recovery after logging in streams with and without bufferstrips in northern California. University of California, California Water Resources Center, Davis, CA. Contribution no. 186. 50 p.
- Erman, D. C., J. D. Newbold, and K. B. Roby. 1977. Evaluation of streamside bufferstrips for protecting aquatic organisms. University of California, California Water Resources Center, Davis, CA. Contribution no. 165. 48 p.
- Ernst, C. H., and R. W. Barbour. 1972. Turtles of the United States. University Press of Kentucky, Lexington. 347 p.

-
- ESRI. 1995. ARC/INFO (version 7.0) [Computer program]. Environmental Systems Research Institute, Redlands, CA.
- Everest, F. H., R. L. Beschta, J. C. Scrivener, et al. 1987. Fine sediment and salmonid production: a paradox. *In* E. O. Salo, and T. W. Cundy, eds. Streamside management: forestry and fishery interactions. University of Washington, Institute of Forest Resources, Seattle. Contribution 57. p. 98-142.
- Fetherston, K. L., R. J. Naiman, and R. E. Bilby. 1995. Large woody debris, physical process, and riparian forest development in montane river networks of the Pacific Northwest. *Geomorphology*. v. 13, p. 133-144.
- Fiksdal, A. J. 1974. A landslide survey of the Stequaleho Creek watershed. *In* C. J. Cederholm, and L. C. Lestelle. Observations on the effects of landslide siltation on salmon and trout resources of the Clearwater River, Jefferson County, Washington, 1972-73: final report, part I. University of Washington, Fisheries Research Institute, Seattle. FRI-UW-7404 Supplemental report.
- Forest Ecosystem Management Assessment Team. 1993. Forest ecosystem management: an ecological, economic, and social assessment: report of the Forest Ecosystem Management Assessment Team. U.S. Department of Agriculture, Forest Service, U.S. Department of Commerce; U.S. Department of the Interior; and U.S. Environmental Protection Agency, Washington, D.C. 1 v.
- Forsman, E. D. 1990. Habitat use and home range characteristics of spotted owls on the Olympic Peninsula, Washington. *In* Wildlife habitat relationships in western Washington and Oregon. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station, Wildlife Ecology Team. PNW annual report, fiscal year 1990.
- Forsman, E. D. 1991. Habitat use and home range characteristics of spotted owls on the Olympic Peninsula, Washington. *In* Wildlife habitat relationships in western Washington and Oregon. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station, Wildlife Ecology Team, Olympia. PNW annual report, fiscal year 1991. p. 12-16.
- Forsman, E. D. 1992a. Demographic characteristics of spotted owls on the Olympic Peninsula, Washington, 1987-1992. *In* Wildlife habitat relationships in western Washington and Oregon. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station, Wildlife Ecology Team, Olympia. PNW annual report, fiscal year 1992. p. 18-27.
- Forsman, E. D. 1992b. Demographic studies of northern spotted owls. Raptor Research Foundation, Inc., annual meeting, 12 November, 1992, Bellevue, WA. Unpublished presentation.

-
- Forsman, E. D., E. C. Meslow, and H. M. Wight. 1984. Distribution and biology of the spotted owl in Oregon. Wildlife Society, Bethesda, MD. Wildlife monographs no. 87. 64 p.
- Foster, C. C., E. D. Forsman, E. C. Meslow, et al. 1992. Survival and reproduction of radio-marked adult spotted owls. *Journal of Wildlife Management*. v. 56, no. 1, p. 91-95.
- Fraleigh, J. and B. Shepard. 1989. Life history, ecology, and population status of migratory bull trout (*Salvelinus confluentus*) in the Flathead Lake and River system, Montana. *Northwest Science* 63:133-143.
- Franklin, J. F. 1982. Old growth forests in the Pacific Northwest: an ecological view. *In* Old growth forests: a balanced perspective; proceedings of a conference. University of Oregon, Bureau of Governmental Research and Service. p. 5-27.
- Franklin, J. F. 1989. Toward a new forestry. *American Forests*. v. 95, no. 11-12, p. 37-44.
- Franklin, J. F., and C. T. Dyrness. 1973. Natural vegetation of Oregon and Washington. U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station, Portland, OR. General technical report PNW-8. 417 p.
- Franklin, J. F., and R. T. T. Forman. 1987. Creating landscape patterns by forest cutting: ecological consequences and principles. *Landscape Ecology*. v. 1, no. 1, p. 5-18.
- Franklin, J. F., and T. A. Spies. 1991. Composition, function, and structure of old-growth Douglas-fir forests. *In* L. F. Ruggiero, K. B. Aubry, A. B. Carey, M. H. Huff, tech. coords. Wildlife and vegetation of unmanaged Douglas-fir forests. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station, Portland, OR. General technical report PNW-GTR-285. p. 71-82.
- Frederick, D. C. 1994. Letter, February 1, 1994 from D. C. Frederick, State Supervisor, U.S. Fish and Wildlife Service, Olympia, to J. Belcher, Commissioner of Public Lands, Washington Department of Natural Resources, Olympia.
- Frederick, J. E., and J. Pitlick. 1975. A dimensionless rating curve for the rivers of the Puget Lowland. University of Washington, Department of Geological Sciences, Seattle. Unpublished report.
- Fretwell, S. D., and H. L. Lucas. 1969. On territorial behavior and other factors influencing habitat distribution in birds. I. Theoretical development. *Acta Biotheoretica*. v. 19, p. 16-36.
- Friesen, W. 1990. Winter dietary studies of juvenile coho salmon (*Oncorhynchus kisutch*) utilizing two enhanced wall-base channels along the Clearwater River in

-
- Jefferson County, Washington. M.E.S. Thesis, The Evergreen State College, Olympia. 114 p.
- Fry, F. E. J. 1947. Effects of the environment on animal activity. University of Toronto Press. University of Toronto studies. Biological series no. 55; Ontario Fisheries Research Laboratory no. 68. 62 p.
- Fuller, T. K. 1989. Population dynamics of wolves in north-central Minnesota. Wildlife monographs no. 105. Wildlife Society, Bethesda, MD. 41 p.
- Furniss, M. J., T. D. Roelofs, and C. S. Yee. 1991. Road construction and maintenance. In W. R. Meehan, ed. Influences of forest and rangeland management on salmonid fishes and their habitats. American Fisheries Society, Bethesda, MD. Special publication no. 19. p. 297-323.
- Fuss, H. J. 1982. Age, growth and instream movement of Olympic Peninsula coastal cutthroat trout (*Salmo clarki clarki*). M.S. Thesis, University of Washington, Seattle. 128 p.
- Gaines, W. L., and R. E. Fitzner. 1987. Winter diet of the harlequin duck at Sequim Bay, Puget Sound, Washington. Northwest Science. v. 61, no. 4, p. 213-215.
- Gaston, J. G. 1992. The ancient murrelet: a natural history in the Queen Charlotte Islands. Academic Press, San Diego, CA. 249 p.
- Gerla, P. J. 1992. The relationship of water-table changes to the capillary fringe, evapotranspiration, and precipitation in intermittent wetlands. Wetlands. v. 12, p. 91-98.
- Gibbs, J. P. 1993. Importance of small wetlands for the persistence of local populations of wetland-associated animals. Wetlands. v. 13, p. 25-31.
- Gilpin, M. E., and I. Hanski, eds. 1991. Metapopulation dynamics: empirical and theoretical investigations. Linnaean Society of London and Academic Press, London. 336 p.
- Glova, G. J. 1978. Pattern and mechanism of resource partitioning between stream populations of juvenile coho salmon (*Oncorhynchus kisutch*) and coastal cutthroat trout (*Salmo clarki clarki*). Ph.D. Dissertation, University of Victoria, Victoria, BC. 185 p.
- Gordon, K. L. 1939. The amphibia and reptilia of Oregon. Oregon State College, Corvallis. Studies in zoology no. 1. 82 p.
- Grant, G. E. 1986. Downstream effects of timber harvest activities on the channel and valley floor morphology of western Cascade streams. Ph.D. Dissertation, Johns Hopkins University, Baltimore, MD. 367 p.

-
- Grant, G. E. 1994. Peak flow responses to clearcutting and roads. *In* TFW-SHAMW low elevation hydrology workshop, March 11, 1994. Washington Department of Natural Resources, Timber, Fish and Wildlife Program, and Sediment, Hydrology, and Mass Wasting Steering Committee, Olympia. Unpublished report.
- Gratowski, H. J. 1956. Windthrow around staggered settings in old-growth Douglas-fir. *Forest Science*. v. 2, no. 1, p. 60-74.
- Green, K., S. Bernath, L. Lackey, et al. 1993. Analyzing the cumulative effects of forest practices: where do we start? *GeoInfoSystems*. v. 3, no. 2, p. 31-41.
- Greenwood, P. J., and P. H. Harvey. 1982. The natal and breeding dispersal of birds. *Annual Review of Ecology and Systematics*. v. 13, p. 1-21.
- Gregory, S. V., G. A. Lamberti, D. C. Erman, et al. 1987. Influence of forest practices on aquatic production. *In* E. O. Salo, and T. W. Cundy, eds. *Streamside management: forestry and fishery interactions*. University of Washington, Institute of Forest Resources, Seattle. Contribution 57. p. 233-255.
- Gregory, S. V., F. J. Swanson, W. A. McKee, and K. W. Cummins. 1991. An ecosystem perspective of riparian zones: focus on links between land and water. *BioScience*. v. 41, no. 8, p. 540-551.
- Grette, G. B. 1985. The role of large organic debris in juvenile salmonid rearing habitat in small streams. M.S. Thesis, University of Washington, Seattle. 105 p.
- Grette, G. B., M. L. McHenry, E. J. Shott, et al. [in preparation] The longevity of large woody debris in low-gradient stream channels on the western Olympic Peninsula: a 10-year follow-up study (working title). Lower Elwha Fisheries Department, Port Angeles, WA, and Northwest Indian Fisheries Commission, Olympia.
- Groot, C., and L. Margolis, eds. 1991. *Pacific salmon life histories*. University of British Columbia Press, Vancouver, BC. 564 p.
- Gutierrez, R. J., A. B. Franklin, W. LaHaye, V. J. Meretsky, et al. 1985. Juvenile spotted owl dispersal in northwestern California: preliminary results. *In* R. J. Gutierrez, and A. B. Carey, eds. *Ecology and management of the northern spotted owl in the Pacific Northwest*. U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station, Portland, OR. General technical report PNW-185. p. 60-65.
- Hagen, D. W., G. E. Moodie, and P. F. Moodie. 1972. Territoriality and courtship in the Olympic mudminnow, *Novumbra hubbsi*. *Canadian Journal of Zoology*. v. 50, p. 1111-1115.
- Haley, D., ed. 1984. *Seabirds of eastern North Pacific and Arctic waters*. Pacific Search Press, Seattle. 214 p.

-
- Hallock, R. J. , R. F. Elwell, and D. H. Fry, Jr. 1970. Migrations of adult king salmon *Oncorhynchus tshawytscha* in the San Joaquin Delta as demonstrated by the use of sonic tags. California Department of Fish and Game. Fish Bulletin 151. p. 8-92.
- Hamer, T. E., E. D. Forsman, A. D. Fuchs, and M. L. Walters. 1994a. Hybridization between barred and spotted owls. *Auk*. v. 111, no. 2, p. 487-492.
- Hamer, T. E., W. P. Ritchie, E. B. Cummins, and C. W. Turley. 1994b. Forest habitat relationships of marbled murrelets in western Washington. Washington Department of Fish and Wildlife, Wildlife Management Division, Nongame Program, Olympia. 48 p.
- Hansen, A. J. 1978. Population dynamics and night roost requirements of bald eagles wintering in the Nooksack River valley, Washington. Western Washington State College, Huxley College of Environmental Studies, Bellingham. 26 p.
- Hanson, E., D. Hays, L. Hicks, et al. 1993. Spotted owl habitat in Washington: a report to the Washington Forest Practices Board: final report. Washington Forest Practices Board Spotted Owl Scientific Advisory Group, Olympia. 116 p.
- Harlequin Duck Working Group. 1993. Status of harlequin ducks (*Histrionicus histrionicus*) in North America: report of the Harlequin Duck Working Group. Harlequin Duck Working Group, Galiano Island, BC. 83 p.
- Harmon, M. E., J. F. Franklin, F. J. Swanson, et al. 1986. Ecology of coarse woody debris in temperate ecosystems. In A. Macfadyen, and E. D. Ford, eds. *Advances in Ecological Research* v. 15. Academic Press, London. p. 133-302.
- Harr, R. D. 1979. Effects of timber harvest on streamflow in the rain-dominated portion of the Pacific Northwest. In *Proceedings, scheduling timber harvest for hydrologic concerns workshop*. U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station, Portland, OR. Unpublished report. 46 p.
- Harr, R. D. 1982. Fog drip in the Bull Run municipal watershed, Oregon. *Water Resources Bulletin*. v. 18, no. 5, p. 785-789.
- Harr, R. D. 1986. Effects of clearcutting on rain-on-snow runoff in western Oregon: a new look at old studies. *Water Resources Research*. v. 22, no. 7, p. 1095-1100.
- Harr, R. D., B. A. Coffin, and T. W. Cundy. 1989. Effects of timber harvest on rain-on-snow runoff in the transient snow zone of the Washington Cascades: interim final report submitted to Timber Fish and Wildlife (TFW) Sediment, Hydrology, and Mass Wasting (SHAM) Steering Committee for project 18 (Rain-on-snow) in accordance with cooperative agreement no. PNW 88-593. Washington Department of Natural Resources, Timber, Fish, and Wildlife Program, Olympia. TFW-18A-89-003. 29 p.

-
- Harr, R. D., R. L. Fredriksen, and J. Rothacher. 1979. Changes in streamflow following timber harvest in southwest Oregon. U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experimental Station, Portland, OR. Research paper PNW-249. 23 p.
- Harr, R. D., W. C. Harper, J. T Krygier, and F. S. Hsieh. 1975. Changes in storm hydrographs after roadbuilding and clearcutting in the Oregon Coast Range. *Water Resources Research*. v. 11, no. 3, p. 436-444.
- Harr, R. D., and F. M. McCorison. 1979. Initial effects of clearcut logging on size and timing of peak flows in a small watershed in western Oregon. *Water Resources Research*. v. 15; no. 1, p. 90-94.
- Harris, A. S. 1989. Wind in the forests of southeast Alaska and guides for reducing damage. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station, Portland, OR. General technical report PNW-244. 63 p.
- Harris, C. K. 1974. The geographical distribution and habitat of the Olympic mudminnow, *Novumbra hubbsi* (Schultz). University of Washington, College of Fisheries, Washington Cooperative Fishery Unit, Seattle. 33 p.
- Harris, L. D. 1984. The fragmented forest: island biogeography theory and the preservation of biotic diversity. University of Chicago Press, Chicago. 211 p.
- Hartman, G., J. C. Scrivener, L. B. Holtby, and L. Powell. 1987. Some effects of different streamside treatments on physical conditions and fish population processes in Carnation Creek, a coastal rain forest stream in British Columbia. In E. O. Salo, and T. W. Cundy, eds. *Streamside management: forestry and fishery interactions*. University of Washington, Institute of Forest Resources, Seattle. Contribution 57. p. 330-372.
- Hatler, D. F. 1989. A wolverine management strategy for British Columbia. British Columbia Ministry of Environment, Victoria. *Wildlife bulletin* no. B-60. 124 p.
- Hatten, J. R. 1991. The effects of debris torrents on spawning gravel quality in tributary basins and side-channels of the Hoh River, Washington. Hoh Indian Tribe, Forks, WA. 19 p.
- Hatten, J. R. 1994. Relationships between basin morphology and woody debris in unlogged stream channels of Washington's Olympic Peninsula. Hoh Indian Tribe, Fisheries Department, Forks, WA.
- Hatten, J. R., and R. H. Conrad. 1995. A comparison of summer stream temperatures in unmanaged and managed sub-basins of Washington's western Olympic Peninsula. Northwest Indian Fisheries Commission, Olympia. 52 p.

-
- Hayes, D. W., H. L. Allen, and L. H. Egvedt. 1989. Spotted owl surveys of randomly selected transects in Washington: preliminary report. Washington Department of Wildlife, Olympia. 31 p.
- Henderson, J. A., D. H. Peter, R. D. Leshner, and D. C. Shaw. 1989. Forested plant associations of the Olympic National Forest. U.S. Department of Agriculture, Forest Service, Pacific Northwest Region, Portland, OR. Ecological technical paper 001-88. 502 p.
- Hennessy, S. P. 1978. Ecological relationships of *Accipiters* in northern Utah with special emphasis on the effects of human disturbance. M.S. Thesis, Utah State University, Logan. 66 p.
- Herrington, R. E., and J. H. Larsen. 1985. Current status, habitat requirements and management of the Larch Mountain salamander *Plethodon larselli* Burns. Biological Conservation. v. 34, no. 2, p. 169-179.
- Hetherington, E. D. 1987. Carnation Creek, Canada: review of a west coast fish/forestry watershed impact project. In R. H. Swanson, P. Y. Bernier, and P. D. Woodward, eds. Forest hydrology and watershed management. International Association of Hydrological Sciences, Washington, D.C. IASH publication no. 167. p. 531-538.
- Hicks, B. J., J. D. Hall, P. A. Bisson, and J. R. Sedell. 1991. Response of salmonids to habitat changes. In W. R. Meehan, ed. Influences of forest and rangeland management on salmonid fishes and their habitats. American Fisheries Society, Bethesda, MD. Special publication no. 19. p. 483-517.
- Hoh Tribe, and Washington Department of Natural Resources. 1993. Forest agreement related to the Hoh River, Kalaloch Creek and Nolan Creek drainages—Memorandum of understanding. Washington Department of Natural Resources, Olympic Region, Forks, WA. Unpublished report. 15 p.
- Holland, D. C. 1989. A synopsis of the ecology and current status of the western pond turtle (*Clemmys marmorata*). U.S. Department of the Interior, Fish and Wildlife Service, National Ecological Research Center, Fort Collins, CO. Unpublished report.
- Holtby, L. B. 1988. Effects of logging on stream temperatures in Carnation Creek, British Columbia, and associated impacts on the coho salmon (*Oncorhynchus kisutch*). Canadian Journal of Fisheries and Aquatic Sciences. v. 45, no. 3, p. 502-515.
- Holthausen, R. S., M. G. Raphael, K. S. McKelvey, et al. 1994. The contribution of federal and nonfederal habitat to persistence of the northern spotted owl on the Olympic Peninsula, Washington. Report of the Reanalysis Team, October 1994. U.S. Department of Agriculture, Forest Service, Olympia. 76 p.

-
- Horton, S. P. [in press] Spotted owls in managed forests of western Oregon and Washington. *In* D. B. Bird, D. E. Varland, and J. J. Negro, eds. *Raptors in human landscapes*. Academic Press, London.
- Houston, D. B., E. G. Schreiner, and B. B. Moorhead, eds. 1994. Mountain goats in Olympic National Park: biology and management of an introduced species. U.S. Department of the Interior, National Park Service. *Scientific monograph 94/25*. 295 p.
- Howard, W. E. 1960. Innate and environmental dispersal of individual vertebrates. *American Midland Naturalist*. v. 63, p. 152-161.
- Hupp, C. R., and D. E. Basemore. 1993. Temporal and spatial patterns of wetland sedimentation, west Tennessee. *Journal of Hydrology*. v. 141, p. 179-196.
- Hupp, C. R., M. D. Woodside, and T. M. Yanosky. 1993. Sediment and trace element trapping in a forested wetland, Chickahiny River, Virginia. *Wetlands*. v. 13, p. 95-104.
- Irwin, L. L. 1993. Habitat conditions, wildfire risk, and demography of northern spotted owls in the eastern Cascade Mountains, Washington. National Council for Air and Stream Improvement, Inc. New York, NY. NCASI Special Report 93-04:20-23.
- Irwin, L. L. , and S. K. Martin. 1992. Demography of spotted owls in managed and unmanaged forests on the east slope of the cascade mountains, Washington. National Council of the Paper Industry for Air and Stream Improvement. Annual Report.
- Jacques, J. E., and D. L. Lorenz. 1988. Techniques for estimating the magnitude and frequency of floods in Minnesota. U.S. Department of the Interior, Geological Survey, St. Paul, MN. *Water resources investigations report 87-4170*. 48 p.
- Johnson, A. W., and D. M. Ryba. 1992. A literature review of recommended buffer widths to maintain various functions of stream riparian areas. King County Surface Water Management Division, Seattle.
- Johnson, D. H. 1993. Spotted owls, great horned owls, and forest fragmentation in the central Oregon Cascades. M.S. Thesis, Oregon State University, Corvallis. 125 p.
- Johnson, P. J. 1979. A report on a survey for Beller's ground beetle on the north fork of the Snoqualmie River, King County, Washington. U.S. Army Corps of Engineers, Seattle District, Seattle. Unpublished report. No. DACW67-79-M-1189.
- Johnson, P. J. 1986. Letter. Available at: Washington Department of Wildlife, Nongame Program, Olympia. [Agency is now named Washington Department of Fish and Wildlife, Wildlife Diversity Division.]

-
- Johnson, R. L., and F. R. Lockard. 1983. Mountain goats and mountain sheep of Washington. Washington Department of Game, Olympia. Biological bulletin no. 18. 196 p.
- Johnston, C. A. 1994. Cumulative impacts to wetlands. *Wetlands*. v. 14, p. 49-55.
- Johnston, C. A., N. E. Deterbeck, and G. J. Niemi. 1990. The cumulative effects of wetlands on stream water quality and quantity. *Biogeochemistry*. v. 10, p. 105-141.
- Jones, J. A. 1987. The initiation of natural drainage networks. *Progress in Physical Geography*. v. 11, p. 207-245.
- Jones, J. A., and G. E. Grant. [in press] Cumulative effects of forest harvest on peak streamflow in six large basins in the western Cascades of Oregon.
- Jones & Stokes Associates, and Washington Department of Natural Resources, Timber, Fish, and Wildlife Project. 1991. Watershed characteristics and conditions inventory: Pysht River and Snow Creek watersheds. Jones & Stokes Associates, Bellevue, WA. 1 v.
- Kan, T. T. 1975. Systematics, variation, distribution and biology of lampreys of the genus *Lamptera* in Oregon. Ph.D. Dissertation, Oregon State University, Corvallis. 194 p.
- Keister, J. P., Jr. 1981. An assessment of bald eagle communal roosting in northwestern Washington. Washington Department of Game, Olympia. Unpublished report.
- Keister, J. P., Jr., R. G. Anthony, and E. J. O'Neill. 1987. Use of communal roosts and foraging areas by bald eagles wintering in the Klamath basin. *Journal of Wildlife Management*. v. 51, no. 2, p. 415-420.
- Keller, E. A., and F. J. Swanson. 1979. Effects of large organic material on channel form and fluvial processes. *Earth Surface Processes and Landforms*. v. 4, no. 4, p. 361-380.
- Keller, E. A., and T. Tally. 1979. Effects of large organic debris on channel form and fluvial processes in the coastal redwood environment. In D. D. Rhodes, and G. P. Williams, eds. *Adjustments of the fluvial system: a proceedings volume of the tenth annual geomorphology symposia series*. Kendall/Hunt, Dubuque, IA. p. 169-197.
- Kimmins, J. P. 1987. *Forest ecology*. Macmillan Publishing Co., New York. 531 p.
- Kirk, R., J. F. Franklin, and L. Kirk. 1992. *The Olympic rain forest: an ecological web*. University of Washington Press, Seattle. 128 p.

-
- Knight, C. A., and D. E. Seaman. 1995. Is northern spotted owl fecundity correlated with weather? Wildlife Society 2nd annual conference, Portland, OR, September 12-17, 1995. Poster presentation.
- Koski, K. V. 1966. The survival of coho salmon (*Oncorhynchus kisutch*) from egg deposition to emergence in three Oregon coastal streams. M.S. Thesis, Oregon State University, Corvallis. 84 p.
- Koski, K. V. 1975. The survival and fitness of two stocks of chum salmon (*Oncorhynchus keta*) from egg deposition to emergence in a controlled-stream environment at Big Beef Creek. Ph.D. Dissertation, University of Washington, Seattle. 212 p.
- Kruckeberg, A. R. 1991. The natural history of Puget Sound country. University of Washington Press, Seattle. 468 p.
- Lamberson, R. H., R. McKelvey, B. R. Noon, and C. Voss. 1992. A dynamic analysis of northern spotted owl viability in a fragmented forest landscape. Conservation Biology. v. 6, no. 4, p. 505-512.
- Lamberson, R. H., B. R. Noon, C. Voss, and K. S. McKelvey. 1994. Reserve design for territorial species: the effects of patch size and spacing on the viability of the northern spotted owl. Conservation Biology. v. 8, no. 1, p. 185-195.
- Lande, R. 1988. Demographic models of the northern spotted owl. Oecologia. v. 75, p. 601-607.
- Lantz, R. L. 1970. Influence of water temperature on fish survival, growth, and behavior. In Forest land uses and stream environment: proceedings of a symposium. Oregon State University Continuing Education Publications, Corvallis. p. 182-193.
- Larsen, E. M., E. Rodrick, and R. Milner, eds. 1995. Management recommendations for Washington's priority species, volume 1: Invertebrates. Washington Department of Fish and Wildlife, Olympia. 82 p.
- Larsen, E. M., E. Rodrick, and R. Milner, eds. [in preparation] Management recommendations for Washington's priority species, volume 4: Birds. Washington Department of Fish and Wildlife, Olympia.
- Laufer, J. R., and P. T. Jenkins. 1989. Historical and present status of the grey wolf in the Cascade mountains of Washington. Northwest Environmental Journal. v. 5, no. 2, p. 313-327.
- Lawson, B., and R. Johnson. 1982. Mountain sheep (*Ovis canadensis* and *O. dalli*). In J. A. Chapman, and G. A. Feldhamer, eds. Wild mammals of North America: biology, management, and economics. Johns Hopkins University Press, Baltimore, MD. p. 1036-1055.

-
- Lee, D. S., C. R. Gilbert, C. H. Hocutt, et al. 1994. Atlas of North American freshwater fishes. North Carolina State Museum of Natural History, Raleigh, NC. North Carolina Biological Survey publication 1980-12. 867 p.
- Lehmkuhl, J. F., and M. G. Raphael. 1993. Habitat pattern around northern spotted owl locations on the Olympic Peninsula, Washington. *Journal of Wildlife Management*. v. 57, no. 2, p. 302-315.
- Leonard, W. P., H. A. Brown, K. R. McAllister, et al. 1993. Amphibians of Washington and Oregon. Seattle Audubon Society, Seattle. 168 p.
- Leshner, R. D., and J. A. Henderson. 1989. Indicator species of the Olympic National Forest. U.S. Department of Agriculture, Forest Service, Pacific Northwest Region, Portland, OR. 78 p.
- Lestelle, L. C. 1978. The effects of forest debris removal on populations of resident cutthroat trout in small headwater streams. M.S. Thesis, University of Washington, Seattle. 86 p.
- Lestelle, L. C., M. L. Rowse, and C. Weller. 1993. Evaluation of natural stock improvement measures for Hood Canal coho salmon. Point No Point Treaty Council, Kingston, WA. Technical report 93-1. 179 p.
- Levins, R. 1970. Extinction. *In* M. Gerstenhaber, ed. Some mathematical questions in biology. Lectures on mathematics in life sciences. American Mathematical Society, Providence, RI. v. 2.
- LeWarne, C. P. 1986. Washington State. University of Washington Press, Seattle. 411 p.
- Licht, L. E. 1969. Comparative breeding behavior of the red-legged frog (*Rana aurora aurora*) and the western spotted frog (*Rana pretiosa pretiosa*) in southwestern British Columbia. *Canadian Journal of Zoology*. v. 47, p. 1287-1299.
- Licht, L. E. 1971. Breeding habits and embryonic thermal requirements of the frogs, *Rana aurora aurora* and *Rana pretiosa pretiosa*, in the Pacific Northwest. *Ecology*. v. 52, no. 1, p. 116-124.
- Littlefield, C. D., and R. A. Ryder. 1968. Breeding in biology of the greater sandhill crane on Malheur National Wildlife Refuge, Oregon. *In* Transactions of the thirty-third North American Wildlife and Natural Resources Conference, 1968. Wildlife Management Institute, Washington, D.C.
- Lloyd, D. S., J. P. Koenings, and J. D. LaPerriere. 1987. Effects of turbidity in fresh waters of Alaska. *North American Journal of Fisheries Management*. v. 7, no. 1, p. 18-33.

-
- Logan, R. L., K. L. Kaler, and P. K. Bigelow. 1991. Prediction of sediment yield from tributary basins along Huelsdonk Ridge, Hoh River, Washington. Washington Department of Natural Resources, Division of Geology and Earth Resources, Olympia. Open file report 91-7. 14 p.
- Lyon, L. J. 1979. Habitat effectiveness for elk as influenced by roads and cover. *Journal of Forestry*. v. 77, no. 10, p. 658-660.
- Madden, J. R. 1974. Female territoriality in a Suffolk County, Long Island, population of *Glaucomys volans*. *Journal of Mammology*. v. 55, p. 647-652.
- Madej, M. A. 1982. Sediment transport and channel changes in an aggrading stream in the Puget Lowland, Washington. In F. J. Swanson, R. J. Janda, T. Dunne, and D. N. Swanson, eds. *Sediment budgets and routing in forested drainage basins*. U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station, Portland, OR. General technical report PNW-141. p. 97-108.
- Madrona, C. 1995a. Fringed myotis (*Myotis thysanodes*). U.S. Department of the Interior, Fish and Wildlife Service, Olympia. Unpublished draft report. 2 p.
- Madrona, C. 1995b. Small-footed myotis (*Myotis ciliolabrum*). U.S. Department of the Interior, Fish and Wildlife Service, Olympia. Unpublished draft report. 2 p.
- Major, R. L., and J. L. Mighell. 1966. Influence of Rocky Reach Dam and the temperature of the Okanogan River on the upstream migration of sockeye salmon. *U.S. Fish and Wildlife Service Fishery Bulletin*. v. 66, p. 131-147.
- Marbled Murrelet Recovery Team. 1995. Draft recovery plan for the threatened marbled murrelet (*Brachyramphus marmoratus*) in Washington, Oregon and California: technical/agency review draft, July 1995. U.S. Department of the Interior, Fish and Wildlife Service, Portland, OR. 171 p.
- Marcot, B. G., and R. Holthausen. 1987. Analyzing population viability of the spotted owl in the Pacific Northwest. In *Transactions of the fifty-second North American Wildlife and Natural Resources Conference, 1987*. Wildlife Management Institute, Washington, D.C. p. 333-347.
- Marra, J. L. 1995. Coarse woody debris respiration and invertebrate diversity of old-growth and clear-cut sites on the Olympic Peninsula. Ph.D. Dissertation, University of Washington, Seattle. 149 p.
- Marshall and Associates, Inc., and R. V. Quenet Consulting, Ltd. 1996. Task 1: Skagit area pilot project, final report, hardwood resources database project. [Prepared for] Washington Hardwoods Commission, Olympia. 7 p., plus appendices.
- Marshall, D. B. 1992a. Sensitive vertebrates of Oregon. Oregon Department of Fish and Wildlife, Portland, OR. 1 v.

-
- Marshall, D. B. 1992b. Status of the northern goshawk in Oregon and Washington. Audubon Society of Portland, Portland, OR. 34 p.
- Martin, F. C. 1995. Habitat Conservation Plan, Olympic Experimental State Forest Planning Unit: Sustainable harvest analysis. Washington Department of Natural Resources, Forest Resources Division, Olympia. Unpublished preliminary report.
- Marzluff, J. M. 1994. Historical changes of populations and perceptions of native pest bird species in the west. *In* J. R. Jehl, Jr., and N. K. Johnson, eds. A century of avifaunal change in western North America. Cooper Ornithological Society, San Diego, CA. Studies in avian biology no. 15. p. 202-220.
- Maser, C., B. R. Mate, J. F. Franklin, and C. T. Dyrness. 1981. Natural history of Oregon coast mammals. U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station, Portland, OR. General technical report PNW-133. 496 p.
- Maser, C., and J. R. Sedell. 1994. From the forest to the sea: the ecology of wood in streams, rivers, estuaries, and oceans. St. Lucie Press, Delray Beach, FL. 200 p.
- Maser, C., R. F. Tarrant, J. M. Trappe, and J. F. Franklin, eds. 1988. From the forest to the sea: a story of fallen trees. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station, Portland, OR. General technical report PNW-229. 153 p.
- McAllister, K. R., and B. Leonard. 1990. Past distribution and current status of the spotted frog in western Washington: 1989 progress report. Washington Department of Wildlife, Wildlife Management Division, Nongame Program, Olympia. 16 p.
- McCallum, D. A. 1994. Review of technical knowledge: flammulated owls. *In* G. D. Hayward, and J. Verner, eds. Flammulated, boreal, and great gray owls in the United States: a technical conservation assessment. U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, CO. General technical report RM-253. p. 14-46.
- McCord, C. M., and J. E. Cardoza. 1990. Bobcat and lynx. *In* J. A. Chapman, and G. A. Feldhamer, eds. Wild mammals of North America: biology, management, and economics. Johns Hopkins University Press, Baltimore, MD. p. 728-766.
- McDade, M. H., F. J. Swanson, W. A. McKee, et al. 1990. Source distances for coarse woody debris entering small streams in western Oregon and Washington. Canadian Journal of Forest Research. v. 20, no. 3, p. 326-330.
- McHenry, M. L. 1991. The effects of debris torrents on macroinvertebrate populations in tributaries and side-channels of the Hoh River, Washington. Northwest Indian Fisheries Commission, Olympia. Technical report. 26 p.

-
- McHenry, M. L., D. C. Morrill, and E. Currence. 1994. Spawning gravel quality, watershed characteristics and early life history survival of coho salmon and steelhead in five north Olympic Peninsula watersheds. Washington Department of Ecology, Olympia. 60 p.
- McHenry, M. L., S. C. Shaw, C. Toal, et al. 1995. Assessment of physical and biological conditions within the Deep Creek watershed, northern Olympic Peninsula, Washington: historic relationships between fish habitat and mass-wasting processes, and recommendations for watershed restoration. Lower Elwha Fisheries Department, Port Angeles, WA, and Washington Department of Ecology, Olympia [for] Washington Department of Natural Resources, Olympic Region, Forks, WA. Unpublished report. 1 v.
- McKelvey, K. 1992. A spatially explicit life-history simulator for the northern spotted owl. *In* Draft Eugene District resource management plan environmental impact statement. U.S. Department of the Interior, Bureau of Land Management, Eugene District, Eugene, OR. Appendix 4-P.
- McPhail, J. D., and C. Murray. 1979. The early life history and ecology of Dolly Varden in the upper Arrow Lakes. British Columbia Hydro and Power Authority [Victoria?], and Kootenay Department of Fish and Wildlife. Unpublished report.
- Mead, W. J., D. D. Muraoka, M. Schniepp, and R. B. Watson. 1991. The economic consequences of preserving old growth timber for spotted owls in Oregon in Washington. University of California, Santa Barbara, Community and Organization Research Institute.
- Mech, L. D. 1980. Wolf population survival in an area of high road density. *American Midland Naturalist*. v. 121, no. 2, p. 387-389.
- Mech, L. D. 1981. *The wolf: the ecology and behavior of an endangered species*. University of Minnesota Press, Minneapolis. 384 p.
- Meehan, W. R. 1970. Some effects of shade cover on stream temperature in southeast Alaska. U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station, Portland, OR. Research note PNW-113. 9 p.
- Meehan, W. R., and T. C. Bjornn. 1991. Salmonid distributions and life histories. *In* W. R. Meehan, ed. *Influences of forest and rangeland management on salmonid fishes and their habitats*. American Fisheries Society, Bethesda, MD. Special publication no. 19. p. 47-82.
- Meehan, W. R., and D. N. Swanston. 1977. Effects of gravel morphology on fine sediment accumulation and survival of incubating salmon eggs. U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station, Portland, OR. Research paper PNW-220. 16 p.

-
- Megahan, W. F. 1980. Nonpoint source pollution from forestry activities in the western United States: results of recent research and research needs. *In* U.S. forestry and water quality: what course in the 80's?; an analysis of environmental and economic issues; proceedings. Water Pollution Control Federation, Washington, D.C. p. 92-151.
- Megahan, W. F. 1982. Channel sediment storage behind obstructions in forested drainage basins draining the granitic bedrock of the Idaho Batholith. *In* F. J. Swanson, R. J. Janda, T. Dunne, and D. N. Swanston, eds. Sediment budgets and routing by forested drainage basins. U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station, Portland, OR. General technical report PNW-141. p. 114 -121.
- Megahan, W. F., and W. J. Kidd. 1972. Effects of logging and logging roads on erosion and sediment deposition from steep terrain. *Journal of Forestry*. v. 70, no. 3, p. 136-141.
- Meldrim, J. W. 1968. The ecological zoogeography of the Olympic mudminnow (*Novumbra hubbsi*, Schultz). Ph.D. Dissertation, University of Washington, Seattle. 157 p.
- Mellen, T. K., E. C. Meslow, and R. W. Mannan. 1992. Summertime home range and habitat use of pileated woodpeckers in western Oregon. *Journal of Wildlife Management*. v. 56, no. 1, p. 96-103.
- Miller, D. J. 1995. Coupling GIS with physical models to assess deep-seated landslide hazards. *Environmental & Engineering Geoscience*. v. 1, no. 3, p. 263-276.
- Miller, G. S. 1989. Dispersal of juvenile spotted owls in western Oregon. M.S. Thesis, Oregon State University, Corvallis. 139 p.
- Miller, G. S., E. D. Forsman, and D. H. Johnson. 1992. Dispersal and survival of juvenile northern spotted owls. Raptor Research Foundation Inc., annual meeting, 12 November, 1992, Bellevue, WA. Unpublished presentation.
- Miller, S. L., and C. J. Ralph. 1995. Relationship of marbled murrelets with habitat characteristics at inland sites in California. *In* C. J. Ralph, G. L. Hunt, Jr., M. G. Raphael, and J. F. Piatt, eds. Ecology and conservation of the marbled murrelet. U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station, Albany, CA. General technical report PSW-152. p. 205- 215.
- Mills, L. S., R. J. Fredrickson, and B. B. Moorhead. 1993. Characteristics of old-growth forests associated with northern spotted owls in the Olympic National Park. *Journal of Wildlife Management*. v. 57, no. 2, p. 315-321.

-
- Mobbs, M. W., and B. C. Jones. 1995. Riparian management zone project report. Quinault Indian Nation, Department of Natural Resources, Division of Environmental Protection, Taholah, WA. 50 p.
- Monan, G. E., J. H. Johnson, and G. F. Esterberg. 1975. Electronic tags and related tracking techniques aid in study of migrating salmon and steelhead trout in the Columbia River basin. *Marine Fisheries Review*. v. 37, no. 2, p. 9-15.
- Mongillo, P. E. 1993. The distribution and status of bull trout/Dolly Varden in Washington State, June 1992. Washington Department of Wildlife, Fisheries Management Division, Olympia. Report no. 93-22. 45 p.
- Montana Department of Fish, Wildlife, and Parks. 1985. Coordinating elk and timber management: final report of the Montana cooperative elk-logging study 1970-1985. Montana Department of Fish, Wildlife, and Parks, Bozeman, MT. 53 p.
- Montgomery, D. R., and W. E. Dietrich. 1988. Where do channels begin? *Nature*. v. 336, no. 6196, p. 232-234.
- Moore, M. K. 1977. Factors contributing to blowdown in streamside leave strips on Vancouver Island. British Columbia Ministry of Forests, Information Division, Victoria. Land management report no. 3. 34 p.
- Moring, J. R. 1982. Decrease in stream gravel permeability after clear-cut logging: an indication of intragravel conditions for developing salmonid eggs and alevins. *Hydrobiologica*. v. 88, p. 295-298.
- Morrison, P. H. 1988. Old growth in the Pacific Northwest: a status report. Wilderness Society, Washington, D.C. 46 p.
- Mundie, J. H. 1969. Ecological implications of the diet of juvenile coho in streams. *In* T. G. Northcote, ed. Symposium on salmon and trout in streams; a symposium held at the University of British Columbia, February 22 to 24, 1968. University of British Columbia, Institute of Fisheries, Vancouver. p. 135-152.
- Murphy, M. L., and J. D. Hall. 1981. Varied effects of clear-cut logging on predators and their habitat in small streams of the Cascade mountains, Oregon. *Canadian Journal of Fisheries and Aquatic Sciences*. v. 38, p. 137-145.
- Murphy, M. L., and K. V. Koski. 1989. Input and depletion of woody debris in Alaska streams and implications for streamside management. *North American Journal of Fisheries Management*. v. 9, no. 4, p. 427-436.
- Murray, K. G., K. Winnett-Murray, Z. A. Eppley, et al. 1983. Breeding biology of the Xantus' murrelet. *Condor*. v. 85, p. 12-21.

-
- Nagorsen, D. W., and R. M. Brigham. 1993. Bats of British Columbia. University of British Columbia Press, Vancouver. Royal British Columbia Museum handbook. 164 p.
- Naiman, R. J., T. J. Beechie, L. E. Benda, et al. 1992. Fundamental elements of ecologically healthy watersheds in the Pacific Northwest coastal ecoregion. In R. J. Naiman, ed. Watershed management: balancing sustainability and environmental change. Springer-Verlag, New York. p. 127-188.
- Naiman, R. J., and J. R. Sedell. 1979. Relationships between metabolic parameters and stream order in Oregon. Canadian Journal of Fisheries and Aquatic Sciences. v. 37, no. 5, p. 834-847.
- National Geographic Society. 1987. Field guide to the birds of North America, 2nd ed. National Geographic Society, Washington, D.C. 464 p.
- Nehlsen, W., J. E. Williams, and J. A. Lichatowich. 1991. Pacific salmon at the crossroads: stocks at risk from California, Oregon, Idaho, and Washington. Fisheries. v. 16, no. 2, p. 4-21.
- Neitzel, D. A., and T. J. Frest. 1993. Survey of Columbia River basin streams for Columbia pebblesnail, *Fuminicola columbiana*, and shortface lanx, *Fisherola nuttalli*. Pacific Northwest Laboratory, Richland, WA [for] U.S. Department of Energy. 1 v.
- Nelson, S. K., and T. E. Hamer. 1995a. Nest success and the effects of predation on marbled murrelets. In C. J. Ralph, G. L. Hunt, Jr., M. G. Raphael, and J. F. Piatt, eds. Ecology and conservation of the marbled murrelet. U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station, Albany, CA. General technical report PSW-152. p. 89-97.
- Nelson, S. K., and T. E. Hamer. 1995b. Nesting biology and behavior of the marbled murrelet. In C. J. Ralph, G. L. Hunt, Jr., M. G. Raphael, and J. F. Piatt, eds. Ecology and conservation of the marbled murrelet. U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station, Albany, CA. General technical report PSW-152. p. 57-67.
- Nettleship, D. N., and T. R. Birkhead, eds. 1985. The Atlantic Alcidae: the evolution, distribution, and biology of the auks inhabiting the Atlantic Ocean and adjacent water areas. Academic Press, London. 574 p.
- Newbold, J. D., D. C. Erman, and K. B. Roby. 1980. Effects of logging on macroinvertebrates in streams with and without buffer strips. Canadian Journal of Fisheries and Aquatic Sciences. v. 37, no. 7, p. 1076-1085.
- Newbold, J. D., P. J. Mulholland, J. W. Elwood, and R. V. O'Neill. 1982. Organic spiraling in stream ecosystems. Oikos. v. 38, p. 266-272.

-
- Noggle, C. C. 1978. Behavioral, physiological and lethal effects of suspended sediment on juvenile salmonids. M.S. Thesis, University of Washington, Seattle. 87 p.
- Noon, B. R., and C. M. Biles. 1990. Mathematical demography of spotted owls in the Pacific Northwest. *Journal of Wildlife Management*. v. 54, no. 1, p. 18-27.
- Norse, E. A. 1990. Ancient forests of the Pacific Northwest. Island Press, Washington, D.C. 327 p.
- North, M. P. 1993. Stand structure and truffle abundance associated with northern spotted owl habitat. Ph.D. Dissertation, University of Washington, Seattle. 113 p.
- Nussbaum, R. A., E. D. Brodie, Jr., and R. M. Storm. 1983. Amphibians and reptiles of the Pacific Northwest. University Press of Idaho, Moscow. 332 p.
- Oberts, G. L. 1981. Impacts of wetlands on watershed water quality. In B. Richardson, ed. Selected proceedings of the Midwest Conference on Wetland Values and Management. Freshwater Society, Navarre, MN. p. 213-226.
- O'Connell, M. A., J. G. Hallett, and S. D. West, compilers. 1993. Wildlife use of riparian habitats: a literature review. Washington Department of Natural Resources, Timber, Fish, and Wildlife Project, Olympia. TFW-WL1-93-001. 162 p.
- O'Connor, M. D. 1994. Bedload transport processes in steep tributary streams, Olympic Peninsula, Washington, U.S.A. In S. Y. Wang, ed. Advances in hydroscience and hydro-engineering. University of Mississippi, School of Engineering, Center for Computational Hydroscience and Engineering, University, MS. v. 1, p. 243-250.
- O'Connor, M. D., and T. W. Cundy. 1993. North Fork Calawah River watershed condition survey: landslide inventory and geomorphic analysis of mass erosion. U.S. Department of Agriculture, Forest Service, Olympic National Forest, Olympia. Unpublished report. 17 p.
- O'Hara, R. K. 1981. Habitat selection behavior in three species of anuran larvae: environmental cues, ontogeny, and adaptive significance. Ph.D. Dissertation, Oregon State University, Corvallis. 146 p.
- Old Growth Definition Task Group. 1986. Interim definitions for old growth Douglas-fir and mixed-conifer forests in the Pacific Northwest and California. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station, Portland, OR. Research note PNW-447. 7 p.
- Oliver, C. D. 1981. Forest development in North America following major disturbances. *Journal of Forest Ecology and Management*. v. 3, p. 153-168.
- Oliver, C. D., and B. C. Larson. 1990. Forest stand dynamics. McGraw-Hill, New York. 467 p.

-
- Oregon Department of Forestry. 1994. The Oregon Forest Practices Act water protection rules. Oregon Department of Forestry, Forest Practices Policy Unit, Salem, OR. 1 v.
- Osborn, J. G. 1981. The effects of logging on cutthroat trout (*Salmo clarki*) in small headwater streams. M.S. Thesis, University of Washington, Seattle. 89 p.
- Pacific Coast American Peregrine Falcon Recovery Team. 1982. Pacific coast recovery plan for the American peregrine falcon. U.S. Department of the Interior, Fish and Wildlife Service, Pacific Coast American Peregrine Falcon Recovery Team, [Denver, CO?]. 87 p.
- Paquet, P., and A. Hackman. 1995. Large carnivore conservation in the Rocky Mountains. World Wildlife Fund Canada, Inc. 51 p.
- Parsons, S. C. 1976. A dimensionless rating curve for rivers of the western Cascade mountains, Washington. University of Washington, Department of Geological Sciences, Seattle. Unpublished report.
- Patla, S. 1990. Northern goshawk monitoring project report, 1989 Targhee National Forest, St. Anthony, Idaho. U.S. Department of Agriculture, Forest Service, Targhee National Forest. Final report. 22 p.
- Paton, P. W. C. 1994. The effect of edge on avian nesting success: how strong is the evidence? *Conservation Biology*. v. 8, no. 1, p. 17-26.
- Paton, P. W. C., C. J. Zabel, D. L. Neal, et al. 1991. Effects of radio tags on spotted owls. *Journal of Wildlife Management*. v. 55, no. 4, p. 617-622.
- Pentec Environmental. 1995. Watershed analysis report for the Hoko Watershed administrative unit. Cavenham-Hanson Natural Resources Company, Port Angeles, WA, and Washington Department of Natural Resources, Forest Practices Division, Olympia. Unpublished report. 1 v.
- Perkins, J. M. 1990. Results of population monitoring for the category 2 species *Plecotus townsendii* in Oregon and Washington—1989-1990. Oregon Department of Fish and Wildlife, [Portland, OR?]. Contract no. 90-9-03. 25 p.
- Perkins, J. M., and C. Levesque. 1987. Distribution, status, and habitat affinities of Townsend's big-eared bat (*Plecotus townsendii*) in Oregon. Oregon Department of Fish and Wildlife, Nongame Wildlife Program, Portland, OR. Technical report 86-5-01. 54 p.
- Perry, D. A. 1995. Status of forest habitat of the marbled murrelet. In C. J. Ralph, G. L. Hunt, Jr., M. G. Raphael, and J. F. Piatt, eds. Ecology and conservation of the marbled murrelet. U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station, Albany, CA. General technical report PSW-152. p. 381-383.

-
- Peterson, N. P. 1982a. Population characteristics of juvenile coho salmon (*Oncorhynchus kisutch*) overwintering in riverine ponds. *Canadian Journal of Fisheries and Aquatic Sciences*. v. 39, no. 9, p. 1303-1307.
- Peterson, N. P. 1982b. Immigration of juvenile coho salmon (*Oncorhynchus kisutch*) into riverine ponds. *Canadian Journal of Fisheries and Aquatic Sciences*. v. 39, no. 9, p. 1308-1310.
- Peterson, N. P., and L. M. Reid. 1984. Wall-base channels: their evolution, distribution, and use by juvenile coho salmon in the Clearwater River, Washington. In J. M. Walton, and D. B. Houston, eds. *Proceedings of the Olympic Wild Fish Conference, March 23-25, 1983*. [May be obtained from J. M. Walton, Fisheries Technology Program, Peninsula College, Port Angeles, WA.] p. 215-225.
- Pfankuch, D. J. 1975. Stream reach inventory and channel stability evaluation: a watershed management procedure. U.S. Department of Agriculture, Forest Service, Northern Region, St. Paul, MN. 26 p.
- Phillips, E. L., and W. R. Donaldson. 1972. Washington climate for these counties—Clallam, Grays Harbor, Jefferson, Pacific, Wahkiakum. Washington State University, College of Agriculture, Cooperative Extension Service, Pullman. 92 p.
- Plum Creek Timber Company. 1995. Draft multi-species habitat conservation plan on forestlands owned by the Plum Creek Timber Company, L.P. in the I-90 corridor of the central Cascades mountain range, Washington. Plum Creek Timber Company, Seattle. 1 v.
- Potts, D. F., and B. K. M. Anderson. 1990. Organic debris and the management of small stream channels. *Western Journal of Applied Forestry*. v. 5, no. 1, p. 25-28.
- Powell, R. A., and W. J. Zielinski. 1994. Fisher. In L. F. Ruggiero, K. B. Aubry, S. W. Buskirk, et al., eds. *American marten, fisher, lynx, and wolverine in the western United States*. U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, CO. General technical report RM-254. p. 38-73.
- Pulliam, H. R. 1988. Sources, sinks, and population regulation. *American Naturalist*. v. 132, p. 652-661.
- Pyle, R. M. 1974. *Watching Washington butterflies—an interpretive guide to the state's 134 species, including most of the butterflies of Oregon, Idaho, and British Columbia*. Seattle Audubon Society, Seattle. 109 p.
- Pyle, R. M. 1989. *Washington butterfly conservation status report and plan*. Washington Department of Wildlife, Nongame Program, Olympia. 217 p.

-
- Raedeke, K. J., ed. 1988. Streamside management: riparian wildlife and forestry interactions. University of Washington, Institute of Forest Resources, Seattle. Contribution 59. 277 p.
- Ralph, C. J., G. L. Hunt, Jr., M. G. Raphael, and J. F. Piatt. 1995a. Ecology and conservation of the marbled murrelet in North America: an overview. *In* C. J. Ralph, G. L. Hunt, Jr., M. G. Raphael, and J. F. Piatt, eds. Ecology and conservation of the marbled murrelet. U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station, Albany, CA. General technical report PSW-152. p. 3-22.
- Ralph, C. J., S. K. Nelson, S. L. Miller, and T. E. Hamer. 1995b. Survey methods for marbled murrelets in forests protocol summary. Pacific Seabird Group, Marbled Murrelet Technical Committee. 22 p. [available from U.S. Forest Service, Redwood Sciences Laboratory, 1700 Bayview Dr., Arcata, CA].
- Ralph, C. J., S. K. Nelson, M. M. Shaughnessy, et al. 1994a. Methods for surveying marbled murrelets in forests: a protocol for land management and research. U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest Experiment Station, Arcata, CA.
- Ralph, S. C., G. C. Poole, L. L. Conquest, and R. J. Naiman. 1994b. Stream channel morphology and woody debris in logged and unlogged basins of western Washington. *Canadian Journal of Fisheries and Aquatic Sciences*. v. 51, no. 1, p. 37-51.
- Raphael, M. G., J. A. Young, and B. M. Galleher. 1995. A landscape-level analysis of marbled murrelet habitat in western Washington. *In* C. J. Ralph, G. L. Hunt, Jr., M. G. Raphael, and J. F. Piatt, eds. Ecology and conservation of the marbled murrelet. U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station, Albany, CA. General technical report PSW-152. p. 177-189.
- Raphael, M. G., J. A. Young, K. McKelvey, et al. 1994. A simulation analysis of population dynamics of the northern spotted owl in relation to forest management alternatives. *In* U.S. Department of Agriculture, and U.S. Department of the Interior. Final supplemental environmental impact statement on management of habitat for late-successional and old-growth forest related species within the range of the northern spotted owl. Interagency SEIS Team, Portland, OR. v. 2, Appendix J3.
- Rashin, E., and C. Graber. 1992. Effectiveness of Washington's forest practice riparian management zone regulations for protection of stream temperature. Washington Department of Ecology, Olympia. Publication no. 92-64. 1 v.
- Reed, P. B., Jr. 1988. National list of plant species that occur in wetlands: Northwest (Region 9). U.S. Department of the Interior, Fish and Wildlife Service, Washington, D.C. Biological report 88(26.9). 89 p.

-
- Reed, P. B., Jr. 1993. Supplement to national list of plant species that occur in wetlands: Northwest (Region 9). U.S. Department of the Interior, Fish and Wildlife Service, Portland, OR.
- Reeves, G. H., F. H. Everest, and J. D. Hall. 1987. Interactions between the reidside shiner (*Richardsonius balteatus*) and the steelhead trout (*Salmo gairdneri*) in western Oregon: the influence of water temperature. Canadian Journal of Fisheries and Aquatic Sciences. v. 44, no. 9, p. 1603-1613.
- Reid, L. M. 1981. Sediment production from gravel-surfaced forest roads, Clearwater basin, Washington. M.S. Thesis, University of Washington, Seattle. 247 p.
- Reid, L. M., and T. Dunne. 1984. Sediment production from forest road surfaces. Water Resources Research. v. 20, no. 11, p. 1753-1761.
- Reingold, M. 1968. Water temperature affects the ripening of adult fall chinook salmon and steelhead. Progressive Fish-Culture. v. 30, no. 2, p. 41-42.
- Reiser, D. W., and T. C. Bjornn. 1979. Habitat requirements of anadromous salmonids. U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station, Portland, OR. General technical report PNW-96. 54 p.
- Renner, J. 1993. Northwest marine weather from the Columbia River to Cape Scott, including Puget Sound, the San Juan and Gulf Islands, and the Straits of Juan de Fuca, Georgia, Johnstone, and Queen Charlotte. Mountaineers, Seattle. 158 p.
- Reynolds, R. T. 1983. Management of western coniferous forest habitat for nesting accipiter hawks. U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, CO. General technical report RM-102. 7 p.
- Reynolds, R. T., R. T. Graham, M. H. Reiser, et al. 1991. Management recommendations for the northern goshawk in the southwestern United States. U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, CO. General technical report RM-217. 90 p.
- Reynolds, R. T., E. C. Meslow, and H. M. Wight. 1982. Nesting habitat of coexisting *Accipiter* in Oregon. Journal of Wildlife Management. v. 46, no. 1, p. 124-138.
- Richards, K. S. 1982. Rivers: form and process in alluvial channels. Methuen and Co., New York. 358 p.
- Richardson, C. J. 1994. Ecological functions and human values in wetlands: a framework for assessing forestry impacts. Wetlands. v. 14, no. 1, p. 1-9.

-
- Richardson, J. S. 1992. Coarse particulate detritus dynamics in small, montane streams of southwestern British Columbia. *Canadian Journal of Fisheries and Aquatic Sciences*. v. 49, no. 2, p. 337-346.
- Rieman, B. E., and J. D. McIntyre. 1993. Demographic and habitat requirements for conservation of bull trout. U.S. Department of Agriculture, Forest Service, Intermountain Research Station, Ogden, UT. General technical report INT-302. 37 p.
- Roberts, R. G., and M. Church. 1986. The sediment budget in severely disturbed watersheds, Queen Charlotte Ranges, British Columbia. *Canadian Journal of Forest Research*. v. 16, no. 5, p. 1092-1106.
- Rodrick, E., and R. Milner, eds. 1991. Management recommendations for Washington's priority habitats and species. Washington Department of Wildlife, Olympia. 1 v.
- Rot, B. 1993. Windthrow in stream buffers on coastal Washington streams. Byron Rot, [n.p.], [for] ITT-Rayonier, Inc., [Hoquiam?]. Unpublished internship report. 48 p.
- Rot, B. 1995. The interaction of valley constraint, riparian landform, and riparian plant community size and age upon channel configuration of small streams of the western Cascade mountains, Washington. M.S. Thesis, University of Washington, Seattle.
- Rothacher, J. 1970. Increases in water yield following clear-cut logging in the Pacific Northwest. *Water Resources Research*. v. 6, no. 2, p. 653-658.
- Rothacher, J. 1973. Does harvest in west slope Douglas-fir increase peak flow in small forest streams? U.S. Department of Agriculture, Forest Service, Pacific Northwest Range and Experiment Station, Portland, OR. Research paper PNW-163. 13 p.
- Sarrell, M. J., and K. P. McGuinness. 1993. Rare bats of the shrub-steppe ecosystem of eastern Washington. Washington Department of Wildlife, Olympia. 41 p.
- Schamberger, M. L., J. J. Charbonneau, M. J. Hay, and R. L. Johnson. 1992. Economic analysis of critical habitat designation effects for the northern spotted owl. U.S. Department of the Interior, Fish and Wildlife Service, Washington, D.C. 1 v.
- Scheffer, V. B. 1949. Mammals of the Olympic National Park and vicinity. *Northwest Fauna*. v. 2, p. 5-133.
- Schlichte, K., C. J. Cederholm, G. Flanigan, et al. 1991. Forest management alternatives for lands managed by the Department of Natural Resources inside the Huelsdonk Ridge/Hoh River area. Joint report of the Slope Stability Task Force. Washington Department of Natural Resources, Olympic Region, Forks, WA. Unpublished report. 11 p.

-
- Schreiber, B., and D. S. deCalesta. 1992. The relationship between cavity-nesting birds and snags on clearcuts in western Oregon. *Forest Ecology and Management*. v. 50, no. 3/4, p. 299-316.
- Schumaker, N. H. 1995. Habitat connectivity and spotted owl population dynamics. Ph.D. Dissertation, University of Washington, Seattle. 126 p.
- Scott, W. B., and E. J. Crossman. 1973. *Freshwater fishes of Canada*. Fisheries Research Board of Canada, Ottawa. Bulletin no. 184. 966 p.
- Scrivener, J. C. 1988. Changes in composition of the streambed between 1973 and 1985 and the impacts on salmonids in Carnation Creek. *In* T. W. Chamberlin, ed. *Proceedings of the workshop: applying 15 years of Carnation Creek results*. Carnation Creek Steering Committee, Nanaimo, BC. p. 59-65.
- Seaman, D. E. 1995. Northern spotted owl densities in Olympic National Park. Raptor Research Foundation, Inc., annual meeting, November 1995, Duluth, MN. Unpublished presentation.
- Seaman, D. E., M. J. Fasching, G. C. Hunter et al. 1994. Spotted owl inventory-monitoring, October 1993-August 1994. Olympic National Park, Port Angeles, WA. Unpublished progress report.
- Seaman, D. E., R. J. Frederickson, D. B. Houston, et al. 1992. Northern spotted owl inventory. Olympic National Park, Port Angeles, WA. Unpublished progress report. 41 p.
- Sedell, J. R., P. A. Bisson, F. J. Swanson, and S. V. Gregory. 1988. What we know about large trees that fall into streams and rivers. *In* C. Maser, R. F. Tarrant, J. M. Trappe, and F. Franklin, eds. *From the forest to the sea: a story of fallen trees*. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station, Portland, OR. General technical report PNW-229. p. 47-81.
- Sedell, J. R., and K. J. Luchessa. 1982. Using the historical record as an aid to salmonid habitat enhancement. *In* N. B. Armantrout, ed. *Acquisition and utilization of aquatic habitat inventory information: proceedings of a symposium*. American Fisheries Society, Western Division, Portland, OR. p. 210-223.
- Sedell, J. R., and F. J. Swanson. 1984. Ecological characteristics of streams in old-growth forests of the Pacific Northwest. *In* W. R. Meehan, T. R. Merrell, Jr., and T. A. Hanley, eds. *Fish and wildlife relationships in old-growth forests: proceedings of a symposium*. American Institute of Fisheries Research Biologists, Morehead City, NC. p. 9-16.
- Seiler, D. 1995. Stream hydrology and fish production. Unpublished memorandum to K. Bauersfield dated January 25, 1995. Available at: Washington Department of Fish and Wildlife, Fish Management Program, Olympia. 3 p.

-
- Servheen, C. W., preparer. 1993. Grizzly bear recovery plan. U.S. Department of the Interior, Fish and Wildlife Service, Missoula, MT. 181 p.
- Sessions, J. 1994. SNAP II model and assumptions. *In* A. B. Carey, and C. Elliott, compilers. Washington Forest Landscape Management Project: progress report. Washington Department of Natural Resources, Olympia. Washington Forest Landscape Management Project report no. 1. p. 35-39.
- Sessions, J., and J. B. Sessions. 1994. Scheduling and Network Analysis Program: user's guide, version 2.07. Oregon State University, Corvallis.
- Shaffer, J. A., and D. S. Parks. 1994. Seasonal variations in and observations of landslide impacts on algal composition of a Puget Sound nearshore kelp forest. *Botanica Marina*. v. 37, p. 315-323.
- Sharp, B. E. 1992. Neotropical migrants on national forests of the Pacific Northwest: a compilation of existing information. U.S. Department of Agriculture, Forest Service, Pacific Northwest Region, Portland, OR. 1 v.
- Shaw, S. C. 1993. Geomorphic analysis of the North Fork Green Creek, (Olympic Peninsula). Washington Department of Natural Resources, Forest Practices Division, Olympia. Unpublished report. 10 p.
- Shaw, S. C. 1994. Implementing a watershed-analysis-based approach to timber management planning in the Hoh River basin, western Olympic Peninsula, Washington. *In* Watershed 93: a national conference on watershed management; proceedings. U.S. Environmental Protection Agency. EPA-840-R-94-002. p. 719-727.
- Shaw, S. C., and D. H. Johnson. [in press] Slope morphology model derived from digital elevation data. *In* Proceedings of the Northwest ARC/INFO User's Conference, Coeur d'Alene, Idaho, October 23-25, 1995. [10 p., plus appendices.]
- Sheffield, S. R., J. H. Shaw, G. A. Heidt, and L. R. McClenaghan. 1992. Guidelines for protection of bat roosts. *Journal of Mammalogy*. v. 73, no. 3, p. 707-710.
- Sherwood, K. 1993. Buffer strip dynamics in the western Oregon Cascades. M.S. Thesis, Oregon State University, Corvallis. 185 p.
- Sidle, R. C. 1985. Factors influencing the stability of slopes. *In* D. N. Swanston, ed. Proceedings of a workshop on slope stability: problems and solutions in forest management. U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station, Portland, OR. General technical report PNW-180. p. 17-25.

-
- Sidle, R. C., A. J. Pearce, and C. L. O'Loughlin. 1985. Effects of land management on soil mass movement. *In* R. C. Sidle, A. J. Pearce, and C. L. O'Loughlin. Hillslope stability and land use. American Geophysical Union, Washington, D.C. Water resources monograph 11. p. 73-88.
- Simenstad, C. A., D. A. Jay, and C. R. Sherwood. 1992. Impacts of watershed management on land-margin ecosystems: the Columbia River estuary. *In* R. J. Naiman, ed. Watershed management: balancing sustainability and environmental change. Springer-Verlag, New York. p. 266-306.
- Slavens, K. 1992. Report on the western pond turtle 1991. Washington Department of Wildlife, Olympia. Unpublished report.
- Smith, J. B. 1990. From global to regional climate change: relative knowns and unknowns about global warming. *Fisheries*. v. 15, no. 6, p. 2-6.
- Smoker, W. A. 1955. Effects of streamflow on silver salmon production in western Washington. Ph.D. Dissertation, University of Washington, Seattle. 175 p.
- Spies, T. A., and J. F. Franklin. 1991. The structure of natural young, mature, and old-growth Douglas-fir forests in Oregon and Washington. *In* L. F. Ruggiero, K. B. Aubry, A. B. Carey, and M. H. Huff, tech. coords. Wildlife and vegetation of unmanaged Douglas-fir forests. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station, Portland, OR. General technical report PNW-285. p. 91-109.
- Stalmaster, M. V. 1987. The bald eagle. Universe Books, New York. 227 p.
- Stearns, A. 1991. Owl memo number three, interim policy and procedures for protecting the northern spotted owl. Unpublished agency memorandum. Washington Department of Natural Resources, Olympia. [7] p.
- Stebbins, R. C. 1954. Amphibians and reptiles of western North America. McGraw-Hill, New York. 528 p.
- Stebbins, R. C. 1985. A field guide to western reptiles and amphibians. Houghton Mifflin Co., Boston, MA. 336 p.
- Steinblums, I. J. 1977. Streamside bufferstrips—Survival, effectiveness, and design. M.S. Thesis, Oregon State University, Corvallis. 193 p.
- Steinblums, I. J., H. A. Froehlich, and J. K. Lyons. 1984. Designing stable buffer strips for stream protection. *Journal of Forestry*. v. 82, no. 1, p. 49-52.
- Storm, R. M. 1960. Notes on the breeding biology of the red-legged frog (*Rana aurora aurora*). *Herpetologica*. v. 16, p. 51-259.

-
- Stow, D. A., and H. H. Chang. 1987. Coarse sediment delivery by coastal streams to the Oceanside littoral cell, California. *Shore and Beach*. v. 55, no. 1, p. 30-40.
- Sullivan, K., T. E. Lisle, C. A. Dolloff, et al. 1987. Stream channels: the link between forests and fishes. *In* E. O. Salo, and T. W. Cundy, eds. *Streamside management: forestry and fishery interactions*. University of Washington, Institute of Forest Resources, Seattle. Contribution 57. p. 39-97.
- Swanson, F. J., L. E. Benda, S. H. Duncan, et al. 1987. Mass failures and other processes of sediment production in Pacific Northwest forest landscapes. *In* E. O. Salo, and T. W. Cundy, eds. *Streamside management: forestry and fishery interactions*. University of Washington, Institute of Forest Resources, Seattle. Contribution 57. p. 9-38.
- Swanson, F. J., and C. T. Dyrness. 1975. Impact of clear-cutting and road construction on soil erosion by landslides in the western Cascade Range, Oregon. *Geology*. v. 3, no. 7, p. 393-396.
- Swanson, F. J., and G. W. Lienkaemper. 1978. Physical consequences of large organic debris in Pacific Northwest streams. U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station, Portland, OR. General technical report PNW-69. 12 p.
- Swanson, F. J., and G. W. Lienkaemper. 1982. Interactions among fluvial processes, forest vegetation, and aquatic ecosystems, South Fork Hoh River, Olympic National Park. *In* E. E. Starkey, J. F. Franklin, and J. W. Mathews, tech. coords. *Ecological research in national parks of the Pacific Northwest*. Oregon State University, Forest Research Laboratory, Corvallis. p. 30-34.
- Swanson, F. J., G. W. Lienkaemper, and J. R. Sedell. 1976. History, physical effects, and management implications of large organic debris in western Oregon streams. U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station, Portland, OR. General technical report PNW-56. 15 p.
- Sype, W. E. 1975. Breeding habits, embryonic thermal requirements, and embryonic and larval development of the Cascade frog *Rana cascadae* Slater. Ph.D. Dissertation, Oregon State University, Corvallis. 113 p.
- Tagart, J. V. 1976. The survival from egg deposition to emergence of coho salmon in the Clearwater River, Jefferson County, Washington. M.S. Thesis, University of Washington, Seattle. 101 p.
- Tagart, J. V. 1984. Coho salmon survival from egg deposition to fry emergence. *In* J. M. Walton, and D. B. Houston, eds. *Proceedings of the Olympic Wild Fish Conference, March 23-25, 1983*. [May be obtained from J. M. Walton, Fisheries Technology Program, Peninsula College, Port Angeles, WA.] p. 173-181.

-
- Taylor, A. L., Jr., and E. D. Forsman. 1976. Recent range extensions of the barred owl in western North America, including the first records for Oregon. *Condor*. v. 78, no. 4, p. 560-561.
- Thomas, J. W., ed. 1979. Wildlife habitat in managed forests: the Blue Mountains of Oregon and Washington. U.S. Department of the Interior, Bureau of Land Management, Wildlife Management Institute, Washington, D.C. Agriculture handbook no. 553. 512 p.
- Thomas, J. W., E. D. Forsman, J. B. Lint, et al. 1990. A conservation strategy for the northern spotted owl. U.S. Interagency Scientific Committee to address the conservation of the Northern Spotted Owl, Portland, OR. 427 p.
- Thomas, J. W., M. G. Raphael, R. G. Anthony, et al. 1993. Viability assessments and management considerations for species associated with late-successional and old-growth forests of the Pacific Northwest. U.S. Department of Agriculture, National Forest System, Forest Service Research, Washington, D.C. 530 p.
- Thorne, C. R. 1982. Processes and mechanisms of river bank erosion. *In* R. D. Hey, J. C. Bathurst, and C. R. Thorne, eds. Gravel-bed rivers: fluvial processes, engineering, and management. John Wiley and Sons, New York. p. 227-271.
- Thorsen, G. W. 1989. Landslide provinces in Washington. *In* R. W. Galster, ed. Engineering geology in Washington. Washington Department of Natural Resources, Division of Geology and Earth Resources, Olympia. Bulletin 78. v. 1, p. 71-89.
- Timber/Fish/Wildlife Temperature Work Group. 1990. Evaluation of prediction models and characterization of stream temperature regimes in Washington. Washington Department of Natural Resources, Timber, Fish and Wildlife Project, Olympia. TFW-WQ3-90-006. 2 v.
- Traub, W. 1995. Preliminary harvest level assessments for Experimental Forest alternatives: Olympic Region working document. Washington Department of Natural Resources, Olympic Region, Forks, WA. Unpublished report. 110 p.
- Triska, F. J., and K. Cromack, Jr. 1980. The role of wood debris in forests and streams. *In* R. H. Waring, ed. Forests: fresh perspectives from ecosystem analysis; proceedings of the 40th annual biology colloquium. Oregon State University Press, Corvallis. p. 171-190.
- Trotter, P. C. 1995. Return of nutrients to streams: the role of spawning salmonids in maintaining stream productivity. *Washington Trout Report*. v. 5, no. 2, p. 8-15.
- U.S. Bonneville Power Administration, U.S. Army Corps of Engineers, and U.S. Bureau of Reclamation. 1994. Columbia River system operation overview draft environmental impact statement. Columbia River System Operation Review Interagency Team, Portland, OR. DOE/EIS-0170. 22 v.

-
- U.S. Department of Agriculture. 1988. Final supplement to the environmental impact statement for an amendment to the Pacific Northwest regional guide. U.S. Department of Agriculture, Forest Service, Pacific Northwest Region, Portland, OR. v. 2, Appendix B, 57 p.
- U.S. Department of Agriculture. 1992. Final environmental impact statement on management for the northern spotted owl in the national forests; states of Washington, Oregon, and California. U.S. Department of Agriculture, Forest Service, [Portland, OR?]. 2 v.
- U.S. Department of Agriculture, and U.S. Department of the Interior. 1993. Draft supplemental environmental impact statement on management of habitat for late-successional and old-growth forest related species within the range of the northern spotted owl. Interagency SEIS Team, Portland, OR. 1 v.
- U.S. Department of Agriculture, and U.S. Department of the Interior. 1994a. Final supplemental environmental impact statement on management of habitat for late-successional and old-growth forest related species within the range of the northern spotted owl. Interagency SEIS Team, Portland, OR. 2 v.
- U.S. Department of Agriculture, and U.S. Department of the Interior. 1994b. Record of decision for amendments to Forest Service and Bureau of Land Management planning documents within the range of the northern spotted owl. Interagency SEIS Team, Portland, OR. 1 v.
- U.S. Department of Agriculture, and Washington Department of Natural Resources. 1995. Draft Sol Duc pilot watershed analysis. U.S. Department of Agriculture, Forest Service, Olympic National Forest, and Washington Department of Natural Resources, Forest Practices Division, Olympia. 1 v.
- U.S. Department of Commerce. 1995. REIS [computer file]: Regional economic information system. U.S. Department of Commerce, Bureau of Economic Analysis, Regional Economic Measurement Division, Washington, D.C. [CD-ROM.]
- U.S. Department of the Interior. 1986. Pacific bald eagle recovery plan. U.S. Department of the Interior, Fish and Wildlife Service, Portland, OR. 163 p.
- U.S. Department of the Interior. 1990. Procedures leading to Endangered Species Act compliance for the northern spotted owl. [Guidance for incidental take.] U.S. Department of the Interior, Fish and Wildlife Service, Portland, OR. 1 v.
- U.S. Department of the Interior. 1992a. Recovery plan for the northern spotted owl—draft. U.S. Department of the Interior, Portland, OR. 662 p.
- U.S. Department of the Interior. 1992b. Recovery plan for the northern spotted owl—final draft. U.S. Department of the Interior, Portland, OR. 2 v.

-
- U.S. Department of the Interior and U.S. Department of Commerce. 1994. (See Appendix 6 of this document for a reproduction of the No Surprises Policy.)
- USFWS. 1996. Endangered, Threatened, Proposed, and Candidate Species, Critical Habitat, and Species of Concern in the Western Portion of Washington State. North Pacific Ecoregion, U. S. Fish and Wildlife Service, Olympia, WA.
- Vannote, R. L., G. W. Minshall, K. W. Cummins, et al. 1980. The river continuum concept. *Canadian Journal of Fisheries and Aquatic Sciences*. v. 37, no. 1, p. 130-137.
- Van Sickle, J., and S. V. Gregory. 1990. Modeling inputs of large woody debris to streams from falling trees. *Canadian Journal of Forest Research*. v. 20, no. 10, p. 1593-1601.
- Vickery, H. 1995. Back from the brink. *Endangered Species Bulletin*. v. 20, no. 4, p. 15.
- Waddington, J. M., N. T. Roulet, and A. R. Hill. 1993. Runoff mechanisms in a forested groundwater discharge wetland. *Journal of Hydrology*. v. 147, no. 1/4, p. 37-60.
- Wahl, T. R., and D. R. Paulson. 1991. A guide to bird finding in Washington. T. R. Wahl, Bellingham, WA. 178 p.
- Waples, R. S. 1991. Pacific salmon, *Oncorhynchus* spp., and the definition of "species" under the Endangered Species Act. *Marine Fisheries Review*. v. 55, p. 11-22.
- Washington Department of Ecology. 1994. List of water quality limited streams in Washington State [Section 303(d) of the federal Clean Water Act]. Washington Department of Ecology, Water Quality Program, Olympia.
- Washington Department of Fish and Wildlife. 1994a. Draft management recommendations for Washington's priority habitats and species. Washington Department of Fish and Wildlife, Olympia. Unpublished report.
- Washington Department of Fish and Wildlife. 1994b. Experimental Forest classification project. Washington Department of Fish and Wildlife [for] Washington Department of Natural Resources, Olympia. Unpublished report.
- Washington Department of Fish and Wildlife. 1994c. Status report: Columbia River fish runs and fisheries, 1938-93. Washington Department of Fish and Wildlife, Olympia. 271 p.
- Washington Department of Fish and Wildlife. 1995a. Priority habitat management recommendations: riparian. Washington Department of Fish and Wildlife, Priority Habitats and Species Division, Olympia. 196 p.

-
- Washington Department of Fish and Wildlife. 1995b. Priority habitats and species list. Washington Department of Fish and Wildlife, Habitat Program, Olympia. 24 p.
- Washington Department of Fish and Wildlife. 1995c. Wildlife Diversity Division data systems. Interagency spotted owl database [Computer program]. Washington Division of Fish and Wildlife, Wildlife Diversity Division, Olympia. [Data retrieved May 1995, July 1995.]
- Washington Department of Fish and Wildlife, Washington Department of Ecology, Washington Department of Agriculture, et al. 1995. State of Washington wild salmonid policy—First draft, environmental impact statement, October 1995. Washington Department of Fish and Wildlife, Olympia. 1 v.
- Washington Department of Fisheries, Washington Department of Wildlife, and Western Washington Treaty Indian Tribes. 1993. 1992 Washington State salmon and steelhead stock inventory. Washington Department of Fisheries, Washington Department of Wildlife, and Western Washington Treaty Indian Tribes, Olympia. 2 v.
- Washington Department of Natural Resources. 1992a. Final E.I.S. environmental impact statement for the Forest Resource Plan and appendixes, July, 1992. Washington Department of Natural Resources, Forest Land Management Division, Olympia. 231 p.
- Washington Department of Natural Resources. 1992b. Forest Resource Plan: policy plan, final. Washington Department of Natural Resources, Forest Land Management Division, Olympia. 53 p.
- Washington Department of Natural Resources. 1993. State of Washington Department of Natural Resources Smoke Management Plan 1993. Washington Department of Natural Resources, Division of Fire Control, Olympia. 1 v.
- Washington Department of Natural Resources. 1994a. Endangered, threatened and sensitive vascular plants of Washington. Washington Department of Natural Resources, Natural Heritage Program, Olympia. 1 v.
- Washington Department of Natural Resources. 1994b. Summary of the 1994 fire season. Unpublished memorandum. Available at: Washington Department of Natural Resources, Resource Protection Division, Olympia.
- Washington Department of Natural Resources. 1994c. Washington mill survey, 1990. Washington Department of Natural Resources, Division of Land and Water Conservation, Olympia. Washington mill survey series report no. 12.
- Washington Department of Natural Resources, and Washington Department of Community, Trade and Economic Development. 1994. Washington wildfire mitigation plan. Washington Department of Natural Resources, Resource Protection

Division, and Washington Department of Community, Trade and Economic Development, Emergency Management Division, Olympia. 24 p.

Washington Department of Natural Resources. 1995a. Annual report 1995. Washington Department of Natural Resources, Olympia.

Washington Department of Natural Resources. 1995b. Background and analytical framework for the proposed draft HCP. Washington Department of Natural Resources, Office of Policy Analysis and Research, Olympia. Unpublished report dated 10/16/95.

Washington Department of Natural Resources. 1995c. Clallam River landscape plan. Washington Department of Natural Resources, Olympic Region, Forks, WA. 86 p.

Washington Department of Natural Resources. 1995d. Geographic information system [Computer program]. [Data layers used include: land use/land cover, major public lands, soil layer]. Washington Department of Natural Resources, Information Technology Division, Geographic Information Section, Olympia.

Washington Department of Natural Resources. 1995e. Habitat Conservation Plan workshop: Reports to the Board of Natural Resources; preliminary staff reports, for discussion purposes only, February 2, 1995. Washington Department of Natural Resources, Olympia. 1 v.

Washington Department of Natural Resources. 1995f. Habitat Conservation Plan workshop: Reports to the Board of Natural Resources, Olympic Experimental State Forest Planning Unit; preliminary staff reports, for discussion purposes only, March 7, 1995. Washington Department of Natural Resources, Olympia. 1 v.

Washington Department of Natural Resources. 1996a. Draft Habitat Conservation Plan. Washington Department of Natural Resources, Olympia. 1 v.

Washington Department of Natural Resources. 1996b. Draft Implementation Agreement for the Habitat Conservation Plan. Washington Department of Natural Resources, Olympia. [Draft Habitat Conservation Plan Appendix B; bound separately.]

Washington Department of Wildlife. 1991. Endangered and threatened status report. Washington Department of Wildlife, Nongame Program, Olympia. 12 p.

Washington Department of Wildlife. 1993a. Species of special concern in Washington. Washington Department of Wildlife, Olympia. 37 p.

Washington Department of Wildlife. 1993b. Status of the Larch Mountain salamander (*Plethodon larselli*) in Washington. Washington Department of Wildlife, Wildlife Management Division, Olympia. 15 p.

-
- Washington Department of Wildlife. 1993c. Status of the North American lynx (*Lynx canadensis*) in Washington. Washington Department of Wildlife, Wildlife Management Division, Olympia. 95 p.
- Washington Department of Wildlife. 1993d. Status of the Oregon silverspot butterfly (*Speyeria zerene hippolyta*) in Washington. Washington Department of Wildlife, Wildlife Management Division, Olympia. 25 p.
- Washington Department of Wildlife. 1993e. Status of the western gray squirrel (*Sciurus griseus*) in Washington. Washington Department of Wildlife, Wildlife Management Division, Olympia. 33 p.
- Washington Department of Wildlife. 1993f. Status of the western pond turtle (*Clemmys marmorata*) in Washington. Washington Department of Wildlife, Wildlife Management Division, Olympia. 33 p.
- Washington Department of Wildlife. 1994. Priority habitats management recommendations: caves—draft, January 1994. Washington Department of Wildlife, Habitat Division, Olympia. 54 p.
- Washington Department of Wildlife. 1994. Priority habitat management recommendations: caves. Washington Department of Wildlife, Olympia.
- Washington Forest Practices Board. 1993. Washington forest practices: rules, WAC 222, Board manual (watershed manual not included), Forest Practices Act, RCW 76.09. Washington Forest Practices Board, Olympia. 1 v.
- Washington Forest Practices Board. 1994. Washington forest practices: Board manual, standard methodology for conducting watershed analysis under chapter 222-22 WAC, version 2.1. Washington Department of Natural Resources, Forest Practices Division, Olympia. 1 v.
- Washington Forest Practices Board. 1995a. Draft environmental impact statement on Forest Practices rule proposals for: northern spotted owl, marbled murrelet, western gray squirrel; Part 1, environmental analysis. Washington Forest Practices Board, Olympia. 1 v.
- Washington Forest Practices Board. 1995b. Washington forest practices: Board manual, standard methodology for conducting watershed analysis under chapter 222-22 WAC, version 3.0, November 1995. Washington Department of Natural Resources, Forest Practices Division, Olympia. 1 v., looseleaf.
- Washington Forest Practices Board. 1995c. Washington forest practices: rules, WAC 222, Board manual (watershed manual not included), Forest Practices Act, RCW 76.09. Washington Forest Practices Board, Olympia. 1 v.

-
- Washington Forest Practices Board. 1996a. Final environmental impact statement on forest practices rule proposals for northern spotted owl, marbled murrelet, western gray squirrel. Washington Forest Practices Board, Olympia. 1 v.
- Washington Forest Practices Board. 1996. Riparian function module. *In* Washington forest practices: Board manual, standard methodology for conducting watershed analysis under chapter 222-22 WAC, version 3.1, February 1996. Washington Department of Natural Resources, Forest Practices Division, Olympia. [Module added to 1995 version 3.0, updating entire manual to version 3.1 effective February 1996.]
- Washington Forest Practices Board. [in preparation] Water quality module. *Will be added to* Washington forest practices: Board manual, standard methodology for conducting watershed analysis under chapter 222-22 WAC, [version 4.0]. Washington Department of Natural Resources, Forest Practices Division, Olympia.
- Washington Forest Practices Board. Riparian Habitat Technical Committee. 1985. Forest riparian habitat study: phase I report. Washington Department of Ecology, Olympia. Report WDOE 85-3. 203 p.
- Washington Office of Archaeology and Historic Preservation. 1989. Built in Washington: 12,000 years of Pacific Northwest archaeological sites and historic buildings. Washington State University Press, Pullman. 187 p.
- Washington State Employment Security. 1995. Employment and payrolls in Washington State by county and industry, 1993 averages. Washington State Employment Security, Labor Market and Economic Analysis Branch, Olympia. 1 v.
- Wasserman, L. J., C. J. Cederholm, and E. O. Salo. 1984. The impact of logging on benthic community structure in selected watersheds of the Olympic Peninsula, Washington. University of Washington, Fisheries Research Institute, Seattle. FRI-UW-8403. 39 p.
- Waters, T. F. 1969. Invertebrate drift—ecology and significance to stream fishes. *In* T. G. Northcote, ed. Symposium on salmon and trout in streams; a symposium held at the University of British Columbia, February 22 to 24, 1968. University of British Columbia, Institute of Fisheries, Vancouver. p. 121-134.
- Watson, G. 1991. Analysis of fine sediment and dissolved oxygen in spawning gravel of the upper Yakima River Basin. Final Report. Washington Department of Fisheries and Washington Department of Ecology, Olympia WA.
- Webster's New World Dictionary of the American Language, 2nd ed. 1976. World Publishing Company, Cleveland, OH. 1692 p.
- Welsh, H. H. 1990. Relictual amphibians and old-growth forests. *Conservation Biology*. v. 4, no. 3, p. 309-319.

-
- Wemple, B. C. 1994. Hydrologic integration of forest roads with stream networks in two basins, western Cascades, Oregon. M.S. Thesis, Oregon State University, Corvallis. 88 p.
- White, R. E. 1983. A field guide to the beetles of North America: text and illustrations. Houghton Mifflin, Boston, MA. Peterson field guide series 29. 368 p.
- Wilderness Society. 1993. Pacific salmon and federal lands: a regional analysis. Wilderness Society, Washington, D.C. The living landscape, v. 2: Ecological salmon report. 88 p.
- Wiley, K. N. 1978. Site index tables for western hemlock in the Pacific Northwest. Weyerhaeuser Company, Forestry Research Center, Centralia, WA. Weyerhaeuser forestry paper 17. 28 p.
- Wilhere, G. 1995. Summary of multispecies conservation plan for the Olympic Experimental State Forest. Unpublished memorandum [to HCP Project Director] dated March 1, 1995. Available at: Washington Department of Natural Resources, Habitat Conservation Plan Team, Olympia. 14 p.
- Wilhere, G. A., S. P. Horton, and N. S. Schumaker. [in preparation] Evaluating forest management plans for conserving the northern spotted owl on the Olympic Peninsula.
- Williams, J. E., J. E. Johnson, D. A. Hendrickson, et al. 1989. Fishes of North America endangered, threatened, or of special concern: 1989. Fisheries. v. 14, no. 6, p. 2-20.
- Winter, B. D. 1992. Determinate migratory behavior of steelhead (*Oncorhynchus mykiss*) parr. Ph.D. Dissertation, University of Washington, Seattle. 254 p.
- Winter, T. C. 1988. A conceptual framework for assessing cumulative impacts on the hydrology of nontidal wetlands. Environmental Management. v. 12, no. 5, p. 605-620.
- Wooldridge, D. D., and A. G. Larson. 1980. Non-point source pollution in forest streams of the western Olympic Mountains. University of Washington, College of Forest Resources, Seattle. 95 p.
- Wu, T. H., and D. N. Swanston. 1980. Risk of landslides in shallow soils and its relation to clearcutting in southeastern Alaska. Forest Science. v. 26, no. 3, p. 495-510.
- Wydoski, R. S., and R. R. Whitney. 1979. Inland fishes of Washington. University of Washington Press, Seattle. 220 p.
- Ziemer, R. R. 1981. Roots and the stability of forested slopes. In T. R. H. Davies, and A. J. Pearce, eds. Erosion and sediment transport in Pacific rim steeplands: proceedings of the Christchurch Symposium, January 1981. International Association of Hydrological Sciences, Washington, D.C. IAHS publication no. 132. p. 343-361.

Zillges, G. 1977. Methodology for determining Puget Sound coho escapement goals, escapement estimates, 1977 pre-season run size prediction and in-season run assessment. Washington Department of Fisheries, Olympia. Technical report 28. 65 p.

