

Washington State Department of Natural Resources

Olympic Experimental State Forest

CATALOG OF RESEARCH AND MONITORING

INVESTIGATIONS OF SPECIES HABITAT

June 2008



WASHINGTON STATE DEPARTMENT OF
Natural Resources

Mark Teply • OESF HCP Research and Monitoring Manager
Colin Phifer • OESF Database Coordinator

Investigations of Riparian Species Habitat

Federal Agencies

Pacific Salmon Commission

Pysht River Riparian Habitat Surveys

Haggerty, M., M. McHenry, and R. McCoy. 2006. Pysht River floodplain inventory and habitat assessment. Pacific Salmon Commission. Unpublished report.

Jones and Stokes Associates. 1991. Watershed characteristics and conditions inventory, Pysht River and Snow Creek watersheds. Washington State Department of Natural Resources. TFW-AM10-91-002.

US Bureau of Reclamation

Geomorphic Investigation of the Quinault River

U.S. Bureau of Reclamation. 2005. Geomorphic investigation of Quinault River, Washington, 18 km reach of Quinault River upstream from Lake Quinault. U.S. Department of Interior, Bureau of Reclamation. Unpublished report.

Geomorphic Investigations of the Hoh River

England, J.F., Jr. 2003. Flood frequency, flow duration, and precipitation analyses, Hoh River geomorphology investigation, Olympic Peninsula, Washington. U.S. Department of Interior, Bureau of Reclamation. Unpublished report.

Piety, L., J. Bountry, T. Randle, and E. Lyon. 2004. Geomorphic assessment of Hoh River in Washington State, Hoh River miles 17 to 40, Oxbow Canyon to Mount Tom Creek. U.S. Department of Interior, Bureau of Reclamation. Unpublished report.

Piety, L., J.A. Bountry, T.J. Randle, J.F. England, and E. Lyon. 2003. Geomorphic reach analysis of the Hoh River, Washington, interim report for river miles 20.8 to 25.5, reach 7. U.S. Department of Interior, Bureau of Reclamation. Unpublished report.

Mass-Wasting in the Upper Hoh Watershed

Lyon, E.W. and R.A. Link. 2003. Mass wasting in the Upper Hoh River watershed, Olympic National Park, interpreted from 1939 and 2001 aerial photography. U.S. Department of Interior, Bureau of Reclamation. Unpublished report.

Seasonal Variability of Selected Streams

Lieb, A. and T. Perry. 2005. Watershed conditions and seasonal variability for select streams within WRIA 20, Olympic Peninsula, Washington. U.S. Department of Interior, Bureau of Reclamation. Unpublished report.

US Fish and Wildlife Service, Pacific Region

Fish Passage and Barrier Assessment

Tschaekofske, H., D. Lantz, and B. Peck. 2004. Fish passage inventory and barrier assessment on U.S. Fish and Wildlife Service lands, WRIA's 1-23. U.S. Department of Interior, Fish and Wildlife Service, Western Washington Fish and Wildlife Office, Division of Fisheries and Division of Watershed Protection and Restoration. Unpublished report.

US Forest Service, Pacific Northwest Experiment Stations

Abundance and Production of Riparian Trees

Balian, E.V. and R.J. Naiman. 2005. Abundance and production of riparian trees in the lowland floodplain of the Queets River, Washington. *Ecosystems*. 8: 841-861.

Interactions Between Riparian Zones and Debris Flows

Thompson, J. 2006. Does wood slow down "sludge dragons?", the Interactions between riparian zones and debris flows in mountain landscapes. *PNW Science Findings*. 86.

Red Alder Site Quality Evaluation

Harrington, C.A. 1986. A method of site quality evaluation for red alder. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. PNW-GTR-192.

US Forest Service, Regional Ecosystem OfficeNWFP Watershed Conditions and Trends

Gallo, Kirsten, S.H. Lanigan, P. Eldred, S.N. Gordon, and C. Moyer. 2005. Northwest Forest Plan, the first 10 years (1994–2003), preliminary assessment of the condition of watersheds. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. PNW-GTR-647.

US Geological Survey, Water Science CenterFlow Characteristics of Olympic Coastal Streams

Haushild, W.L. and D.E. LaFrance. 1977. Low-flow characteristics of streams on the Olympic Peninsula, Washington. U.S. Department of Interior, United States Geological Survey, Water Science Center. 77-812.

Kresch, D.L. and T.C. Pierson. 1987. Flood hazard assessment of the Hoh River at Olympic National Park ranger station, Washington. U.S. Department of Interior, United States Geological Survey, Water Science Center. 86-4198.

National Water Information System (NWIS)

U.S. Geological Survey. On-going. Queets River (near Clearwater, WA). U.S. Department of Interior, United States Geological Survey, Water Science Center. Online database.

U.S. Geological Survey. On-going. Hoh River (near Forks, WA). U.S. Department of Interior, United States Geological Survey, Water Science Center. Online database.

U.S. Geological Survey. On-going. Calawah River (near Forks, WA). U.S. Department of Interior, United States Geological Survey, Water Science Center. Online database.

U.S. Geological Survey. On-going. Bogachiel Rive (near La Push, WA) . U.S. Department of Interior, United States Geological Survey, Water Science Center. Online database.

U.S. Geological Survey. On-going. Hoko River (near Sekiu, WA). U.S. Department of Interior, United States Geological Survey, Water Science Center. Online database.

U.S. Geological Survey. On-going. Quinault River (near Quinault Lake, WA). U.S. Department of Interior, United States Geological Survey, Water Science Center. Online database.

State Agencies***Washington State Department of Natural Resources, Land Management Division***Huelsdonk Ridge Stream Habitat Assessments

Logan, R.L., K.L. Kaler, and P.K. Bigelow. 1991. Prediction of sediment yield from tributary basins along Huelsdonk Ridge, Hoh River, Washington. Washington State Department of Natural Resources, Division of Geology and Earth Resources. Open file report 91-7.

Ryan, J.A. and C.L. Prigge. 1991. Hydrology and channel morphology of the Hoh River in the Huelsdonk Ridge area. Washington State Department of Natural Resources. Unpublished report.

Landslide Hazard Zonation Project

Benson, L.A. and J.D. Grizzel. 2007. Ozette Lake watershed landslide hazard zonation project, Clallam County, Washington. Washington State Department of Natural Resources, Land Management Division. Unpublished report.

Benson, L.A. and J.D. Grizzel. 2008. Mass wasting assessment for the Shale, Prairie, and Deception Creek basins, Lower Clearwater watershed administrative unit, Jefferson County, Washington. Washington State Department of Natural Resources, Land Management Division. Unpublished report.

Bilderback, E. and M. Brunengo. 2006. Kalaloch ridge landslide hazard zonation project, Jefferson County, Washington. Washington State Department of Natural Resources, Forest Practices Division. Unpublished report.

Hannell, C. 2003. Mass wasting and surface erosion inventory for the Middle Coast landscape, Olympic Peninsula, Washington. Washington State Department of Natural Resources. Unpublished report.

Slaughter, S. and J. Grizzel. 2007. Landslide inventory and associated landslide hazard zones for the Christmas Creek watershed, Lower Clearwater WAU, Jefferson County, Washington. Washington State Department of Natural Resources, Land Management Division. Unpublished report.

Slaughter, S.L. and J.D. Grizzel. 2007. Clallam River WAU landslide hazard zonation project. Washington State Department of Natural Resources, Forest Practices Division. Unpublished report.

Slaughter, S.L. and W. Lingley. 2006. Mass wasting assessment for the state land's Queets bocks, parts of Lower Queets River and Metheney Creek WAU's, Jefferson and Grays Harbors, Washington. Washington State Department of Natural Resources, Land Management Division. Unpublished report.

Washington State Department of EcologyContinuous Stream Temperature Monitoring

Washington State Department of Ecology. On-going. Continuous stream temperature monitoring. Washington State Department of Ecology. Online database.

Lake Water Quality Assessments

Coots, R. 2006. Quality assurance project plan: depositional history of mercury in selected Washington lakes determined from sediment cores. Washington State Department of Ecology. 06-03-113.

Furl, C. 2007. History of mercury in selected Washington lakes determined from age-dated sediment cores, 2006 sampling results. Washington State Department of Ecology. 07-03-019.

Jack, R. 2002. Quality assurance project plan, investigation of background concentrations of organic and inorganic arsenic in freshwater fish tissue in four Washington lakes. Washington State Department of Ecology. 02-03-075.

Jack, R. 2003. Investigation of background inorganic and organic arsenic in four Washington lakes. Washington State Department of Ecology. 03-03-024.

Johnson, A. and D. Norton. 1990. 1989 lakes and reservoir water quality assessment program, survey of chemical contaminants in ten Washington lakes. Washington State Department of Ecology. 90-e35.

Rector, J. and D. Hallock. 1991. Lake water quality assessment project, 1989. Washington State Department of Ecology. 91-60.

Smith, K., D. Hallock, and S. O'Neal. 2000. Water quality assessments of selected lakes within Washington State, 1998. Washington State Department of Ecology. 00-03-039.

River and Stream Ambient Monitoring

Hallock, D. 1979. Statewide river and stream ambient monitoring, pre-1980. Washington State Department of Ecology. Online database.

Hallock, D. 1987. Statewide river and stream ambient monitoring, 1980 to 1988. Washington State Department of Ecology. Online database.

Hallock, D. 1995. River and stream ambient monitoring report for water year 1994. Washington State Department of Ecology. 95-349.

Hallock, D. 1996. River and stream ambient monitoring report for water year 1995. Washington State Department of Ecology. 96-355.

Hallock, D. 1999. Statewide river and stream ambient monitoring for water year 1989 through water year 1999. Washington State Department of Ecology. Online database.

Hallock, D. 2001. River and stream ambient monitoring report for water year 2000. Washington State Department of Ecology. 01-03-042.

Hallock, D. and W. Ehinger. 1999. River and stream ambient monitoring report for water year 1997. Washington State Department of Ecology. 99-332.

Hallock, D., W. Ehinger, and B. Hopkins. 1998. River and stream ambient monitoring report for water year 1996. Washington State Department of Ecology. 98-317.

Watershed Briefing Papers

Johnson, A., G. Hoyle-Dodson, A. Larson, J. Newton, P.J. Pickett, and R. Plotnikoff. 1995. Watershed briefing paper for the western Olympic water quality management area. Washington State Department of Ecology. 95-351.

Norton, D., J. Newton, B. Carey, P. Marti, P. Pickett, S. Golding, W. Ehinger, J. Parsons, R. Plotnikoff, and K. Smith. 1997. Watershed briefing paper for the eastern Olympic watershed water quality management area. Washington State Department of Ecology. 97-336.

Washington State Department of Ecology, 2514 Watershed Planning

Biological Assessments of Coastal Streams

Merritt, G.D., B. Dickes, and J.S. White. 1999. Biological assessment of small streams in the coast range ecoregion and the Yakima River basin. Washington State Department of Ecology. 99-302.

Plotnikoff, R. 1998. Stream biological assessments (benthic macroinvertebrates) for watershed analysis, mid-Sol Duc River watershed assessment unit. Washington State Department of Ecology. 98-334.

Tetra Tech, Inc. 2005. Benthic index of biotic integrity sampling program field report. Clallam County Government. Unpublished report.

Instream Flow and Water Storage Studies

Brown, C. 2003. McDonald Creek irrigation inflow study. Washington State Department of Ecology. Unpublished report.

ESS Consulting, Inc. 2005. WRIA 19 instream flow studies. ESS Consulting, Inc. Unpublished report.

Golder Associates, Inc. 2005. Multi-purpose storage assessment, WRIA 20. Golder Associates, Inc. Unpublished report.

Tetra Tech, Inc. 2005. WRIA 20 multipurpose water storage study. Tetra Tech, Inc. Unpublished report.

Tetra Tech, Inc. 2005. WRIA 19 multipurpose water storage study. Tetra Tech, Inc. Unpublished report.

Watershed Plan Technical Assessment Reports

Golder Associates, Inc. 2005. WRIA 20 phase II technical assessment report, final report. Golder Associates, Inc. Unpublished report.

Hook, A. 2004. WRIA 20 technical assessment, level I water quality and habitat. Tulalip Indian Tribe. Unpublished report.

Washington State Department of Fish and Wildlife

Catalogs of Watershed Resource Inventory Areas

Washington Department of Fisheries. 1975. WRIA 21, Queets-Quinault Basin. Washington Department of Fisheries. Unpublished report.

Washington Department of Fisheries. 1975. WRIA 19, Lyre-Hoko Basin, River Mile Index. Washington Department of Fisheries. Unpublished report.

Washington Department of Fisheries. 1975. WRIA 19, Lyre-Hoko Basin. Washington Department of Fisheries. Unpublished report.

Washington Department of Fisheries. 1975. WRIA 21, Queets-Quinault Basin, River Mile Index. Washington Department of Fisheries. Unpublished report.

Washington Department of Fisheries. 1975. WRIA 20, Sol Duc-Hoh Basin. Washington Department of Fisheries. Unpublished report.

Washington Department of Fisheries. 1975. WRIA 20, Sol Duc-Hoh Basin, River Mile Index. Washington Department of Fisheries. Unpublished report.

Fish Passage Barrier Inventory

Washington State Department of Fish and Wildlife. 2007. Fish passage barrier inventory. Washington State Department of Fish and Wildlife. Web site.

Salmon and Steelhead Habitat Inventory and Assessment (SHIAP)

Johnson, D.H., N. Pittman, E. Wilder, J.A. Silver, R.W. Plotnikoff, B.C. Mason, K.K. Jones, P. Roger, T.A. O'Neil, and C. Barrett. 2001. Inventory and monitoring of salmon habitat in the Pacific Northwest, directory and synthesis of protocols for management/research and volunteers in Washington, Oregon, Idaho, Montana, and British Columbia. Washington State Department of Fish and Wildlife. Unpublished report.

Washington State Department of Fish and Wildlife. On-going. SSHIAP, salmon and steelhead habitat inventory and assessment program. Washington State Department of Fish and Wildlife. Web site.

Washington State Department of Fish and Wildlife. On-going. SalmonScape GIS mapping. Washington State Department of Fish and Wildlife. Web site.

Siltation in Stequaleho Creek

Deschamps, G. 1971. A report on siltation in Stequaleho Creek. Washington State Department of Fish and Wildlife. Unpublished report.

Washington State Department of Natural Resources, Forest Practices DivisionCharacteristics of Forested Wetlands

Cooke Scientific Services. 2005. Pacific northwest forested wetland literature survey synthesis paper. Cooperative Monitoring Evaluation and Research Committee, Wetland Scientific Advisory Group. CMER #4-406.

Washington State Department of Ecology. 2004. Forested wetland regeneration pilot study summary report. Cooperative Monitoring Evaluation and Research Committee, Wetland Scientific Advisory Group. CMER #03-303.

Effects of Dam Breaks on Stream Channels

Coho, C. and S.J. Burgess. 1994. Dam-break floods in low-order mountain channels. Timber, Fish and Wildlife. TFW-SH9-93-001.

Johnson, A. 1991. Effects of landslide-dam-break floods on channel morphology. Timber/Fish/Wildlife Cooperative Management, Evaluation, and Research Committee. TFW-SH17-91-001.

GIS-based Models of Shallow Landsliding

Shaw, S. and L.M. Vaugeois. 1999. Comparison of GIS-based models of shallow landsliding for application to watershed management. Timber/Fish/Wildlife Cooperative Management, Evaluation, and Research Committee. TFW-PR10-99-01.

Identifying the Extent of Fish Habitat

Conrad, R., B. Fransen, S. Duke, M. Liermann, and S. Needham. 2003. The development and assessment of the preliminary model for identifying fish habitat in western Washington. Timber/Fish/Wildlife Cooperative Management, Evaluation, and Research Committee. CMER #03-313.

Cupp, E. 2005. Water typing model field performance assessment pilot study. Timber/Fish/Wildlife Cooperative Management, Evaluation, and Research Committee. CMER #03-312.

Palmquist, R. 2005. Type N stream demarcation pilot study. Washington State Department of Natural Resources. Unpublished report.

Trotter, P. 2000. Headwater fishes and their uppermost habitats, a review as background for stream typing. Timber/Fish/Wildlife Cooperative Management, Evaluation, and Research Committee. TFW-ISAG1-00-001.

Salmon Spawning Habitat Characterizations

Schuett-Hames, D. and A. Pleus. 1996. Salmonid spawning habitat availability, a literature review and recommendations for a watershed analysis monitoring methodology. Timber, Fish and Wildlife. TFW-AM9-96-002.

Schuett-Hames, D., B. Conrad, and A. Pleus. 1996. Spawning gravel scour, a literature review and recommendations for a watershed analysis monitoring methodology. Timber, Fish and Wildlife. TFW-AM9-96-001.

Status and Trends of Instream Habitat

Ralph, S.C., T. Cardoso, G. Pool, L. Conquest, and R. Naiman. 1991. Status and trends of instream habitat in forested lands of Washington, TFW ambient monitoring project. Timber/Fish/Wildlife Cooperative Management, Evaluation, and Research Committee. TFW-AM9-91-002.

Stream Channel and Sediment Dynamics

Buffington, J. 1995. Effects of hydraulic roughness and sediment supply on surface textures of gravel-bedded rivers. Timber/Fish/Wildlife Cooperative Management, Evaluation, and Research Committee. TFW-SH10-95-002.

MacDonald, A. and K.W. Ritland. 1989. Sediment dynamics in type 4 and 5 waters, a review and synthesis. Washington State Department of Natural Resources. TFW-012-89-002.

O'Connor, M. 1994. Bedload transport and large organic debris in steep mountain streams in forested watersheds on the Olympic Peninsula, Washington. Timber/Fish/Wildlife Cooperative Management, Evaluation, and Research Committee. TFW-SH7-94-001.

Stream Temperature Regimes in Washington

Caldwell, J., K. Doughty, and K. Sullivan. 1991. Evaluation of downstream temperature effects of type 4/5 waters. Timber/Fish/Wildlife Cooperative Management, Evaluation, and Research Committee. TFW-WQ5-91-004.

Timber/Fish/Wildlife Temperature Work Group. 1990. Evaluation of prediction models and characterization of stream temperature regimes in Washington. Timber, Fish and Wildlife. TFW-WQ3-90-006.

County Governments

Clallam County, Washington

Watershed and Stream Habitat Characterizations

Clallam County. 2007. Watershed map of Clallam County. Clallam County Government. Online database.

Haggerty, M. 2007. Habitat characterization of the Clallam River mainstem. Haggerty Consulting. Unpublished report.

Miller, J. 2007. Watershed characterization and risk assessment of selected watersheds. Clallam County Government. Personal communication.

Shindler, T. 2007. Hydro modeling with Clallam County LiDAR. Clallam County Government. Unpublished report.

Streamkeepers of Clallam County. 2004. State of the waters of Clallam County, 2004, a report on the health of our streams and watersheds. Clallam County Department of Community Development. Unpublished report.

Tribal Governments

Hoh Indian Tribe

Hoh Watershed Habitat Monitoring

Silver, J.A. 2005. Hoh watershed monitoring QAPP report. 10,000 Year Institute. Unpublished report.

Lower Hoh River Channel Characterizations

Herrera, Inc. 2002. Reach analysis, Hoh River in the vicinity of U.S. Highway 101, MP 176.6 to MP 170.2. Hoh Indian Tribe. Unpublished report.

Perkins, S.J. 2004. Lower Hoh River channel migration study. Perkins Geosciences. Unpublished report.

Middle Hoh Perennial Initiation Point Survey

Haggerty, M. 2003. Middle Hoh WAU perennial initiation point study. Northwest Indian Fisheries Commission and Hoh Indian Tribe. Unpublished report.

Wetland Inventory and Tree Growth Rates

Cooke Scientific Services. 1998. Wetland inventory, Middle Hoh River watershed, Jefferson County, Washington. Cooke Scientific Services. Unpublished report.

Cooke Scientific Services. 2001. A quantification of some wetland tree growth rates in the Lower and Middle Hoh River watersheds, Jefferson County, Washington. Cooke Scientific Services. Unpublished report.

Northwest Indian Fisheries Commission

Coordinated Tribal Water Quality Program

Northwest Indian Fisheries Commission. 2004. Coordinated tribal water quality program. Northwest Indian Fisheries Commission. Unpublished report.

Northwest Indian Fisheries Commission. 2007. Integrated natural resource database. Northwest Indian Fisheries Commission. Online database.

Riparian Disturbance Regimes

Northwest Indian Fisheries Commission. 2007. Riparian disturbance regime literature review. Northwest Indian Fisheries Commission. Online database.

TFW Habitat Monitoring Program

Northwest Indian Fisheries Commission. 2007. TFW monitoring program database. Northwest Indian Fisheries Commission. Online database.

Pleus, A. 1998. TFW monitoring program, method manual for wadable stream discharge measurement. Northwest Indian Fisheries Commission. TFW-AM9-99-009.

- Pleus, A. and D. Schuett-Hames. 1998. TFW monitoring program, method manual for reference point survey. Northwest Indian Fisheries Commission. TFW-AM9-98-002.
- Pleus, A. and D. Schuett-Hames. 1999. TFW monitoring program, method manual for the habitat unit survey. Northwest Indian Fisheries Commission. TFW-AM9-99-003.
- Pleus, A. and D. Schuett-Hames. 1999. TFW monitoring program, method manual for stream survey identifications surveys. Northwest Indian Fisheries Commission. TFW-AM9-98-001.
- Schuett-Hames, D, A. Pleus, and D. Smith. 1999. TFW monitoring program, method manual for the salmonid spawning habitat availability survey. Northwest Indian Fisheries Commission. TFW-AM9-99-007.
- Schuett-Hames, D, A. Pleus, E. Rashin, and J. Matthews. 1999. TFW monitoring program, method manual for stream temperature surveys. Northwest Indian Fisheries Commission. TFW-AM9-99-005.
- Schuett-Hames, D, R. Conrad, A. Pleus, and K. Lautz. 1999. TFW monitoring program, method manual for the salmonid spawning gravel scour surveys. Northwest Indian Fisheries Commission. TFW-AM9-99-008.
- Schuett-Hames, D, R. Conrad, A. Pleus, and M. McHenry. 1999. TFW monitoring program, method manual for the salmonid spawning gravel composition surveys. Northwest Indian Fisheries Commission. TFW-AM9-99-006.
- Schuett-Hames, D., A. Pleus, J. Ward, M. Fox, and J. Light. 1999. TFW monitoring program, method manual for the large woody debris survey. Northwest Indian Fisheries Commission. TFW-AM9-99-004.
- Smith, D. 1998. TFW monitoring program, method manual for riparian stand survey. Northwest Indian Fisheries Commission. Unpublished report.

Quileute Indian Tribe

Biocriteria Monitoring in the Quileute System

- Geyer, F. 1998. Biocriteria monitoring in the Sol Duc River watershed. Quileute Indian Tribe. Personal communication.
- Geyer, F. 1998. Biocriteria monitoring in the Dickey River watershed. Quileute Indian Tribe. Personal communication.

Knotweed Mapping in the Quileute River System

- Krueger, K. 2007. Knotweed mapping in the Quileute River system. Quileute Indian Tribe. Personal communication.

Water Quality Sampling in the Quileute River

- Geyer, F. 2003. Water quality sampling in the Quilayute River, 2002-2003. Quileute Indian Tribe. Personal communication.

Wetland Mapping in the Dickey River Watershed

- Geyer, F. 1998. Wetland mapping in the Dickey River watershed, 1997-1998. Quileute Indian Tribe. Personal communication.

Non-Government Organizations***10,000 Year Institute***Coarse Sediment Storage in Headwaters

Sampson, J.R., G.C. Ward, M.M. Pollock, and J. Silver. 2003. Storage of coarse sediment by large wood in steep headwaters of the Hoh River, Washington. 10,000 Year Institute. Headwater Streams Conference, Oregon State University, Corvallis, OR.

Academic Institutions***The Evergreen State College***Variability in Salmon Habitat Identification

Pleus, A. 1995. Variability associated with salmon habitat identification and water surface area measurements. The Evergreen State College. Master's thesis.

University of WashingtonBiogeochemistry of Floodplain Soils

Bechtold, J.S., and R.J. Naiman. 2006. Soil texture and nitrogen mineralization potential across a riparian toposequence in a semi-arid savanna. *Soil Biology & Biochemistry*. 38: 1325-1333.

Bechtold, J.S., R.T. Edwards, and R.J. Naiman. 2003. Biotic versus hydrologic control over seasonal nitrate leaching in a floodplain forest. *Biogeochemistry*. 63: 53-72.

Bechtold, S. 2000. Seasonal and succesional controls on nitrate leaching from a floodplain forest. University of Washington. Master's thesis.

Décamps, H., G. Pinay, and R.J. Naiman. 2001. Riparian zones: where biogeochemistry meets biodiversity in management practice. *Polish Journal of Ecology*. 52: 3-18.

Pinay, G., H. Décamps, and R.J. Naiman. 1999. The spiralling concept and nitrogen cycling in large river floodplain soils. *T. Archiv fur Hydrobiologie Supplement*. 115(3): 281-291.

Changes in Large Woody Debris Over Time

McHenry, M.L., E. Shott, R.H. Conrad, and G.B. Grette. 1998. Changes in the quantity and characteristics of large woody debris in streams of the Olympic Peninsula, Washington, U.S.A., 1982-1993. *Canadian Journal of Fisheries and Aquatic Sciences*. 55: 1395-1407.

Channel Initiation in Headwater Streams

Brummer, C. On-going. Morphological indicators of downstream transitions in headwater channels. University of Washington. Doctoral dissertation.

Jaeger, K. 2004. Channel-initiation and surface water expression in headwater streams of different lithology. University of Washington. Master's thesis.

Jaeger, K.D., R. Montgomer, and S. M. Bolton. 2007. Channel and perennial flow initiation in headwater stream. *Environmental Management*. 40: 775-786.

Jones, R.P. 1994. Channel morphology and habitat for Pacific salmon in a headwater stream following timber harvest, Olympic Peninsula, Washington. University of Washington. Master's thesis.

Chemical Composition of Forested Streams

Larson, A.G. 1979. Origin of the chemical composition of undisturbed forested streams, western Olympic Peninsula, Washington State. University of Washington. Doctoral dissertation.

Ecological Integrity of Semi-Aquatic Terrestrial Environments

Innis, S., R.J. Naiman, and S.R. Elliott. 2000. Indicators and assessment methods for measuring the ecological integrity of semi-aquatic terrestrial environments. *Hydrobiologia*. 422/423: 111-131.

Heterogeneity in Stream Ecosystems

Naiman, R.J. and E.C. Anderson. 1997. Streams and rivers: their physical and biological variability. Pages 131-148 in P.K. Schoonmaker, B. von Hagen, and E.C. Wolf (editors). *The Rain Forests of Home: Profile of a North American Bioregion*. Island Press, Washington, D.C.

Naiman, R.J., J.J. Latterell, N.E. Pettit, and J.D. Olden. 2007. Flow variability and the biophysical vitality of river systems. *Comptes Rendus Geosciences*. In-press.

Naiman, R.J., J.S. Bechtold, D. Drake, J.J. Latterell, T.C. O'Keefe, and E.A. Balian. 2005. Origins, patterns and importance of heterogeneity in riparian systems. Pages 279-309 in G. Lovett, M. G. Turner, and K. C. Weathers (editors). *Ecosystem Function in Heterogeneous Landscapes*. Springer-Verlag, New York, NY, USA.

Invasive Plants in Riparian Ecosystems

DeFerrari, C. and R.J. Naiman. 1994. A multiscale assessment of exotic plants on the Olympic Peninsula, Washington. *Journal of Vegetation Science*. 5: 247-258.

Hood, W.G. and R.J. Naiman. 2000. Vulnerability of riparian zones to invasion by exotic vascular plants. *Plant Ecology*. 148: 105-114.

Planty-Tabacchi, A., E. Tabacchi, R.J. Naiman, C. Deferrari, and H. Decamps. 1996. Invasibility of species-rich communities in riparian zones. *Conservation Biology*. 10(2): 598-607.

Large Woody Debris and Stream Channel Interactions

Abbe, T. 1999. Patterns, mechanics, and geomorphic effects of wood debris accumulations in a forest river system. University of Washington. Doctoral dissertation.

Abbe, T.B. and D.R. Montgomery. 1996. Large woody debris jams, channel hydraulics, and habitat formation in large rivers. *Regulated Rivers: Research and Management*. 12: 201-221.

Abbe, T.B. and D.R. Montgomery. 2003. Patterns and processes of wood debris accumulation in the Queets River Basin, Washington. *Geomorphology*. 51: 81-107.

Fetherston, K.L., R.J. Naiman and R.E. Bilby. 1995. Large woody debris, physical process, and riparian forest development in montane river networks of the Pacific Northwest. *Geomorphology*. 13: 133-144.

Fox, M. 2003. Spatial organization, position, and source characteristics of large woody debris in natural systems. University of Washington. Doctoral dissertation.

Hyatt, T. 1998. The residence time of large woody debris in the Queets River, Washington. University of Washington. Master's thesis.

Hyatt, T.L. and R.J. Naiman. 2001. The residence time of large woody debris in the Queets River, Washington. *Ecological Applications*. 11(1): 191-202.

Latterell, J.J. and R.J. Naiman. 2007. Sources and dynamics of large logs in a temperate floodplain river. *Ecological Applications*. 17(4): 1127-1141.

Latterell, J.J., J.S. Bechtold, T.C. O'Keefe, R. Van Pelt, and R.J. Naiman. 2007. Dynamic patch mosaics and channel movement in an unconfined river valley of the Olympic Mountains. *Freshwater Biology*. 52(1): 523-544.

Montgomery, D.R. and T.B. Abbe. 2006. Influence of logjam-formed hard points on the formation of valley-bottom landforms in an old-growth forest valley, Queets River, Washington, USA. *Quaternary Research*. 65(1): 147-155.

O'Connor, J.E., M.A. Jones, and T.L. Haluska. 2003. Floodplain and channel dynamics of the Quinault and Queets Rivers, Washington, U.S.A. *Geomorphology*. 51: 31-59.

Swanson, F.J. and G.W. Lienkaemper. 1982. Interactions among fluvial processes, forest vegetation, and aquatic ecosystems, South Fork Hoh River, Olympic National Park. Pages 30-34 in E.E. Starkey, J.F. Franklin, and J.W. Matthews, editors. *Ecological Research in National Parks of the Pacific Northwest, Proceedings from Second Conference on Scientific Research in the National Parks*. San Francisco, CA, USA.

Microclimate in Riparian Forest Ecosystems

Chen, J., S. Saunders, T. Crow, R.J. Naiman, K. Brosofske, G. Mroz, B. Brookshire, and J.F. Franklin. 1999. Microclimate in forest ecosystem and landscape ecology. *BioScience*. 49: 288-297.

Misc. Investigations of Unstable Hillslopes

Gerstel, W. 1999. Landslide inventory of the west-central Olympic Peninsula. Washington State Department of Natural Resources, Geology and Earth Resources. Open file report 99-2.

Gerstel, W. 2000. Geologic map of the Forks 1:100,000 quadrangle, Washington. Washington State Department of Natural Resources, Geology and Earth Resources. Open file report 2000-4.

Gerstel, W. 2004. Groundwater monitoring report, Kalaloch, Olympic Region, Washington. Washington State Department of Natural Resources. Handout for services meeting 2004.

Krogstad, F. 1995. A physiology and ecology based model of lateral root reinforcement of unstable hillslopes. University of Washington. Master's thesis.

OESF Watershed Assessment Procedures

Comnick, J. and D. Christiansen. 2006. Watershed analysis on the OESF, a methodology integrating GIS and forest inventory. University of Washington, Olympic Natural Resources Center. Unpublished report.

Hurvitz, P.M. 2001. The CARMA analyst: an Arcview 3.2 extension for riparian management zone quantification for stream shading and large woody debris modeling. University of Washington. Unpublished report.

Intelmean, S.S. and D.L. Peterson. 2001. Evaluation of a knowledge-based decision support system as an adaptive management tool in Washington State. University of Washington. Unpublished report.

Riparian Litterfall and Instream Organic Matter

Cory, R.M., S.A. Green, and K.S. Pregitzer. 2004. Dissolved organic matter concentration and composition in the forests and streams of Olympic National Park, Washington. *Biogeochemistry*. 67: 269-288.

O'Keefe, T. C. and R.J. Naiman. 2006. The influence of forest structure on riparian litterfall in a Pacific Coastal rain forest. *Canadian Journal of Forest Research*. 36: 2852-2863.

Riparian Zones and Hyporeic Interactions

Clinton, S. M., R. T. Edwards, and R. J. Naiman. 2002. Forest-river interactions: influence on hyporheic dissolved organic carbon concentrations in a floodplain forest. *Journal of the American Water Resources Association*. 38: 619-631.

Clinton, S.M. and R.T. Edwards. 2000. Hyporheic flows in a riparian terrace of a coastal temperate rainforest river. *American Water Resources Association*. Pages 173-178 in *Proceedings of the International Riparian Conference, American Water Resources Association*.

Coe, T. 2001. Contrasting discharge patterns, juvenile salmonid use, and fish community structure in off-channel floodplain habitats, Queets River, Washington. University of Washington. Master's thesis.

Décamps, H., R.J. Naiman, and M.C. McClain. 2007. Riparian zones. In G. Likens (Editor in Chief). *Encyclopedia of Inland Waters*. Elsevier, New York.

Décamps, H., R.J. Naiman, and M.C. McClain. 2007. Riparian systems as zones of pervasive anthropogenic stress. In, D. Arizpe, A. Mendes and J. Rabaça (editors). *Sustainable riparian zones: a management guide*.

Edwards, R.T. 1998. The hyporheic zone. Pages 399-429, in R.J. Naiman and R.E. Bilby (editors). *River Ecology and Management: Lessons from the Pacific Coastal Ecoregion*. Springer-Verlag, New York.

Fevold, K. 1998. Sub-surface controls on the distribution of benthic algae in floodplain back channel habitats of the Queets River. University of Washington. Master's thesis.

Naiman, R.J., and H. Décamps. 1997. The ecology of interfaces - riparian zones. *Annual Review of Ecology and Systematics*. 28: 621-658.

Naiman, R.J., S.R. Elliott, J.M. Helfield, and T.C. O'Keefe. 1999. Biophysical influences on the structure and dynamics of riverine communities: some new perspectives in stream ecology. *Hydrobiologia*. 410: 79-86.

Ritzenthaler, E. 1998. Biogeochemistry and hydrology of a forested floodplain backchannel: riparian and hyporheic interactions. University of Washington. Master's thesis.

Role of Red Alder in Riparian Nutrient Dynamics

Kiffney, P.M., C.J. Volk, T. Beechie, G. Murray, G. Pess, and R. Edmonds. 2003. Role of riparian red alder (*Alnus rubra*) in the nutrient dynamics of coastal streams of the Olympic Peninsula, Washington, U.S.A. *American Fisheries Society*. 34: 213-225.

Volk, C. 2005. Nutrient and biological responses to red alder (*Alnus rubra*) presence along headwater streams: Olympic Peninsula, Washington. University of Washington. Doctoral dissertation.

Sediment Transport in Steep Tributary Streams

O'Connor, M. 1993. Bedload transport processes in steep tributary streams, Olympic Peninsula, Washington, U.S.A. University of Mississippi. Pages 243-250 in S.S.Y. Wang, editors. Advances in Hydro-Science and Engineering.

O'Connor, M. 1994. Sediment transport in steep tributary streams and the influence of large organic debris. University of Washington. Doctoral dissertation.

Structural Development of Riparian Stands

Balian, E.V. 2001. Stem production dynamics of dominant riparian trees in the Queets River valley, Washington. University of Washington. Master's thesis.

Balian, E.V. and R.J. Naiman. 2005. Abundance and production of riparian trees in the lowland floodplain of the Queets River, Washington. *Ecosystems*. 8(7): 841-861.

Kiffney, P.M., C.J. Volk, T.J. Beechie, G.L. Murray, G.R. Pess, and R.L. Edmonds. 2004. A rare disturbance event alters community and ecosystem properties in West Twin Creek, Olympic National Park, Washington. *American Midland Naturalist*. 152: 268-303.

Somers, D. 1995. The influence of stream valley landform on riparian forest composition in Hoh River tributaries, Washington. University of Washington. Master's thesis.

Van Pelt, R., T.C. O'Keefe, J.J. Latterell, R.J. Naiman. 2005. Structural development and stand evolution of riparian forests along the Queets River, Washington. *Ecology Monograph*. In-press.

Wood Accumulation Influence on Channel Migration Zones

Brummer, C.J., T.B. Abbe, J.R. Sampson, and D.R. Montgomery. 2006. Influence of verticle channel change associated with wood accumulations on delineating channel migration zones, Washington, U.S.A. *Geomorphology*. 80: 295-309.

Western Washington University

Forest Succession on River Terraces

Fonda, R.W. 1974. Forest succession in relation to river terrace development in Olympic National Park, Washington. *Ecology*. 55: 927-942.

Nitrogen Accumulation in Red Alder Communities

Luken, J.O. and R.W. Fonda. 1983. Nitrogen accumulation in a chronosequence of red alder communities along the Hoh River, Olympic National Park, Washington. *Canadian Journal of Forest Research*. 13: 1228-1237.

Independent Consultants

Earth Systems Institute

Stream Channel Network Dynamics

Benda, L., C. Veldhuisen, and B. Black. 2003. Tributary confluences, debris flows, and channel morphology, Olympic Peninsula, Washington. *Geological Society of America Bulletin*. 115: 1110-1121.

Benda, L., C. Veldhuisen, and J. Black. 2003. Debris flows as agents of morphological heterogeneity at low-order confluences, Olympic Mountains, Washington. *Geological Society American Bulletin*. 115(9): 1110-1121.

Benda, L., K. Andras, D. Miller, and P. Bigelow. 2004. Confluence effects in rivers: interactions of basin scale, network geometry, and disturbance. *Water Resource Research*. 40.

Benda, L., N.L. Poff, D. Miller, T. Dunne, G. Reeves, G. Pess, and M. Pollock. 2004. The network dynamics hypothesis: how channel networks structure riverine habitats. *Bioscience*. 54(5): 413-427.

Research Cooperatives

Hardwood Silviculture Cooperative

Red Alder Taper and Volume Equations

Bluhm, A.A., S.M. Garber and D.E. Hibbs. 2007. Taper and volume equations for managed red alder. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. PNW-GTR-735.

Hibbs, D.D., A.A. Bluhm and S.M. Garber. 2007. Stem taper and volume of managed red alder. *Western Journal of Applied Forestry*. 22: 61-66.

National Council for Air and Stream Improvement

Dynamics of Coarse Woody Debris

National Council for Air and Stream Improvement. 2004. Dynamics of coarse woody debris in North American forests: a literature review. National Council for Air and Stream Improvement. Technical Bulletin No. 0877.

Sobota, D.J. and S.V. Gregory. 2003. Riparian tree fall patterns and wood depletion in forested streams of the Pacific Northwest. National Council for Air and Stream Improvement. Unpublished report.

Headwaters and Landslides Literature Reviews

National Council for Air and Stream Improvement. 1985. Catalog of landslide inventories for the northwest. National Council for Air and Stream Improvement. Technical Bulletin No. 0456.

National Council for Air and Stream Improvement. 2001. Literature reviews for the NCASI headwater streams project. National Council for Air and Stream Improvement. Unpublished report.

Variation in Instream Nutrient Concentrations

National Council for Air and Stream Improvement. 2001. Patterns and processes of variation in nitrogen and phosphorus concentrations in forested streams. National Council for Air and Stream Improvement. Technical Bulletin No. 0836.

Investigations of Spotted Owl Habitat

Federal Agencies

National Park Service, Olympic National Park

Small Mammal Monitoring in Olympic National Park

Happe, P. On-going. Small mammal monitoring in Olympic National Park. U.S. Department of Interior, National Parks Service, Olympic National Park. Personal communication.

US Geological Survey, Forest and Range Ecosystem Science Center

Northern Spotted Owl Prey in Olympic National Park

Hutten, M., A. Woodward, and K. Hutten. 2005. Inventory of the mosses, liverworts, and lichens of Olympic National Park, Washington. U.S. Department of Interior, United States Geological Survey, Forest and Rangeland Ecosystem Science Center. Geological survey scientific investigations report 2005-5240.

Hutten, M., K. Hutten, and A. Woodward. 2001. 101 common mosses, liverworts, and lichens of the Olympic Peninsula. U.S. Department of Interior, United States Geological Survey, Forest and Rangeland Ecosystem Science Center. Catalog No: 1051.

Jenkins, K., S.L. Roberts, and D.E. Seaman. 2005. Monitoring small mammal populations in coniferous forest ecosystems of Olympic National Park, preliminary assessment. U.S. Department of Interior, United States Geological Survey, Forest and Rangeland Ecosystem Science Center. Unpublished report.

O'Dell, T.E., J.F. Ammirati, and E.G. Schreiner. 1999. Species richness and abundance of ectomycorrhizal basidiomycete sporocarps on a moisture gradient in the Tsuga heterophylla zone. Canadian Journal of Botany. 77(12): 1699-1711.

O'Dell, T.E., J.M. Trappe, N.S. Weber, and E.G. Schreiner. 1992. Fungal diversity in Olympic National Park. Northwest Environmental Journal. 8(1): 170-172.

Taulman, J.F. and D.E. Seaman. 2000. Assessing southern flying squirrel, *Glaucomys volans*, habitat selection with kernel home range estimation and GIS. Canadian Field Naturalist. 114(4): 591-600.

State Agencies

Washington State Department of Fish and Wildlife

Spotted Owl Habitat on Non-Federal Lands

Buchanan, J.B., B.L. Cosentino, and S. Snyder. 2005. An assessment of spotted owl habitat on non-federal lands in Washington between 1996 and 2004. Washington State Department of Fish and Wildlife. Unpublished report.

Academic Institutions

Oregon State University

Nutrient Content and Decay of Dead Boles

Graham, R.L. and K. Cromack, Jr. 1982. Mass nutrient content and decay rate of dead boles in a rain forest in Olympic National Park. Canadian Journal of Forest Research. 12: 511-521.

University of WashingtonCoarse Woody Debris Nutrient Dynamics

Edmonds, R.L. and D.S. Lebo. 1998. Diversity, production, and nutrient dynamics of fungal sporocarps on logs in an old-growth temperate rain forest, Olympic National Park, Washington. *Canadian Journal of Forest Research*. 28: 665-673.

Edmonds, R.L. and G.L.D. Murray. 2002. Overstory litter inputs and nutrient returns in an old-growth temperate forest ecosystem, Olympic National Park, Washington. *Canadian Journal of Forest Research*. 28: 742-750.

Edmonds, R.L. and R.D. Blew. 1997. Trends in precipitation and stream chemistry in a pristine old-growth forest watershed, Olympic National Park, Washington. *Journal of the American Water Resources Association*. 33(4): 781-793.

Edmonds, R.L., T.B. Thomas, and K.P. Maybury. 1992. Tree population dynamics, growth, and mortality in old-growth forests in the western Olympic Mountains, Washington. *Canadian Journal of Forest Research*. 23: 512-519.

Edmonds, R.L., T.B. Thomas, and K.P. Thomas. 1995. Biogeochemistry of an old-growth forested watershed, Olympic National Park, Washington. *Journal of the American Water Resources Association*. 31(3): 409-419.

Marra, J.L. and R.L. Edmonds. 1994. Coarse woody debris and forest floor respiration in an old-growth coniferous forest on the Olympic Peninsula, Washington, U.S.A. *Canadian Journal of Forest Research*. 24(9): 1811-1817.

Thomas, T.B. and R.L. Edmonds. 1990. Nutrient cycling in a temperate old-growth rain forest, Hoh River, Washington. *Northwest Environmental Journal*. 6(2): 436-438.

Trudell, S.A., P.T. Rygielwicz, and R.L. Edmonds. 2003. Nitrogen and carbon stable isotope abundances support the myco-heterotrophic nature and host-specificity of certain achlorophyllous plants. *New Phytologist*. 160: 391-401.

Northern Spotted Owl Habitat Classification

Cross, J., J. Cornick, and C. Oliver. 2006. Identifying northern spotted owl habitat on the Olympic Experimental State Forest, applying fuzzy set theory to reduce type II errors. University of Washington, Olympic Natural Resources Center. Unpublished report.

Investigations of Other Species Habitat

Federal Agencies

US Geological Survey, Forest and Range Ecosystem Science Center

Wolf Prey Base in Olympic National Park

Jenkins, K.J., P.J. Happe, K. Beirne, and K. Fieberg. 1999. Wolf prey base studies in Olympic National Park, Washington, final report. U.S. Department of Interior, United States Geological Survey, Forest and Rangeland Ecosystem Science Center. FWS agreement no. 1448-13410-98-N007.

State Agencies

Washington State Department of Natural Resources, Forest Practices Division

Characterization of Wildlife Habitat

Washington State Department of Fish and Wildlife. 1988. Characterization of riparian management zones and upland management areas with respect to wildlife habitat, 1988 field report. Timber/Fish/Wildlife Cooperative Management, Evaluation, and Research Committee. TFW-003-88-001.

Washington State Department of Fish and Wildlife. 1989. Characterization of riparian management zones and upland management areas with respect to wildlife habitat, 1989 field report. Timber/Fish/Wildlife Cooperative Management, Evaluation, and Research Committee. TFW-003-90-003.

Washington State Department of Fish and Wildlife. 1990. Characterization of riparian management zones and upland management areas with respect to wildlife habitat, data documentation. Timber/Fish/Wildlife Cooperative Management, Evaluation, and Research Committee. TFW-WL1-91-003.

Washington State Department of Fish and Wildlife. 1990. Characterization of riparian management zones and upland management areas with respect to wildlife habitat, 1988-90 cumulative report. Timber/Fish/Wildlife Cooperative Management, Evaluation, and Research Committee. TFW-WL1-91-001.