

TIMBER NOTICE OF SALE

SALE NAME: *LIKE IKE VRH & VDT*

AGREEMENT NO: *30-092211*

AUCTION: February 24, 2016 starting at 10:00 a.m., **COUNTY:** Skagit
Northwest Region Office, Sedro Woolley, WA

SALE LOCATION: Sale located approximately 5 miles northeast of Arlington, WA.

**PRODUCTS SOLD
AND SALE AREA:**

All timber bounded by white timber sale boundary tags and adjacent young stands, except trees marked with blue paint on the bole and root collar, forest products tagged out by yellow leave tree area tags and cedar snags, preexisting dead and down cedar trees and cedar logs in Unit #1 and #3.

All timber bounded by white timber sale boundary tags, adjacent young stands and ST-1614 Road, except trees marked with blue paint on the bole and root collar, forest products tagged out by yellow leave tree area tags and cedar snags, preexisting dead and down cedar trees and cedar logs in Unit #2.

All timber bounded by white timber sale boundary tags and adjacent young stands, except trees marked with blue paint on the bole and root collar, forest products tagged out by yellow leave tree area tags, forest products tagged out by blue special management tags and cedar snags, preexisting dead and down cedar trees and cedar logs in Unit #4.

All timber as described for removal in Schedule B in the WMZ Thinning area, beyond blue special management tags and up to the white timber sale boundary tags, in Unit #4.

All timber bounded by white timber sale boundary tags and ST-1614 Road, except trees marked with blue paint on the bole and root collar, forest products tagged out by yellow leave tree area tags and cedar snags, preexisting dead and down cedar trees and cedar logs in Unit #5.

All timber bounded by orange right of way tags, except that title to the timber within the right of way tags is not conveyed to the Purchaser unless the road segment is actually constructed, except timber as described for removal in Schedule B.

The above described products on part(s) of Sections 30 and 31 all in Township 33 North, Range 6 East, Sections 25, 26 and 36 all in Township 33 North, Range 5 East, W.M., containing 171 acres, more or less.

CERTIFICATION: This sale is certified under the Sustainable Forestry Initiative® program Standard (cert no: BV-SFIS-US09000572)

ESTIMATED SALE VOLUMES AND QUALITY:

Species	Avg DBH	Ring Count	Total MBF	MBF by Grade								
				1P	2P	3P	SM	1S	2S	3S	4S	UT
Hemlock	17	8	5,632						3,028	2,071	509	24
Red cedar	20		1,153							982	171	
Douglas fir	20	8	767			36			584	105	41	1
Silver fir	21		125						83	36	6	
Red alder	19		78						25	8	41	4
Maple	19		11						4		3	4
Sale Total			7,766									

TIMBER NOTICE OF SALE

MINIMUM BID:	\$2,117,000.00	BID METHOD:	Sealed Bids
PERFORMANCE SECURITY:	\$100,000.00	SALE TYPE:	Lump Sum
EXPIRATION DATE:	March 31, 2018	ALLOCATION:	Export Restricted
BID DEPOSIT:	\$211,700.00 or Bid Bond. Said deposit shall constitute an opening bid at the appraised price.		
HARVEST METHOD:	Cable; cable or shovel on sustained slopes 35% or less. Falling and Yarding will not be permitted from November 1 to March 31 unless authorized in writing by the Contract Administrator (THIS PERTAINS TO GROUND-BASED EQUIPMENT ONLY) to reduce soil damage and erosion.		
	Additional restrictions apply, see Remarks section below.		
ROADS:	26.20 stations of required construction. 192.97 stations of required reconstruction. 38.74 stations of optional construction. 0.30 stations of optional reconstruction. 81.01 stations of existing road to be abandoned. 38.74 stations of road to be abandoned if built.		
	Rock may be obtained from the following source(s) on State land at no charge to the Purchaser: CN-2006-0101 Pit at station 6+40 of the CN-2006-01 Road. ST-1624 Pit at station 126+70 of the ST-16 Road.		
	Development of existing rock source(s) will involve clearing, stripping, drilling, shooting, and processing rock to generate riprap and 3-inch-minus ballast.		
	An estimated total quantity of rock needed for this proposal: 275 cubic yards of riprap and 7,450 cubic yards of ballast rock.		
	In addition, a stockpile of 1,000 cubic yards of 1 ½-inch-minus crushed surfacing rock is available at station 6+40 of the CN-2006+01 Road and may be used for road reconstruction only.		
	Road construction, road reconstruction, road abandonment, and the hauling of rock will not be permitted from November 1 to March 31 unless authorized in writing by the Contract Administrator to reduce soil damage and siltation. The hauling of forest products will not be permitted from November 1 to March 31 unless authorized in writing by the Contract Administrator to reduce soil damage and siltation.		
ACREAGE DETERMINATION			
CRUISE METHOD:	Acres determined by GPS traverse. 176.0 acres gross. 3.7 acres deducted for green tree retention clumps and 1.7 acres deducted for existing road. 170.6 acres net. Cruised using variable plot method. Expansion factor used is 40.00 and 62.5. Sighting height is 4.5 feet. A total of 118 plots were taken.		
	Shapefiles of units are available upon request.		
FEES:	\$137,846.50 is due on day of sale. \$9.00 per MBF is due upon removal. These are in addition to the bid price.		
SPECIAL REMARKS:	1. Cutting and yarding in the WMZ thinning areas shall not be permitted during the bark slippage season unless authorized in writing by the Contract Administrator. This season is estimated to run from April 1 to July 15 but may vary depending on weather		

TIMBER NOTICE OF SALE

conditions. If permission is granted to operate during the bark slippage season the purchaser shall be required to provide a plan outlining mitigation measures.

2. Outer boundary of harvest area in WMZ thinning areas is demarcated with blue special management tags within the sale area.


3. HQ DF noted within the sale area. See cruise for further details (approximately 99 mbf of the above listed DF 2S is deemed high quality by the Department).

4. Redcedar poles were noted within Unit #5. No formal cruise was conducted for cedar poles.

TIMBER SALE MAP

SALE NAME: Like Ike
AGREEMENT#: 30-092211
TOWNSHIP(S): T33R06E, T33R05E
TRUST(S): State Forest Transfer (1), Common School (3), Agricultural School (4), Normal School (8)

REGION: Northwest
COUNTY(S): Skagit
ELEVATION RGE: 800'-2660'



Harvest Area~ 171 Acres
Approximately:
 Unit 1: 67.5
 Unit 2: 25.0
 Unit 3: 4.6
 Unit 4: 12.3
 Unit 5: 55.5
Total VRH acres:
 Approx. ~164.9
Total WMZ VDT acres:
 Approx. ~3.4
Total ROW acres:
 Approx. ~2.3

Sale Area	Leave Tree Area	WMZ
WMZ Variable Density Thin	Existing Road	Streams
Sale Boundary Tags	Optional Construction	Stream Type
Sale Boundary (No Tags)	Required Construction	Stream Type Break
Special Management Tags	Required Reconstruction	Survey Corners
Riparian Mgt Zone	Right of Way	Existing Rock Pit
	Forested Wetland	DNR Managed Lands

Prepared By: jpor490

Creation Date: 6/1/2015


Modification Date/By: 11/11/2015
tkle490



TIMBER SALE MAP

SALE NAME: Like Ike
AGREEMENT#: 30-092211
TOWNSHIP(S): T33R06E, T33R05E
TRUST(S): State Forest Transfer (1), Common School (3), Agricultural School (4), Normal School (8)

REGION: Northwest
COUNTY(S): Skagit
ELEVATION RGE: 800'-2660'



Harvest Area~ 171 Acres
Approximately:
 Unit 1: 67.5
 Unit 2: 25.0
 Unit 3: 4.6
 Unit 4: 12.3
 Unit 5: 55.5
Total VRH acres:
 Approx. ~164.9
Total WMZ VDT acres:
 Approx. ~3.4
Total ROW acres:
 Approx. ~2.3

All State Unless Otherwise Noted

	Sale Area		Leave Tree Area		WMZ
	WMZ Variable Density Thin		Existing Road		Streams
	Sale Boundary Tags		Optional Construction		Stream Type
	Sale Boundary (No Tags)		Required Construction		Stream Type Break
	Special Management Tags		Required Reconstruction		Survey Corners
	Riparian Mgt Zone		Right of Way		Existing Rock Pit
	Forested Wetland				DNR Managed Lands

Prepared By: jpor490

Creation Date: 6/1/2015

Modification Date/By: 11/11/2015
tkle490




TIMBER SALE MAP

SALE NAME: Like Ike
 AGREEMENT#: 30-092211
 TOWNSHIP(S): T33R06E, T33R05E
 TRUST(S): State Forest Transfer (1), Common School (3), Agricultural School (4), Normal School (8)

REGION: Northwest
 COUNTY(S): Skagit
 ELEVATION RGE: 800'-2660'

**Harvest Area~ 171 Acres
 Approximately:**
 Unit 1: 67.5
 Unit 2: 25.0
 Unit 3: 4.6
 Unit 4: 12.3
 Unit 5: 55.5
**Total VRH acres:
 Approx. ~164.9**
**Total WMZ VDT acres:
 Approx. ~3.4**
**Total ROW acres:
 Approx. ~2.3**



Sale Area	Leave Tree Area	WMZ
WMZ Variable Density Thin	Existing Road	Streams
Sale Boundary Tags	Optional Construction	Stream Type
Sale Boundary (No Tags)	Required Construction	Stream Type Break
Special Management Tags	Required Reconstruction	Survey Corners
Riparian Mgt Zone	Right of Way	Existing Rock Pit
	Forested Wetland	DNR Managed Lands

Prepared By: jpor490

Creation Date: 6/1/2015


Modification Date/By: 11/11/2015
 tkle490



DRIVING MAP

SALE NAME: LIKE IKE
AGREEMENT#: 30-092211
TOWNSHIP(S): T33R05E, T33R06E
TRUST(S): State Forest Transfer (1), Common School and Indemnity (3), Agricultural School (4), Normal School (8)

REGION: Northwest Region
COUNTY(S): Skagit
ELEVATION RGE: 800 ft-2100 ft



<ul style="list-style-type: none"> Timber Sale Unit Highways Haul Route Other Route Milepost Markers Distance Indicator Gate 	<p>Heading south on Highway 9 from Sedro-Woolley, take a left onto Lake Cavanaugh Rd (11.5 miles South of Sedro-Woolley). Drive 3.6 miles before turning right onto Granstrom Rd. Go 0.8 miles before turning left onto the Crane Creek Mainline (CN-ML). A F1-3 key is needed. Drive 2 miles before turning right onto the CN-20 road. Drive 0.55 miles to reach a junction.</p> <p>To Units 1 (Mid-slope), 2, 3, & 5: Turn right from the junction and take the next immediate right to get onto CN-1111 road. Drive 0.49 miles to four way intersection. Continue straight (south), road becomes CN-11 from intersection. Drive 2.9 miles on CN-11. Turn right onto ST-16 and go 0.68 miles before turning left onto ST-1614. Drive 0.2 miles to begin accessing units.</p> <p>To top of Unit 1: Turn right from the junction and take the next immediate right to get onto CN-1111 road. Drive 0.49 miles to four way intersection. Continue straight (south), road becomes CN-11 from intersection. Drive 2.9 miles on CN-11. Turn left onto ST-16 and travel 1.37 miles to access the top of the unit.</p> <p>To Unit 4: Turn left from junction, onto CN-2006. Drive 0.1 mile before turning right. Go 0.46 miles before turning left onto CN-2006-06. Drive 0.40 miles and take a left to access unit.</p>
---	--

**STATE OF WASHINGTON
DEPARTMENT OF NATURAL RESOURCES**

**BILL OF SALE AND CONTRACT FOR
FOREST PRODUCTS**

Export Restricted Lump Sum AGREEMENT NO. 30-092211

SALE NAME: LIKE IKE VRH & VDT

**THE STATE OF WASHINGTON DEPARTMENT OF NATURAL
RESOURCES, HEREINAFTER ACTING SOLELY, IN ITS PROPRIETARY
CAPACITY, STATE, AND PURCHASER, AGREE AS FOLLOWS:**

Section G: General Terms

G-001 Definitions

The following definitions apply throughout this contract;

Bill of Sale and Contract for Forest Products: Contract between the Purchaser and the State, which sets forth the procedures and obligations of the Purchaser in exchange for the right to remove forest products from the sale area. The Bill of Sale and Contract for Forest Products may include a Road Plan for any road construction or reconstruction, where applicable.

Contract Administrator: Region Manager's designee responsible for assuring that the contractual obligations of the Purchaser are met.

Forest Product: Any material derived from the forest for commercial use.

Purchaser: The company or individual that has entered a Bill of Sale and Contract for Forest Products with the State for the right to harvest and remove forest products from the timber sale area.

Road Construction: Includes building new and maintaining existing forest roads and associated work that may be optional or required as described in the Road Plan.

State: The Washington State Department of Natural Resources, landowner and seller of Forest Products from the timber sale area. The State is represented by the Region Manager as designated on the contract signature page. Contractual obligations to the State are enforced by the Region Manager or the designated Contract Administrator.

Subcontractor: Individual or company employed by the Purchaser to perform a portion or all of the services required by The Bill of Sale and Contract for Forest Products. The Purchaser is responsible for independently negotiating, procuring and paying for all subcontracted services rendered.

G-011 Right to Remove Forest Products and Contract Area

Purchaser was the successful bidder on February 24, 2016 and the sale was confirmed on _____. The State, as owner, agrees to sell to Purchaser, and Purchaser agrees to purchase as much of the following forest products as can be cut and removed during the term of this contract: All timber bounded by white timber sale boundary tags and adjacent young stands, except trees marked with blue paint on the bole and root collar, forest products tagged out by yellow leave tree area tags and cedar snags, preexisting dead and down cedar trees and cedar logs in Unit #1 and #3.

All timber bounded by white timber sale boundary tags, adjacent young stands and ST-1614 Road, except trees marked with blue paint on the bole and root collar, forest products tagged out by yellow leave tree area tags and cedar snags, preexisting dead and down cedar trees and cedar logs in Unit #2.

All timber bounded by white timber sale boundary tags and adjacent young stands, except trees marked with blue paint on the bole and root collar, forest products tagged out by yellow leave tree area tags, forest products tagged out by blue special management tags and cedar snags, preexisting dead and down cedar trees and cedar logs in Unit #4.

All timber as described for removal in Schedule B in the WMZ Thinning area, beyond blue special management tags and up to the white timber sale boundary tags, in Unit #4.

All timber bounded by white timber sale boundary tags and ST-1614 Road, except trees marked with blue paint on the bole and root collar, forest products tagged out by yellow leave tree area tags and cedar snags, preexisting dead and down cedar trees and cedar logs in Unit #5.

All timber bounded by orange right of way tags, except that title to the timber within the right of way tags is not conveyed to the Purchaser unless the road segment is actually constructed, except timber as described for removal in Schedule B.

The above described products, located on approximately 171 acres on part(s) of Sections 30, and 31 all in Township 33 North, Range 6 East, Sections 25, 26, and 36 all in Township 33 North, Range 5 East W.M. in Skagit County(s) as designated on the sale area and as shown on the attached timber sale map.

All forest products described above from the bole of the tree that meet or exceed 2 inches diameter inside bark on the small end are eligible for removal. Above ground components of a tree that remain as by-products after the manufacture of logs, including but not limited to tree tops, branches, limbs, needles, leaves, stumps, are not eligible for removal under the terms of this contract.

Forest products purchased under a contract that is designated as export restricted shall not be exported until processed. Forest products purchased under a contract that is designated as exportable may be exported prior to processing.

G-020 Inspection By Purchaser

Purchaser hereby warrants to the State that they have had an opportunity to fully inspect the sale area and the forest products being sold. Purchaser further warrants to the State that they enter this contract based solely upon their own judgment of the value of the forest products, formed after their own examination and inspection of both the timber sale area and the forest products being sold. Purchaser also warrants to the State that they enter this contract without any reliance upon the volume estimates, acreage estimates, appraisals, pre-bid documentation, or any other representations by the State Department of Natural Resources.

G-025 Schedules

The following attached schedules are hereby incorporated by reference:

Schedule	Title
A	NW Ground-Based Equip Specifications (Rev11/05/14)
B	Thinning Prescription

G-031 Contract Term

Purchaser shall complete all work required by this contract prior to March 31, 2018.

G-040 Contract Term Adjustment - No Payment

Purchaser may request an adjustment in the contract term. A claim must be submitted in writing and received by the State within 30 days after the start of interruption or delay. The claim must also indicate the actual or anticipated length of interruption or delay. The State may grant an adjustment without charge only if the cause for contract term adjustment is beyond Purchaser's control. The cause must be one of the following and the adjustment may be granted only if operations or planned operations under this contract are actually interrupted or delayed:

- a. Road and bridge failures which deny access.
- b. Access road closures imposed by road owner.

- c. Excessive suspensions as provided in clause G-220.
- d. Regulatory actions not arising from Purchaser's failure to comply with this contract which will prevent timber harvest for a period less than 6 months.

G-051 Contract Term Extension - Payment

Extensions of this contract term may be granted only if, in the judgment of the State, Purchaser is acting in good faith and is endeavoring to remove the forest products conveyed. The term of this contract may be extended for a reasonable time by the State if all of the following conditions are satisfied:

- a. A written request for extension of the contract term must be received prior to the expiration date of the contract.
- b. Completion of all required roads and compliance with all contract and regulatory requirements.
- c. For the first extension, not to exceed 1 year, payment of at least 25 percent of the total contract price.

For the second extension, not to exceed 1 year, payment of at least 90 percent of the total contract price.

The payments shall not include the initial deposit which shall be held according to the provisions of RCW 79.15.100.

- d. Payment of an amount based on 12 percent interest per annum on the unpaid portion of the total contract price.

All payments, except the initial deposit, will be deducted from the total contract price to determine the unpaid portion of the contract.

- e. Payment of \$634.00 per acre per annum for the acres on which an operating release has not been issued Variable Retention Harvest (VRH) area. Payment of \$90.00 per acre per annum for the acres on which an operating release has not been issued in WMZ Thinning area in Unit #4.
- f. In no event will the extension charge be less than \$200.00.
- g. Extension payments are non-refundable.

G-053 Surveys - Sensitive, Threatened, Endangered Species

Whenever the State determines that a survey for sensitive, threatened, or endangered species is prudent, or when Purchaser determines a survey is prudent and the State agrees, Purchaser shall perform such surveys at Purchaser's expense and to the standards required by the State. The survey information shall be supplied to the State.

G-060 Exclusion of Warranties

The PARTIES AGREE that the IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE and ALL OTHER WARRANTIES EXPRESSED OR IMPLIED ARE EXCLUDED from this transaction and shall not apply to the goods sold. For example, THE FOLLOWING SPECIFIC MATTERS ARE NOT WARRANTED, and are EXCLUDED from this transaction:

- a. The MERCHANTABILITY of the forest products. The use of the term "merchantable" in any document is not intended to vary the foregoing.
- b. The CONDITION of the forest products. The forest products will be conveyed "AS IS."
- c. The ACREAGE contained within any sale area. Any acreage descriptions appearing in the timber notice of sale, timber sale contract, or other documents are estimates only, provided solely for administrative and identification purposes.
- d. The VOLUME, QUALITY, OR GRADE of the forest products. The State neither warrants nor limits the amount of timber to be harvested. The descriptions of the forest products to be conveyed are estimates only, made solely for administrative and identification purposes.
- e. The CORRECTNESS OF ANY SOIL OR SURFACE CONDITIONS, PRE-SALE CONSTRUCTION APPRAISALS, INVESTIGATIONS, AND ALL OTHER PRE-BID DOCUMENTS PREPARED BY OR FOR THE STATE. These documents have been prepared for the State's appraisal purposes only.
- f. THAT THE SALE AREA IS FREE FROM THREATENED OR ENDANGERED SPECIES or their habitat. The State is not responsible for any interference with forestry operations that result from the presence of any threatened or endangered species, or the presence of their habitat, within the sale area.
- g. THAT THE FORESTRY OPERATIONS to be performed under this contract WILL BE FREE FROM REGULATORY ACTIONS by governmental agencies. The State is not responsible for actions to enforce regulatory laws, such as the Washington Forest Practices Act (chapter 76.09 RCW), taken by the Department of Natural Resources or any other agency that may affect the operability of this timber sale.
- h. Items contained in any other documents prepared for or by the State.

G-062 Habitat Conservation Plan

The State has entered into a Habitat Conservation Plan (HCP) with the U.S. Fish and Wildlife Service and the National Marine Fisheries Service (the Services) to address

state trust land management issues relating to compliance with the Federal Endangered Species Act. The activities to be carried out under this contract are located within the State's HCP area and are subject to the terms and conditions of the HCP, and the Services' Incidental Take Permit Nos. 812521 and 1168 (collectively referred to as ITP), or as amended hereafter by the Services. The ITP authorizes the incidental take of certain federally listed threatened and endangered species, as specified in the ITP conditions. All HCP materials, including the ITP, are available for review at the State's Regional Offices and the administrative headquarters in Olympia, Washington.

By signing this contract, Purchaser agrees to comply with the terms and conditions of the ITP, and the HCP, which shall become terms of this contract. The State agrees to authorize the lawful activities of the Purchaser carried out pursuant to this contract, PROVIDED the Purchaser remains in compliance with the terms and conditions of both the HCP and ITP. The requirements set forth in this contract are intended to comply with the terms and conditions of the HCP and ITP. Accordingly, non-compliance with the terms and conditions of the HCP and ITP will render the authorization provided in this paragraph void, be deemed a breach of the contract and may subject Purchaser to liability for violation of the Endangered Species Act.

Any modifications to the contract shall be proposed in writing by Purchaser, shall continue to meet the terms and conditions of the HCP and ITP, and shall require the prior written approval of the Region Manager before taking effect.

G-063 Incidental Take Permit Notification Requirements

- a. Purchaser shall immediately notify the Contract Administrator of new locations of permit species covered by the Incidental Take Permits (ITP) that are discovered within the area covered by the State's Habitat Conservation Plan (HCP), including, but not limited to: locations of occupied murrelet habitat; spotted owl nest sites; wolves; grizzly bears; nests, communal roosts, or feeding concentrations of bald eagles; peregrine falcon nests; Columbian white-tailed deer; Aleutian Canada geese; Oregon silverspot butterflies; and additional stream reaches found to contain bull trout. Purchaser is required to notify the Contract Administrator upon discovery of any fish species found in streams or bodies of water classified as non-fish bearing. In all circumstances, notification must occur within a 24 hour time period.
- b. Upon locating any live, dead, injured, or sick specimens of any permit species covered by the ITP, Purchaser shall immediately notify the Contract Administrator. Purchaser shall notify the Contract Administrator if there is any doubt as to the identification of a discovered permit species. Purchaser may be required to take certain actions to help the Contract Administrator safeguard the well-being of any live, injured or sick specimens of any permit species discovered, until the proper disposition of such specimens can be determined by the Contract Administrator. Any such requirements will be explained to Purchaser by the Contract Administrator during the Pre-Work Conference. In all circumstances, notification must occur within a 24 hour time period.

- c. Purchaser shall refer to a specific ITP number, PRT-812521 or ITP 1168 (copies which are located in the region office) in all correspondence and reports concerning permit activities.
- d. Provisions and requirements of the ITP shall be clearly presented and explained to Purchaser by Contract Administrator during the Pre-Work Conference as per contract clause G-330. All applicable provisions of the ITP and this schedule must be presented and clearly explained by Purchaser to all authorized officers, employees, contractors, or agents of Purchaser conducting authorized activities in the timber sale area. Any questions Purchaser may have about the ITP should be directed to the Contract Administrator.

G-064 Permits

Purchaser is responsible for obtaining any permits not already obtained by the State that relate to Purchaser's operation. Forest Practice Application / Hydraulic Project Approval permits obtained by the State shall be transferred to Purchaser. Purchaser is responsible for all permits, amendments and renewals.

G-065 Regulatory Disclaimer

The State disclaims any responsibility for, or liability relating to, regulatory actions by any government agency, including actions pursuant to the Forest Practices Act, Ch. 76.09 RCW that may affect the operability of the timber sale.

G-066 Governmental Regulatory Actions

a. Risk

Purchaser shall be responsible for any increased operational costs arising from any applicable foreign or domestic governmental regulation or order that does not cause contract performance to become commercially impracticable or that does not substantially frustrate the purpose of the contract. If impracticability or frustration results from Purchaser's failure to comply with this contract, Purchaser shall remain responsible for payment of the total contract price notwithstanding the impracticability or frustration.

b. Sale Area

When portions of the sale area become subject to a foreign or domestic governmental regulation or order that will likely prevent timber harvest for a period that will exceed the expiration date of this contract, and Purchaser has complied with this contract, the following shall apply:

- i. RCW 79.15.140 shall govern all adjustments to the contract area.

c. Adjustment of Price

The State shall adjust the total contract price by subtracting from the total contract price an amount determined in the following manner: The State shall cause the timber sale area subject to governmental regulation or order to be measured. The State shall calculate the percentage of the total sale area subject to the governmental regulation or order. The State shall reduce the total contract price by that calculated percentage. However, variations in species, value, costs, or other items pertaining to the affected sale area will be analyzed and included in the adjustment if deemed appropriate by the State. The State will further reduce the total contract price by the reasonable cost of unamortized roads Purchaser constructed but was unable to fully use for removing timber. A reduction in total contract price terminates all of the Purchaser's rights to purchase and remove the timber and all other interest in the affected sale area.

G-070 Limitation on Damage

In the event of a breach of any provision of this contract by the State, the exclusive remedy available to Purchaser will be limited to a return of the initial deposit, unapplied payments, and credit for unamortized improvements made by Purchaser. The State shall not be liable for any damages, whether direct, incidental or consequential.

G-080 Scope of State Advice

No advice by any agent, employee, or representative of the State regarding the method or manner of performing shall constitute a representation or warranty that said method, manner or result thereof will conform to the contract or be suitable for Purchaser's purposes under the contract. Purchaser's reliance on any State advice regarding the method or manner of performance shall not relieve Purchaser of any risk or obligation under the contract. Purchaser retains the final responsibility for its operations under this contract and State shall not be liable for any injuries resulting from Purchaser's reliance on any State advice regarding the method or manner of performance.

G-091 Sale Area Adjustment

The Parties may agree to adjustments in the sale area boundary. The cumulative changes to the sale area during the term of the contract shall not exceed more than four percent of the original sale area. If the sale area is increased, the added forest products become a part of this contract. The State shall determine the volume added and shall calculate the increase to the total contract price using the rates set forth in clause G-101, G-102, or G-103. If the sale area is reduced, the State shall determine the volume to be reduced. The State shall calculate the reduction to the total contract price using the rates set forth in clause G-101, G-102, or G-103.

G-101 Forest Products Not Designated

Any forest products not designated for removal, which must be removed in the course of operations authorized by the State, shall be approved and designated by the Contract Administrator. Added forest products become a part of this contract and the Scribner log scale volume, as defined by the Northwest Log Rules Advisory Group, shall be

determined by the Contract Administrator. Added forest products shall be paid for at the following contract payment rates per Mbf Scribner log scale.

Contract Item	Appraised Price	Overbid Factor	Price	Fees	Contract Payment Rate
Douglas fir	\$274.72	0	\$0.00	\$9.00	\$9.00
Hemlock	\$218.93	0	\$0.00	\$9.00	\$9.00
Maple	\$186.28	0	\$0.00	\$9.00	\$9.00
Red alder	\$276.54	0	\$0.00	\$9.00	\$9.00
Red cedar	\$539.47	0	\$0.00	\$9.00	\$9.00
Silver fir	\$221.47	0	\$0.00	\$9.00	\$9.00
Other	\$262.13	0	\$0.00	\$9.00	\$9.00

G-106 Adding Naturally Damaged Forest Products

Any forest products not designated for removal that are seriously damaged by disease, insects or wind, or that may contribute seriously to the spread of insect or disease damage may be added to this sale by the State's Contract Administrator. Additions must be in unlogged areas of the sale and added volume shall not exceed an amount equal to 10 percent of the original advertised volume. Added forest products become a part of this contract and shall be paid for at the rate set forth in clause G-101, G-102 or G-103.

G-111 Title and Risk of Loss

Title to the forest products under this contract passes to the Purchaser after they are removed from the sale area, if adequate advance payment or payment security has been provided to the State under this contract. Purchaser bears all risk of loss of, or damage to, and has an insurable interest in, the forest products described in this contract from the time the sale is confirmed under RCW 79.15.120. Breach of this contract shall have no effect on this provision.

G-116 Sustainable Forestry Initiative® (SFI) Certification

Forest products purchased under this contract are certified as being in conformance with the Sustainable Forestry Initiative program Standard under certificate number: BV-SFIS-US09000572.

Purchaser shall have at least one person regularly on-site during active operations that have completed training according to the requirements outlined within the SFI® program Standard. Purchaser shall designate in writing the name(s) of the individual(s) who will be on-site and provide proof of their successful completion of an approved training program prior to active operations.

G-120 Responsibility for Work

All work, equipment, and materials necessary to perform this contract shall be the responsibility of Purchaser. Any damage to improvements, except as provided in clause G-121 or unless the State issues an operating release pursuant to clause G-280, shall be repaired promptly to the satisfaction of the State and at Purchaser's expense.

G-121 Exceptions

Exceptions to Purchaser's responsibility in clause G-120 shall be limited exclusively to the following. These exceptions shall not apply where road damage occurs due to Purchaser's failure to take reasonable precautions or to exercise sound forest engineering and construction practices.

Road is defined as the road bed, including but not limited to its component parts, such as subgrade, ditches, culverts, bridges, and cattle guards.

For the purposes of this clause, damage will be identified by the State and is defined as:

1. Failure of (a) required improvements or roads designated in clause C-050, or (b) required or optional construction completed to the point that authorization to haul has been issued;
2. Caused by a single event from forces beyond the control of Purchaser, its employees, agents, or invitees, including independent contractors; and
3. Includes, but is not limited to natural disasters such as earthquakes, volcanic eruptions, landslides, and floods.

The repair work identified by the State shall be promptly completed by Purchaser at an agreed price. The State may elect to accomplish repairs by means of State-provided resources. The State will bear the cost to repair damages caused by a third party. In all other cases, the Purchaser shall bear responsibility for the costs as described below.

For each event, Purchaser shall be solely responsible for the initial \$5,000 in repairs. For repairs in excess of \$5,000, the parties shall share equally the portion of costs between \$5,000 and \$15,000. The State shall be solely responsible for the portion of the cost of repairs that exceed \$15,000.

Nothing contained in clauses G-120 and G-121 shall be construed as relieving Purchaser of responsibility for, or damage resulting from, Purchaser's operations or negligence, nor shall Purchaser be relieved from full responsibility for making good any defective work or materials. Authorization to haul does not warrant that Purchaser built roads are free from material defect and the State may require additional work, at Purchasers expense regardless of cost, to remedy deficiencies at any time.

G-140 Indemnity

To the fullest extent permitted by law, Purchaser shall indemnify, defend and hold harmless State, agencies of State and all officials, agents and employees of State, from and against all claims arising out of or resulting from the performance of the contract. "Claim" as used in this contract means any financial loss, claim, suit, action, damage, or expense, including but not limited to attorneys' fees, attributable for bodily injury, sickness, disease or death, or injury to or destruction of tangible property including loss of use resulting therefrom. Purchasers' obligations to indemnify, defend, and hold

harmless includes any claim by Purchasers' agents, employees, representatives, or any subcontractor or its employees. Purchaser expressly agrees to indemnify, defend, and hold harmless State for any claim arising out of or incident to Purchasers' or any subcontractors' performance or failure to perform the contract. Purchasers' obligation to indemnify, defend, and hold harmless State shall not be eliminated or reduced by any actual or alleged concurrent negligence of State or its agents, agencies, employees and officials. Purchaser waives its immunity under Title 51 RCW to the extent it is required to indemnify, defend and hold harmless State and its agencies, officials, agents or employees.

G-150 Insurance

Purchaser shall, at its cost and expense, buy and maintain insurance of the types and amounts listed below. Failure to buy and maintain the required insurance may result in a breach and/or termination of the contract at State's option. State may suspend Purchaser operations until required insurance has been secured.

All insurance and surety bonds should be issued by companies admitted to do business within the State of Washington and have a rating of A-, Class VII or better in the most recently published edition of Best's Reports. If an insurer is not admitted, all insurance policies and procedures for issuing the insurance policies must comply with Chapter 48.15 RCW and 284-15 WAC.

The State of Washington, Department of Natural Resources region office of sale origin shall be provided written notice before cancellation or non-renewal of any insurance referred to therein, in accord with the following specifications:

1. Insurers subject to Chapter 48.18 RCW (admitted and regulated by the Insurance Commissioner): The insurer shall give the State 45 days advance notice of cancellation or non-renewal. If cancellation is due to non-payment of premium, the State shall be given 10 days advance notice of cancellation.
2. Insurers subject to Chapter 48.15 RCW (surplus lines): The State shall be given 20 days advance notice of cancellation. If cancellation is due to non-payment of premium, the State shall be given 10 days advance notice of cancellation.

Before starting work, Purchaser shall furnish State of Washington, Department of Natural Resources with a certificate(s) of insurance, executed by a duly authorized representative of each insurer, showing compliance with the insurance requirements specified in the contract. Insurance coverage shall be obtained by the Purchaser prior to operations commencing and continually maintained in full force until all contract obligations have been satisfied or an operating release has been signed by the State.

Purchaser shall include all subcontractors as insured under all required insurance policies, or shall furnish separate certificates of insurance and endorsements for each subcontractor. Subcontractor(s) must comply fully with all insurance requirements

stated herein. Failure of subcontractor(s) to comply with insurance requirements does not limit Purchaser's liability or responsibility.

The State of Washington, Department of Natural Resources, its elected and appointed officials, agents and employees shall be named as an additional insured on all general liability, excess, umbrella, and property insurance policies.

All insurance provided in compliance with this contract shall be primary as to any other insurance or self-insurance programs afforded to or maintained by State. Purchaser waives all rights against State for recovery of damages to the extent these damages are covered by general liability or umbrella insurance maintained pursuant to this contract.

By requiring insurance herein, State does not represent that coverage and limits will be adequate to protect Purchaser and such coverage and limits shall not limit Purchaser's liability under the indemnities and reimbursements granted to State in this contract.

The limits of insurance, which may be increased as deemed necessary by State of Washington, Department of Natural Resources, shall not be less than as follows:

Commercial General Liability (CGL) Insurance. Purchaser shall maintain general liability (CGL) insurance, and, if necessary, commercial umbrella insurance with a limit of not less than \$1,000,000.00 per each occurrence. If such CGL insurance contains aggregate limits, the General Aggregate limit shall be at least twice the "each occurrence" limit. CGL insurance shall have products-completed operations aggregate limit of at least two times the "each occurrence" limit. CGL coverage shall include a Logging and Lumbering Endorsement (i.e. Logger's Broad-Form) to cover the events that include, but are not limited to, fire suppression expenses, accidental timber trespasses, and wildfire property damage with limits of not less than \$2,000,000.00 each occurrence.

CGL insurance shall be written on Insurance Services Office (ISO) occurrence form CG 00 01 (or a substitute form providing equivalent coverage). All insurance shall cover liability arising out of premises, operations, independent contractors, products completed operations, personal injury and advertising injury, and liability assumed under an insured contract (including the tort liability of another party assumed in a business contract), and contain separation of insured (cross liability) condition.

Employer's Liability "Stop Gap" Insurance. Purchaser shall buy employers liability insurance, and, if necessary, commercial umbrella liability insurance with limits not less than \$1,000,000.00 each accident for bodily injury by accident or \$1,000,000.00 each employee for bodily injury by disease.

Workers' Compensation Coverage. Purchaser shall comply with all State of Washington workers' compensation statutes and regulations. Workers' compensation coverage shall be provided for all employees of Purchaser and employees of any subcontractor or sub-subcontractor. Coverage shall include bodily injury (including

death) by accident or disease, which exists out of or in connection with the performance of this contract. Except as prohibited by law, Purchaser waives all rights of subrogation against State for recovery of damages to the extent they are covered by workers' compensation, employer's liability, commercial general liability, or commercial umbrella liability insurance.

If Purchaser, subcontractor or sub-subcontractor fails to comply with all State of Washington workers' compensation statutes and regulations and State incurs fines or is required by law to provide benefits to or obtain coverage for such employees, Purchaser shall indemnify State. Indemnity shall include all fines, payment of benefits to Purchaser or subcontractor employees, or their heirs or legal representatives, and the cost of effecting coverage on behalf of such employees.

Business Auto Policy (BAP). Purchaser shall maintain business auto liability and, if necessary, commercial umbrella liability insurance with a limit not less than \$1,000,000.00 per accident. Such insurance shall cover liability arising out of "Any Auto". Business auto coverage shall be written on ISO form CA 00 01, or substitute liability form providing equivalent coverage. If necessary the policy shall be endorsed to provide contractual liability coverage and cover a "covered pollution cost or expense" as provided in the 1990 or later editions of CA 00 01. Purchaser waives all rights against State for the recovery of damages to the extent they are covered by business auto liability or commercial umbrella liability insurance.

G-160 Agents

The State's rights and duties will be exercised by the Region Manager at Sedro Woolley, Washington. The Region Manager will notify Purchaser in writing who is responsible for administering the contract. The Region Manager has sole authority to waive, modify, or amend the terms of this contract in the manner prescribed in clause G-180. No agent, employee, or representative of the State has any authority to bind the State to any affirmation, representation, or warranty concerning the forest products conveyed beyond the terms of this contract.

Purchaser is required to have a person on site during all operations who is authorized to receive instructions and notices from the State. Purchaser shall inform the State in writing who is authorized to receive instructions and notices from the State, and any limits to this person's authority.

G-170 Assignment and Delegation

No rights or interest in this contract shall be assigned by Purchaser without prior written permission of the State. Any attempted assignment shall be void and ineffective for all purposes unless made in conformity with this paragraph. Purchaser may perform any duty through a delegate, but Purchaser is not thereby relieved of any duty to perform or any liability. Any assignee or delegate shall be bound by the terms of the contract in the same manner as Purchaser.

G-180 Modifications

Waivers, modifications, or amendments of the terms of this contract must be in writing signed by Purchaser and the State.

G-190 Contract Complete

This contract is the final expression of the Parties' agreement. There are no understandings, agreements, or representations, expressed or implied, which are not specified in this contract.

G-200 Notice

Notices required to be given under the following clauses shall be in writing and shall be delivered to Purchaser's authorized agent or sent by certified mail to Purchaser's post office address:

G-210 Violation of Contract

G-220 State Suspends Operations

All other notices required to be given under this contract shall be in writing and delivered to the authorized agent or mailed to the Party's post office address. Purchaser agrees to notify the State of any change of address.

G-210 Violation of Contract

- a. If Purchaser violates any provision of this contract, the Contract Administrator, by written notice, may suspend those operations in violation. If the violation is capable of being remedied, Purchaser has 30 days after receipt of a suspension notice to remedy the violation. If the violation cannot be remedied (such as a violation of WAC 240-15-015) or Purchaser fails to remedy the violation within 30 days after receipt of a suspension notice, the State may terminate the rights of Purchaser under this contract and collect damages.
- b. If the contract expires pursuant to clause G-030 or G-031 without Purchaser having performed all its duties under this contract, Purchaser's right to operate is terminated and Purchaser shall not have the right to remedy the breach. This provision shall not relieve Purchaser of any payment obligations.
- c. The State has the right to remedy the breach in the absence of any indicated attempt by Purchaser or if Purchaser is unable, as determined by the State, to remedy the breach. Any expense incurred by the State shall be charged to Purchaser and shall be paid within 30 days of receipt of billing.
- d. If Purchaser's violation is a result of a failure to make a payment when due, in addition to a. and b. above, interest shall accrue on the unpaid balance at 12 percent per annum, beginning the date payment was due.

G-220 State Suspends Operation

The Contract Administrator may suspend any operation of Purchaser under this contract when the State is suffering, or there is a reasonable expectation the State will suffer environmental, monetary, or other damage if the operation is allowed to continue.

Purchaser shall be in breach of this contract if the operation continues after the suspension notice or if the operation resumes without prior approval and notice from the Contract Administrator.

Purchaser may request a modification of a suspension within 30 days of the start of suspension through the dispute resolution process in clause G-240. If this process results in a finding that the suspension exceeded the time reasonably necessary to stop or prevent damage to the State, Purchaser is entitled to request a contract term adjustment under clause G-040.

If it reasonably appears that the damage that the State is suffering, or can reasonably be expected to suffer if the operation is allowed to continue, will prevent harvest for a period that will exceed 6 months, and Purchaser has complied with this contract, the provisions of clause G-066 shall govern just as if the harvest was prevented by an applicable foreign or domestic governmental regulation or order.

G-230 Unauthorized Activity

Any cutting, removal, or damage of forest products by Purchaser, its employees, agents, or invitees, including independent contractors, in a manner inconsistent with the terms of this contract or State law, is unauthorized. Such activity may subject Purchaser to liability for triple the value of said forest products under RCW 79.02.320 or RCW 79.02.300 and may result in prosecution under RCW 79.02.330 or other applicable statutes.

G-240 Dispute Resolution

The following procedures apply in the event of a dispute regarding interpretation or administration of this contract and the parties agree that these procedures must be followed before a lawsuit can be initiated.

- a. In the event of a dispute, Purchaser must make a written request to the Region Manager for resolution prior to seeking other relief.
- b. The Region Manager will issue a written decision on Purchaser's request within ten business days.
- c. Within ten business days of receipt of the Region Manager's decision, Purchaser may make a written request for resolution to the Deputy Supervisor - Uplands of the Department of Natural Resources.

- d. Unless otherwise agreed, a conference will be held by the Deputy Supervisor - Uplands within 30 calendar days of the receipt of Purchaser's request for review of the Region Manager's written decision. Purchaser and the Region Manager will have an opportunity to present their positions. The Deputy Supervisor - Uplands will issue a decision within a reasonable time of being presented with both Parties' positions.

G-250 Compliance with All Laws

Purchaser shall comply with all applicable statutes, regulations and laws, including, but not limited to; chapter 27.53 RCW, chapter 68.50 RCW, WAC 240-15 and WAC 296-54. Failure to comply may result in forfeiture of this contract.

G-260 Venue

This contract shall be governed by the laws of the State of Washington. In the event of a lawsuit involving this contract, venue shall be proper only in Thurston County Superior Court.

G-270 Equipment Left on State Land

All equipment owned or in the possession of Purchaser, its employees, agents, or invitees, including independent contractors, shall be removed from the sale area and other State land by the termination date of this contract. Equipment remaining unclaimed on State land 60 days after the expiration of the contract period is subject to disposition as provided by law. Purchaser shall pay to the State all costs of moving, storing, and disposing of such equipment. The State shall not be responsible for any damages to or loss of the equipment or damage caused by the moving, storing or disposal of the equipment.

G-280 Operating Release

An operating release is a written document, signed by the State and Purchaser, indicating that Purchaser has been relieved of certain rights or responsibilities with regard to the entire or a portion of the timber sales contract. Purchaser and State may agree to an operating release for this sale, or portion of this sale, prior to the contract expiration, when all contract requirements pertaining to the release area have been satisfactorily completed. Upon issuance of a release, Purchaser's right to cut and remove forest products on the released area will terminate.

G-310 Road Use Authorization

Purchaser is authorized to use the following State roads and roads for which the State has acquired easements and road use permits; CN-ML, CN-11, CN-1111, CN-20, CN-2006, CN-2006-01, CN-2006-06, CN-2006-0604, CN-2006-11, CN-30, ST-ML, ST-16, ST-1614, ST-1633, ST-1633-04, and ST-1633-05. The State may authorize in writing the use of other roads subject to fees, restrictions, and prior rights.

G-330 Pre-work Conference

Purchaser shall arrange with the Contract Administrator to review this contract and to examine the sale area before beginning any operations. A plan of operations shall be developed and agreed upon by the Contract Administrator and Purchaser before

beginning any operations. To the extent that the plan of operations is inconsistent with the contract, the terms of the contract shall prevail. State's acceptance and approval of Purchaser's plan of operations shall not be construed as any statement or warranty that the plan of operations is adequate for Purchaser's purposes or complies with applicable laws.

G-340 Preservation of Markers

Any legal land subdivision survey corners and witness objects are to be preserved. If such are destroyed or disturbed, the Purchaser shall, at the Purchaser's own expense, re-establish them through a licensed land surveyor in accordance with U.S. General Land Office standards. Corners and/or witness objects that must be disturbed or destroyed in the process of road construction or logging shall be adequately referenced and/or replaced in accordance with RCW 58.24.040(8). Such references must be approved by the Contract Administrator prior to removal of said corners and/or witness objects.

G-360 Road Use Reservation

The State shall have the right to use, without charge, all existing roads and any road constructed or reconstructed on State lands by Purchaser under this contract. The State may extend such rights to others. If the State grants such rights to others, the State shall require performance or payment, as directed by the State, for their proportionate share of maintenance based on their use.

G-380 Road Easement and Road Use Permit Requirements

Purchaser agrees to comply with the terms and conditions of the attached:

Easements with:

Scott Paper Company; #55-000219; dated August 1, 1966.

W.N. and Florence J. Wesson; #55-000238; dated March 27, 1959.

Pacific Denkmann Company; #55-002035; dated May 27, 1983.

G-430 Open Fires

Purchaser shall not set, or allow to be set by Purchaser's employees, agents, invitees and independent contractors, any open fire at any time of the year without first obtaining permission, in writing, from the Contract Administrator.

G-450 Encumbrances

This contract and Purchaser's activities are subject to the following:

Encumbrances

Easement, including the terms and provisions thereof,

For: Railroad

In Favor of: English Lumber Company

Disclosed by Application No.: 50-041604

Granted: 12/1/1919
Expires: Indefinite

Easement, including the terms and provisions thereof,
For: Communications Site
In Favor of: Snohomish County Emergency Radio System (SERS)
Disclosed by Application No.: 52-A73707
Granted: 8/1/2014
Expires: 7/31/2024

No Pending Applications of Record.

Region Encumbrances

Lease, including the terms and provisions thereof,
For: Special use
In Favor of: Bonneville Power Administration
Disclosed by Application No.: 60-NW1414
Granted: 2/26/2015
Expires: 1/31/2017

Special Notations

Some properties above are within the Mt. Baker-Snoqualmie Cost Share Agreement Area with the Forest Service (55-000035).

Section P: Payments and Securities

P-011 Initial Deposit

Purchaser paid DATA MISSING initial deposit, which will be maintained pursuant to RCW 79.15.100(3). If the operating authority on this contract expires without Purchaser's payment of the full amount specified in Clause P-020, the initial deposit will be immediately forfeited to the State, and will be offset against Purchaser's remaining balance due. Any excess initial deposit funds not needed to ensure full payment of the contract price, or not needed to complete any remaining obligations of the Purchaser existing after contract expiration, will be refunded to the Purchaser.

P-020 Payment for Forest Products

Purchaser agrees to pay the total, lump sum contract price of \$207,740.50. The total contract price consists of a \$0.00 contract bid price plus \$207,740.50 in fees. Fees collected shall be retained by the state unless the contract is adjusted via the G-066 clause. Purchaser shall be liable for the entire purchase price, and will not be entitled to any refunds or offsets unless expressly stated in this contract.

THE PURCHASE PRICE SHALL NOT BE AFFECTED BY ANY FACTORS, INCLUDING: the amount of forest products actually present within the contract area,

the actual acreage covered by the contract area, the amount or volume of forest products actually cut or removed by purchaser, whether it becomes physically impossible or uneconomic to remove the forest products, and whether the subject forest products have been lost or damaged by fire or any other cause. The only situations Purchaser may not be liable for the full purchase price are governed by clause G-066, concerning governmental regulatory actions taken during the term of the contract.

P-045 Guarantee of Payment

Purchaser will pay for forest products prior to cutting or will guarantee payment by posting an approved payment security. The amount of cash or payment security shall be determined by the State and shall equal or exceed the value of the cutting proposed by Purchaser.

P-050 Billing Procedure

The State will compute and forward to Purchaser statements of charges provided for in the contract. Purchaser shall deliver payment to the State on or before the date shown on the billing statement.

P-080 Payment Account Refund

Advance payments made under P-045 or P-045.2 remaining on account above the value for the charges shall be returned to Purchaser within 30 days following the final report of charges. Refunds not made within the 30 day period will accrue interest at the interest rate, as established by WAC 332-100-030, computed on a daily basis until paid.

P-090 Performance Security

Purchaser agrees to furnish, within 30 days of the confirmation date, security acceptable to the State in the amount of \$100,000.00. The Security provided shall guarantee performance of all provisions of this contract and payment of any damages caused by operations under this contract or resulting from Purchaser's noncompliance with any rule or law. Acceptable performance security may be in the form of a performance bond, irrevocable letter of credit, cash, savings or certificate of deposit account assignments, and must name the State as the obligee or beneficiary. A letter of credit must comply with Title 62A RCW, Article 5. Performance security must remain in full force over the duration of the contract length. Surety bonds issued shall conform to the issuance and rating requirements in clause G-150. The State shall retain the performance security pursuant to RCW 79.15.100. Purchaser shall not operate unless the performance security has been accepted by the State. If at any time the State decides that the security document or amount has become unsatisfactory, Purchaser agrees to suspend operations and, within 30 days of notification, to replace the security with one acceptable to the State or to supplement the amount of the existing security.

P-100 Performance Security Reduction

The State may reduce the performance security after an operating release has been issued if the State determines that adequate security exists for any remaining obligations of Purchaser.

Section H: Harvesting Operations

H-010 Cutting and Yarding Schedule

Falling and Yarding will not be permitted from November 1 to March 31 BY GROUND-BASED EQUIPMENT unless authorized in writing by the Contract Administrator.

H-011 Certification of Fallers and Yarder Operators

All persons engaged in the felling and yarding of timber must receive certification in writing from the Contract Administrator. Certification may be revoked when the Contract Administrator determines that non-compliance of leave tree selection criteria or cut tree selection criteria is occurring, or excessive damage to leave trees or skid trails is occurring.

Excessive damage for leave trees is defined in clause H-012.

Excessive skid trail damage is defined in clause H-015 or H-016.

When leave tree damage exceeds the limits set forth in clause H-012, Purchaser shall be subject to liquidated damages (clause D-040 or D-041).

H-012 Leave Tree Damage Definition

Leave trees are trees required for retention within the sale boundary. Purchaser shall protect leave trees from being cut, damaged, or removed during operations.

Leave tree damage exists when more than 5 percent of the leave trees are damaged in a unit and when one or more of the following criteria occur as a result of Purchaser's operation, as determined by the Contract Administrator:

- a. A leave tree has one or more scars on its trunk exposing the cambium layer, which in total exceeds 20 square inches.
- b. A leave tree top is broken or the live crown ratio is reduced below 30 percent.
- c. A leave tree has more than 1/3 of the circumference of its root system injured such that the cambium layer is exposed.

If the Contract Administrator determines that a leave tree has been cut or damaged, the Purchaser may be required to pay liquidated damages for Excessive Leave Tree Damage as detailed in clause D-040.

H-013 Reserve Tree Damage Definition

Reserve trees are trees required and designated for retention within the sale boundary. Purchaser shall protect reserve trees from being cut, damaged, or removed during operations.

Reserve tree damage exists when one or more of the following criteria occur as a result of Purchaser's operation, as determined by the Contract Administrator:

- a. A reserve tree has one or more scars on its trunk exposing the cambium layer, which in total exceeds 200 square inches.
- b. A reserve tree top is broken or the live crown ratio is reduced below 30 percent.
- c. A reserve tree has more than 1/3 of the circumference of its root system injured such that the cambium layer is exposed.

If the Contract Administrator determines that a reserve tree has been cut or damaged, the Purchaser shall provide a replacement reserve tree of like condition, size, and species within the sale area, as approved by the Contract Administrator. Purchaser may be required to pay liquidated damages for Excessive Reserve Tree Damage as detailed in clause D-041.

Removal of designated reserve trees from the sale area is unauthorized, and may invoke the use of the G-230 'Trespass and Unauthorized Activity' clause. Purchaser is required to leave all cut or damaged reserve trees on site.

H-017 Preventing Excessive Soil Disturbance

Operations may be suspended when soil rutting exceeds 4 inches as measured from the natural ground line. To reduce soil damage, the Contract Administrator may require water bars to be constructed, grass seed to be placed on exposed soils, or other mitigation measures. Suspended operations shall not resume unless approval to do so has been given, in writing, by the Contract Administrator.

H-051 Branding and Painting

Purchaser shall provide a State of Washington registered log brand, acceptable to the State, unless the State agrees to furnish the brand. All purchased timber shall be branded in a manner that meets the requirements of WAC 240-15-030(2)(a)(i). All timber purchased under a contract designated as export restricted shall also be painted in a manner that meets the requirements of WAC 240-15-030(2)(a)(ii).

For pulp loads purchased under a contract designated as export restricted, Purchaser shall brand at least 3 logs with legible brands at one end. Also, 10 logs shall be painted at one end with durable red paint.

H-080 Snags Not to be Felled

Snags not required to be felled for safety reasons may be left standing. Snags felled for safety reasons shall not be removed and must remain where felled.

H-120 Harvesting Equipment

Forest products sold under this contract shall be felled by chainsaw and yarded by cable; felled by chainsaw or feller-buncher and yarded by cable or shovel on sustained

slopes 35% or less, unless authority to use other equipment is granted in writing by the State.

H-125 Log Suspension Requirements

Lead-end suspension is required for all yarding activities.

H-130 Hauling Schedule

The hauling of forest products will not be permitted on any road from November 1 to March 31 unless authorized in writing by the Contract Administrator .

H-140 Special Harvest Requirements

Purchaser shall accomplish the following during the harvest operations:

- A. An on-site pre-work meeting shall be scheduled with the Contract Administrator, which shall include the operator and fallers, prior to commencement of any activities on site.
- B. A copy of the timber sale map and contract shall be present on site during active operations.
- C. Marked leave trees may be traded for trees of the same size and species with prior approval from the Contract Administrator, except non-tradable trees marked with blue double bands.
- D. Cutting and yarding in the WMZ thinning areas shall not be permitted during the bark slippage season unless authorized in writing by the Contract Administrator. This season is estimated to run from April 1 to July 15 but may vary depending on weather conditions. If permission is granted to operate during the bark slippage season the purchaser shall be required to provide a plan outlining mitigation measures.
- E. Falling and yarding shall occur away from all typed waters where possible. Avoid parallel cable yarding in, across, or adjacent to stream channels where possible. All type 5 streams will have a 30-foot equipment exclusion zone measured from each bank. The limited crossings shall be as close to perpendicular as possible.
- F. The Contract Administrator must approve all crossings and corridors prior to cutting across Type 3, Type 4, and Type 5 streams. Full suspension is required over Type 3 and Type 4 streams. Trees removed for yarding corridors shall be paid for as additional volume as set forth in Clause G-101. Trees felled for corridors within 25 feet of the stream channels shall not be removed. Front end suspension is needed over type 5 streams.
- G. Ground-based equipment crossings over type 5 streams shall be located by Purchaser and approved by Contract Administrator before use.

H. The CN-ML gate must be locked at the end of the day.

Permission to do otherwise must be granted in writing by the Contract Administrator.

H-141 Additional Harvest Requirements

Purchaser shall accomplish the following during the harvest operations:

A. All trees must be felled and yarded away from historic resources in Unit 2.

B. All trees must be felled away from rail grades in Unit 2 and Unit 5.

Permission to do otherwise must be granted in writing by the State.

H-190 Completion of Settings

Operations begun on any setting of the sale area shall be completed before any operation begins on subsequent settings unless authorized in writing by the Contract Administrator.

H-220 Protection of Residual or Adjacent Trees

Unless otherwise specified by this contract, the Contract Administrator shall identify damaged adjacent or leave trees that shall be paid for according to clause G-230.

Section C: Construction and Maintenance

C-040 Road Plan

Road construction and associated work provisions of the Road Plan for this sale, dated 6/15/2015 are hereby made a part of this contract.

C-050 Purchaser Road Maintenance and Repair

Purchaser shall perform work at their own expense on the CN-ML, CN-11, CN-1111, CN-20, CN-2006, CN-2006-01, CN-2006-06, CN-2006-0604, CN-2006-11, CN-30, ST-ML, ST-16, ST-1614, ST-1633, ST-1633-04, and ST-1633-05 roads. All work shall be completed to the specifications detailed in the Road Plan.

C-080 Landing Locations Approved Prior to Construction

Landings shall be marked by Purchaser and approved by the Contract Administrator prior to construction.

C-130 Dust Abatement

Purchaser shall abate dust on the ST-ML Road for the first 1.2 miles (0+00 to 63+36) from April 1 to October 31 while hauling.

Section S: Site Preparation and Protection

S-001 Emergency Response Plan

An Emergency Response Plan (ERP) shall be provided to the Contract Administrator containing but not limited to, valid contact numbers and procedures for medical emergencies, fire, hazardous spills, forest practice violations and any unauthorized or unlawful activity on or in the vicinity of the sale area. The Contract Administrator and

the State shall be promptly notified whenever an incident occurs requiring an emergency response.

The ERP must be presented for inspection at the prework meeting and kept readily available to all personnel, including subcontractors, on site during active operations

S-010 Fire Hazardous Conditions

Purchaser acknowledges that operations under this Contract may increase the risk of fire. Purchaser shall conduct all operations under this agreement following the requirements of WAC 332-24-005 and WAC 332-24-405 and further agrees to use the highest degree of care to prevent uncontrolled fires from starting.

In the event of an uncontrolled fire, Purchaser agrees to provide equipment and personnel working at the site to safely and effectively engage in first response fire suppression activity.

Purchaser's failure to effectively engage in fire-safe operations is considered a breach and may result in suspension of operations

S-030 Landing Debris Clean Up

Landing debris shall be disposed of in a manner approved in writing by the Contract Administrator.

S-035 Logging Debris Clean Up

Slash and debris created from harvest activities shall be treated in a manner approved in writing by the Contract Administrator.

S-050 Cessation of Operations for Low Humidity

During the "closed season", when the humidity is 30 percent or lower on the sale area, all operations must cease unless authority to continue is granted by the State in writing.

S-060 Pump Truck or Pump Trailer

Purchaser shall provide a fully functional pump truck or pump trailer equipped to meet the specifications of WAC 332-24-005 and WAC 332-24-405 during the "closed season" or as extended by the State and shall provide trained personnel to operate this equipment on the sale area during all operating periods.

S-100 Stream Cleanout

Slash or debris which enters any type 5 stream as a result of operations under this contract and which is identified by the Contract Administrator shall be removed and deposited in a stable position. Removal of slash or debris shall be accomplished in a manner that avoids damage to the natural stream bed and bank vegetation.

S-130 Hazardous Materials

- a. Hazardous Materials and Waste - Regulatory Compliance

Purchaser is responsible for understanding and complying with all applicable local, state, and federal hazardous material/waste laws and regulations for operations conducted under this contract. Such regulations pertain to, but may not be limited to, hazardous material storage, handling and transport, personnel protection, release notification and emergency response, cleanup and waste disposal. Purchaser shall be responsible for restoring the site in the event of a spill.

b. Hazardous Materials Spill Prevention

All operations shall be conducted in a manner that avoids the release of hazardous materials, including petroleum products, into the environment (water, air or land).

c. Hazardous Materials Spill Containment, Control and Cleanup

If safe to do so, Purchaser shall take immediate action to contain and control all hazardous material spills. Purchaser shall ensure that enough quick response spill kits capable of absorbing 4 to 6 gallons of oil, coolant, solvent or contaminated water are available on site to quickly address potential spills from any piece of equipment at all times throughout active operations. If large quantities of bulk fuel/other hazardous materials are stored on site, Purchaser must be able to effectively control a container leak and contain & recover a hazmat spill equal to the largest single on site storage container volume. (HAZWOPER reg. 29CFR 1910.120 (j) (1) (vii)).

d. Hazardous Material Release Reporting

Releases of oil or hazardous materials to the environment must be reported according to the State Department of Ecology (ECY). It is the responsibility of the Purchaser to have all emergency contact information readily available and a means of remote communication for purposes of quick notification. In the event of a spill, the Purchaser is responsible for notifying the following:

Appropriate Department of Ecology regional office (contact information below).

DNR Contract Administrator

ECY - Northwest Region:

1-425-649-7000

(Island, King, Kitsap, San Juan, Skagit, Snohomish, and Whatcom counties)

ECY - Southwest Region:

1-360-407-6300

(Clallam, Clark, Cowlitz, Grays Harbor, Jefferson, Mason, Lewis, Pacific, Pierce, Skamania, Thurston, and Wahkiakum counties)

ECY - Central Region:

1-509-575-2490

(Benton, Chelan, Douglas, Kittitas, Klickitat, Okanogan, and Yakima counties)

ECY - Eastern Region:

1-509-329-3400

(Adams, Asotin, Columbia, Ferry, Franklin, Garfield, Grant, Lincoln, Pend Oreille, Spokane, Stevens, Walla Walla, and Whitman counties)

S-131 Refuse Disposal

As required by RCW 70.93, All Purchaser generated refuse shall be removed from state lands for proper disposal prior to termination of this contract. No refuse shall be burned, buried or abandoned on state forest lands. All refuse shall be transported in a manner such that it is in compliance with RCW 70.93 and all loads or loose materials shall be covered/secured such that these waste materials are properly contained during transport.

Section D: Damages

D-013 Liquidated Damages or Failure to Perform

The following clauses provide for payments by Purchaser to the State for breaches of the terms of this contract other than failure to perform. These payments are agreed to as liquidated damages and not as penalties. They are reasonable estimates of anticipated harm to the State, which will be caused by Purchaser's breach. These liquidated damages provisions are agreed to by the State and Purchaser with the understanding of the difficulty of proving loss and the inconvenience or infeasibility of obtaining an adequate remedy. These liquidated damages provisions provide greater certainty for the Purchaser by allowing the Purchaser to better assess its responsibilities under the contract.

Clause P-020 governs Purchaser's liability in the event Purchaser fails to perform any of the contract requirements other than the below liquidated damage clauses without written approval by the State. Purchaser's failure to pay for all or part of the forest products sold in this contract prior to expiration of the contract term results in substantial injury to the State. Therefore, Purchaser agrees to pay the State the full lump sum contract price in P-020 in the event of failure to perform.

D-040 Leave Tree Excessive Damage

When Purchaser's operations exceed the damage limits set forth in clause H-012, Leave Tree Damage Definition, the trees damaged result in substantial injury to the State. The value of the damaged leave trees at the time of the breach is not readily ascertainable. Therefore, Purchaser agrees to pay the State as liquidated damages at the rate of \$50.00 per tree for all damaged trees in the WMZ Thinning area.

D-041 Reserve Tree Excessive Damage

When Purchaser’s operations exceed the damage limits set forth in clause H-013, Reserve Tree Damage Definition, and when the Contract Administrator determines that a suitable replacement for a damaged reserve tree is not possible, the damaged trees result in substantial injury to the State. The value of the damaged reserve trees at the time of the breach is not readily ascertainable. Therefore, the Purchaser agrees to pay the State as liquidated damages at the rate of \$1,000.00 per tree for all damaged reserve trees that are not replaced in the Variable Retention Harvest area.

IN WITNESS WHEREOF, the Parties hereto have entered into this contract.

STATE OF WASHINGTON
DEPARTMENT OF NATURAL RESOURCES

Purchaser

Jean Fike
Northwest Region Manager

Date: _____
Address: _____

Date: _____

CORPORATE ACKNOWLEDGEMENT

STATE OF _____)

_____)

COUNTY OF _____)

On this _____ day of _____, 20____, before me personally appeared _____

_____ to me known to be the _____ of the corporation

that executed the within and foregoing instrument and acknowledged said instrument to be the free and voluntary act and deed of the corporation, for the uses and purposes therein mentioned, and on oath stated that (he/she was) (they were) authorized to execute said instrument.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal the day and year first above written.

Notary Public in and for the State of

My appointment expires _____

Schedule A
NW Ground-Based Equip Specifications (Rev11/05/14)

The following types of equipment are considered ground-based equipment: feller-buncher, processor, forwarder, skidder and shovel.

SHOVEL is defined as a low ground pressure track-mounted machine with hydraulic boom and grapple capable of picking up one end of the largest log 25 feet from the center of the machine.

LOG PROCESSOR/DE-LIMBER is defined as a mobile machine with a hydraulic boom capable of simultaneously bucking, delimiting and/or debarking and chipping whole trees while sitting stationary at the landing.

FELLER-BUNCHER/HARVESTER is defined as a track mounted machine with hydraulic boom and cutter head capable of felling, bucking, limbing, and decking logs in one operation.

FORWARDER is defined as a track or rubber tire machine used for transporting logs to a landing by use of a bunk with self loading boom in which logs are carried free of the ground.

RUBBER-TIRED SKIDDER is defined as a skidder mounted on rubber tires used to drag logs to a landing. Logs are generally pulled in groups of six or less, with one end on the ground.

TRACKED SKIDDER is defined as any tracked tractor or skidder, fixed or articulated, used to drag logs to landings. Logs are generally pulled in groups of six or less, with one end on the ground.

Harvester shall not deviate from the requirements set forth in this Schedule without prior written approval from the Contract Administrator.

FOR ALL YARDING:

Equipment will remain at least 30 feet from all water courses or areas of wet/soft soils, except as necessary to cross at approved locations. Water course crossing structures must be approved by a HPA or by the Contract Administrator.

Logging debris created by the operation will be removed from water courses concurrently with yarding.

WHEN SHOVEL YARDING IS AUTHORIZED:

S1. When yarding and loading operations are occurring simultaneously, an additional shovel will be required for loading to avoid extra trips to the landing.

S2. Shovel yarding will not be allowed to create ruts or soil puddling. Shovel routes should be dispersed to prevent creation of definable trails.

S3. Within shovel logged areas, to facilitate proper reforestation, logging debris will be dispersed as necessary to create clear, plantable spots at approximately a 11 foot x 11 foot spacing. Planting spots will be created concurrently with yarding.

LOG PROCESSORS will be allowed within the sale area only under one of the following conditions:

1. No tops or limbs will be allowed to accumulate on any landings, and all tops and limbs will be re-distributed into the unit, to the satisfaction of the Contract Administrator, and will provide for plantable spots every 11 feet by 11 feet.
2. Harvester must provide a written slash treatment plan, acceptable to the Contract Administrator, to address the additional slash accumulation. The Slash Treatment Plan will be a part of the Plan of Operations.

Schedule B
Thinning Prescription

Like Ike Unit 4 WMZ Thinning Prescription and Compliance

Thinning Prescription

- Contractor shall leave sufficient trees and basal area per acre in the unit to achieve the following:

Trees per Acre Average: 85-95

Basal Area per Acre Target: 220 Square feet

To accomplish this prescription, fallers shall harvest trees starting with smallest diameter trees working up to the largest (thin from below), cutting all of the following, until the target basal area is reached:

- 1) red alder, and then
- 2) Pacific silver fir, and then
- 3) western hemlock up to 16 inches DBH

The fallers shall harvest trees of the first species until the prescription is met. If the target for a plot is not met with the first species, then the faller shall harvest from the second species and diameter range and so on until the prescription is met. Fallers can cut from the full diameter range for each species starting with the smallest diameters and will avoid targeting only one or two diameter ranges for harvest.

Only live trees 8 inches or greater in DBH will be used to calculate trees per acre and basal area. Trees that are less than 8 inches in DBH will be protected during harvest operations where possible. There shall not be a gap between leave trees greater than 30 feet.

Additionally, the purchasers shall retain all snags greater than or equal to 20 inches DBH and 20 feet tall, except where it cannot be accomplished safely. Western redcedar, Douglas-fir, and Pacific yew are not to be cut without prior approval of the Contract Administrator (CA). Only trees necessary to facilitate harvest operations or those which pose safety hazards shall be considered for approval.

Certification of Fallers and Yarder Operators

The Contract Administrator (CA) will approve and certify in writing all persons engaged in felling of timber prior to any cutting operations, per the H-011 clause of the contract. The Contract Administrator and Faller/Harvester Operator will jointly review the take tree selection criteria as outlined in Schedule B of the contract.

In conjunction with the Contract Administrator, the Faller/Harvester Operator shall measure sample plots across the landscape concurrently while felling timber in each unit. If a plot indicates that the BA is more than 20 square feet above or below the target, the CA must be notified immediately. The CA shall determine if this deviation will require recertification of the fallers.



WASHINGTON STATE DEPARTMENT OF NATURAL RESOURCES

FOREST EXCISE TAX ROAD SUMMARY SHEET

Region:

Timber Sale Name:

Application Number:

EXCISE TAX APPLICABLE ACTIVITIES

Construction: **linear feet**
Road to be constructed (optional and required) but not abandoned

Reconstruction: **linear feet**
Road to be reconstructed (optional and required) but not abandoned

Abandonment: **linear feet**
Abandonment of existing roads not reconstructed under the contract

Decommission: **linear feet**
Road to be made undriveable but not officially abandoned.

Pre-Haul Maintenance: **linear feet**
Existing road to receive maintenance work (specifically required by the contract) prior to haul

EXCISE TAX EXEMPT ACTIVITIES

Temporary Optional Construction: **linear feet**
Optional roads to be constructed and then abandoned

Temporary Optional Reconstruction: **linear feet**
Optional roads to be reconstructed and then abandoned

New Abandonment: **linear feet**
Abandonment of roads constructed or reconstructed under the contract

All parties must make their own assessment of the taxable or non-taxable status of any work performed under the timber sale contract. The Department of Revenue bears responsibility for determining forest road excise taxes. The Department of Natural Resources developed this form to help estimate the impact of forest excise taxes. However, the information provided may not precisely calculate the actual amount of taxes due. The Department of Revenue is available for consultation by calling 1.800.548.8829.

(Revised 6/13)

PRE-CRUISE NARRATIVE

Sale Name: Like Ike	Region: Northwest
Agreement #: 30-092211	District: Clear Lake
Contact Forester: Jeremy Porter Phone / Location: 360-856-3500/ Northern St. WC	County(s): Skagit
Alternate Contact: Jesse Steele Phone / Location: 360-854-8687	Other information:

Type of Sale: Lump Sum	
Harvest System: Uphill Cable	85%
Harvest System: Downhill Cable	5%
Harvest System: Ground based	10%

UNIT ACREAGES AND METHOD OF DETERMINATION:

Unit # Harvest R/W or RMZ WMZ	Legal Description (Enter only one legal for each unit) Sec/Twp/Rng	Grant or Trust	Gross Proposal Acres	Deductions from Gross Acres (No harvest acres)				Net Harvest Acres	Acreage Determination (List method and error of closure if applicable)
				RMZ/ WMZ Acres	Leave Tree Acres	Existing Road Acres	Other Acres (describe)		
1	25/T33/R05E 30/T33/R06E	01, 04, 08	69.2	0	1.7	0	0	67.5	GPS (Garmin)
2	30/T33/R06E	01, 03	25.5	0	0.5	0	0	25	GPS (Garmin)
3	31/T33/R06E	01	4.7	0	0.1	0	0	4.6	GPS (Garmin)
4	26/T33/R05E 25/T33/R05E	01, 08	12.6	0	0.3	0	0	12.3	GPS (Garmin)
5	31/T33/R06E 30/T33/R06E 36/T33/R05E 25/T33/R05E	01, 03, 04	58.3	0	1.1	1.7	0	55.5	GPS (Garmin)
U4 WMZ	26/T33/R05E 25/T33/R05E	01	3.4	0	0	0	0	3.4	GPS (Garmin)
ROW	25/T33/R05E	04	.5	0	0	0	0	.5	GPS (Garmin)

1									
ROW 2	25/T33/R05E	04	.5	0	0	0	0	.5	GPS (Garmin)
ROW 3	36/T33/R05E	03	.1	0	0	0	0	.1	GPS (Garmin)
ROW 4	25/T33/R05E	01	.8	0	0	0	0	.8	GPS (Garmin)
ROW 5	25/T33/R05E	01	.4	0	0	0	0	.4	GPS (Garmin)
TOTAL ACRES			176	0	3.7	1.7	0	170.6	

***ROWS were calculated using an average width of 60 feet multiplied by the length of road divided by 43560.**

HARVEST PLAN AND SPECIAL CONDITIONS:

Unit #	Harvest Prescription: (Leave, take, paint color, tags, flagging etc.)	Special Management areas:	Other conditions (# leave trees, etc.)
1	Variable Retention Harvest (VRH). Dispersed single leave trees marked with blue paint on bole and root collar. Leave tree clumps marked with yellow "Leave Tree Area" Tags.		570 total leave trees (470 clumped, 100 dispersed) are marked with yellow leave tree area tags and/or blue paint.
2	Variable Retention Harvest (VRH). Dispersed single leave trees marked with blue paint on bole and root collar. Leave tree clumps marked with yellow "Leave Tree Area" Tags.		209 total leave trees (189 clumped, 20 dispersed) are marked with yellow leave tree area tags and/or blue paint.
3	Variable Retention Harvest (VRH). Dispersed single leave trees marked with blue paint on bole and root collar. Leave tree clumps marked with yellow "Leave Tree Area" Tags.		40 total leave trees (37 clumped, 3 dispersed) are marked with yellow leave tree area tags and/or blue paint.
4	Variable Retention Harvest (VRH). Dispersed single leave trees marked with blue paint on bole and root collar. Leave tree clumps marked with yellow "Leave Tree Area" Tags.		101 total leave trees (74 clumped, 27 dispersed) are marked with yellow leave tree area tags and/or blue paint.
5	Variable Retention Harvest (VRH). Dispersed single leave trees marked with blue paint on bole and root collar. Leave tree clumps marked with yellow "Leave Tree Area" Tags.		468 total leave trees (348 clumped, 120 dispersed) are marked with yellow leave tree area tags and/or blue paint.

WMZ	Variable Density Wetland Management Zone Thin (VDT). Trees will be thinned following the prescription listed in Schedule B. All thinning areas are within blue "Special Management Unit Boundary" tags and bounded by white "Timber Sale Boundary" tags.		
ROW1	Right-of-way between units 1 and 5 is marked with orange Right-of-Way Boundary tags.		
ROW2	Right-of-way between units 1 and 5 is marked with orange Right-of-Way Boundary tags.		
ROW3	Right-of-way at the southwest corner of unit 5 is marked with orange Right-of-Way Boundary tags.		

OTHER PRE-CRUISE INFORMATION: Unit 1 Traverse Map 1 inch to 600 feet.

Unit #	Primary,secondary Species / Estimated Volume (MBF)	Access information (Gates, locks, etc.)	Photos, traverse maps required
1	WH, RC / 3200	Access to all units is via CN-ML; F1 key required	Traverse and vicinity maps are attached.
2	WH, RC / 975		
3	WH, RC / 162		
4	WH, RC / 529		
5	WH, RC / 1943		
WMZ	WH, DF / 25		
ROW1	WH, RC / 16.5		
ROW2	WH, RC / 18.2		
ROW3	WH, RC / 1.8		
ROW4	WH, RC / 32		
ROW5	WH, RC / 20		
TOTAL MBF	6922.5		

REMARKS:

WMZ Thinning Prescription:

Contractor shall maintain an average basal area of 220 square feet per acre. To accomplish this prescription, fallers shall harvest trees starting with smallest diameter trees working up to the largest (thin from below), cutting up to all: 1) red alder, 2) Pacific silver fir, and 3) western hemlock up to 16" DBH.

Purchasers shall retain all snags greater than or equal to 20" DBH and 20 feet tall, except where it cannot be accomplished safely.

Driving Directions:

Heading south on Highway 9 from Sedro-Woolley, take a left onto Lake Cavanaugh Rd (11.5 miles South of Sedro-Woolley). Drive 3.6 miles before turning right onto Granstrom Rd. Go 0.8 miles before turning left onto the Crane Creek Mainline (CN-ML). Drive 2 miles before turning right onto the CN-20 road. Drive 0.55 miles to reach a junction.

To Units 1 (Mid-slope), 2, 3, & 5: Turn right from the junction and take the next immediate right to get onto CN-1111 road. Drive 0.49 miles to four way intersection. Continue straight (south), road becomes CN-11 from intersection. Drive 2.9 miles on CN-11. Turn right onto ST-16 and go 0.68 miles before turning left onto ST-1614. Drive 0.2 miles to begin accessing units.

To top of Unit 1: Turn right from the junction and take the next immediate right to get onto CN-1111 road. Drive 0.49 miles to four way intersection. Continue straight (south), road becomes CN-11 from intersection. Drive 2.9 miles on CN-11. Turn left onto ST-16 and travel 1.37 miles to access the top of the unit.

To Unit 4: Turn left from junction, onto CN-2006. Drive 0.1 mile before turning right. Go 0.46 miles before turning left onto CN-2006-06. Drive 0.40 miles and take a left to access unit.

Prepared By: Jeremy Porter Date:	Title: Natural Resource Specialist 1	CC: Region Timber Sale File
-------------------------------------	---	-----------------------------

Like Ike Timber Sale Traverse Map- Unit 1

0 150300 600 Feet




1 inch = 600 feet

N



Net Acres
Unit 1: 67.5
Unit 2: 25
Unit 3: 4.6
Unit 4: 12.3
Unit 5: 55.5
Unit 4 WMZ: 3.4
ROW Acres
ROW 1: 0.5
ROW 2: 0.5
ROW 3: 0.1
ROW 4: 0.8
ROW 5: 0.4

Legend	
	Like Ike Boundary
	GPS Waypoint
	Stream
	Unit4 WMZ Boundary
	Forested Wetland
	Leave Tree Clump
	Proposed Road
	Right of Ways
	Existing Road



Like Ike Timber Sale Traverse Map- Unit 1

0 150300 600 Feet




1 inch = 600 feet

N



Net Acres
Unit 1: 67.5
Unit 2: 25
Unit 3: 4.6
Unit 4: 12.3
Unit 5: 55.5
Unit 4 WMZ: 3.4
ROW Acres
ROW 1: 0.5
ROW 2: 0.5
ROW 3: 0.1
ROW 4: 0.8
ROW 5: 0.4

Legend
Like Ike Boundary
GPS Waypoint
Stream
Unit4 WMZ Boundary
Forested Wetland
Leave Tree Clump
Proposed Road
Right of Ways
Existing Road



Like Ike Timber Sale Traverse Map- Unit 1

0 150300 600 Feet




1 inch = 600 feet

N



Net Acres
Unit 1: 67.5
Unit 2: 25
Unit 3: 4.6
Unit 4: 12.3
Unit 5: 55.5
Unit 4 WMZ: 3.4
ROW Acres
ROW 1: 0.5
ROW 2: 0.5
ROW 3: 0.1
ROW 4: 0.8
ROW 5: 0.4

Legend
Like Ike Boundary
GPS Waypoint
Stream
Unit4 WMZ Boundary
Forested Wetland
Leave Tree Clump
Proposed Road
Right of Ways
Existing Road




Like Ike Timber Sale Traverse Map- Unit 2

1 inch = 400 feet



Net Acres
Unit 1: 72.5
Unit 2: 25
Unit 3: 4.6
Unit 4: 12.3
Unit 5: 55.5
Unit 4 WMZ: 3.4
ROW Acres
ROW 1: 0.5
ROW 2: 0.5
ROW 3: 0.1
ROW 4: 0.8
ROW 5: 0.4

Legend	
	Like Ike Boundary
	GPS Waypoint
	Stream
	Unit4 WMZ Boundary
	Forested Wetland
	Leave Tree Clump
	Proposed Road
	Right of Ways
	Existing Road



T33R06E

Unit 2

Unit 5

729

728

727

726

725

724

723

722

721

720

719

718

717

716

715

714

713

712

711

710

709

708

707

706

705

704

703

702

1729

1728

1727

1726

1725

1724

1723

1722

1721

1720

1719

1718

1717

1716

1715

1714

1713

1712

1711

1710

1709

1708

1707

1706

1705

1704

1703

1702

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1640

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1560

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1520

1480

1480

1480

1480


1480

1480

1480


Like Ike Timber Sale Traverse Map- Unit 2

1 inch = 400 feet



Net Acres
Unit 1: 72.5
Unit 2: 25
Unit 3: 4.6
Unit 4: 12.3
Unit 5: 55.5
Unit 4 WMZ: 3.4
ROW Acres
ROW 1: 0.5
ROW 2: 0.5
ROW 3: 0.1
ROW 4: 0.8
ROW 5: 0.4

Legend
Like Ike Boundary
GPS Waypoint
Stream
Unit4 WMZ Boundary
Forested Wetland
Leave Tree Clump
Proposed Road
Right of Ways
Existing Road




Like Ike Timber Sale Traverse Map- Unit 2

1 inch = 400 feet



Net Acres
Unit 1: 72.5
Unit 2: 25
Unit 3: 4.6
Unit 4: 12.3
Unit 5: 55.5
Unit 4 WMZ: 3.4
ROW Acres
ROW 1: 0.5
ROW 2: 0.5
ROW 3: 0.1
ROW 4: 0.8
ROW 5: 0.4


Legend	
	Like Ike Boundary
	GPS Waypoint
	Stream
	Unit4 WMZ Boundary
	Forested Wetland
	Leave Tree Clump
	Proposed Road
	Right of Ways
	Existing Road





Like Ike Timber Sale Traverse Map- Unit 3 & 5

0 100 200 400 Feet
1 inch = 400 feet






Like Ike Timber Sale Traverse Map- Unit 3 & 5

1 inch = 400 feet



Net Acres	
Unit 1:	72.5
Unit 2:	25
Unit 3:	4.6
Unit 4:	12.3
Unit 5:	55.5
Unit 4 WMZ:	3.4
ROW Acres	
ROW 1:	0.5
ROW 2:	0.5
ROW 3:	0.1
ROW 4:	0.8
ROW 5:	0.4

Legend	
	Like Ike Boundary
	GPS Waypoint
	Stream
	Unit4 WMZ Boundary
	Forested Wetland
	Leave Tree Clump
	Proposed Road
	Right of Ways
	Existing Road






Like Ike Timber Sale Traverse Map- Unit 3 & 5

0 100 200 400 Feet
1 inch = 400 feet

Net Acres
Unit 1: 72.5
Unit 2: 25
Unit 3: 4.6
Unit 4: 12.3
Unit 5: 55.5
Unit 4 WMZ: 3.4
ROW Acres
ROW 1: 0.5
ROW 2: 0.5
ROW 3: 0.1
ROW 4: 0.8
ROW 5: 0.4

Legend
Like Ike Boundary
GPS Waypoint
Stream
Unit4 WMZ Boundary
Forested Wetland
Leave Tree Clump
Proposed Road
Right of Ways
Existing Road



Unit 2

Unit 3

Unit 5

T33R06E

25

30

31

36

T33R05E

ST-1633

ST-1633

741A

716

316

317

318

319

320

321

322

323

324

351

353

354

355

356

357

358

359

360

361

362

363

364

365

366

367

368

369

370

371

372

373

374

375

376

377

378

379

380

381

382

383

384

385

386

387

388

389

390

391

392

393

394

395

396

397

398

399

400

401

402

403

404

405

406

407

408

409

410

411

412

413

414

415

416

417

418

419

420

421

422

423

424

425

426

427

428

429

430

431

432

433

434

435

436

437

438

439

440

441

442

443

444

445

446

447

448

449

450

451

452

453

454

455

456

457

458

459

460

461

462

463

464

465

466

467

468

469

470

471

472

473

474

475

476

477

478

479

480

481

482

483

484

485

486

487

488

489

490

491

492

493

494

495

496

497

498

499

500

501

502

503

504

505

506

507

508

509

510

511

512

513

514

515

516

517

518

519

520

521

522

523

524

525

526

527

528

529

530

531

532

533

534

535

536

537

538

539

540

541

542

543

544

545

546

547

548

549

550

551

552

553

554

555

556

557

558

559

560

561

562

563

564

565

566

567

568

569

570

571

572

573

574

575

576

577

578

579

580

581

582

583

584

585

586

587

588

589

590

591

592

593

594

595

596

597


598

599

600

Like Ike Timber Sale Traverse Map- Unit 4

0 100 200 400 Feet
1 inch = 400 feet



Net Acres
Unit 1: 72.5
Unit 2: 25
Unit 3: 4.6
Unit 4: 12.3
Unit 5: 55.5
Unit 4 WMZ: 3.4
ROW Acres
ROW 1: 0.5
ROW 2: 0.5
ROW 3: 0.1
ROW 4: 0.8
ROW 5: 0.4

Legend
Like Ike Boundary
GPS Waypoint
Stream
Unit 4 WMZ Boundary
Forested Wetland
Leave Tree Clump
Proposed Road
Right of Ways
Existing Road


Like Ike Timber Sale Traverse Map- Unit 4

1 inch = 400 feet



Net Acres
Unit 1: 72.5
Unit 2: 25
Unit 3: 4.6
Unit 4: 12.3
Unit 5: 55.5
Unit 4 WMZ: 3.4
ROW Acres
ROW 1: 0.5
ROW 2: 0.5
ROW 3: 0.1
ROW 4: 0.8
ROW 5: 0.4

Legend	
	Like Ike Boundary
	GPS Waypoint
	Stream
	Unit4 WMZ Boundary
	Forested Wetland
	Leave Tree Clump
	Proposed Road
	Right of Ways
	Existing Road



GRANITE CREEK MAIN LINE

T83R05E

CN-2006-0102

CN-2006-0103

CN-2006-0602

CN-2006-0604

Unit 4

A

B

24


25

23

26

Like Ike Timber Sale Traverse Map- Unit 4

0 100 200 400 Feet
1 inch = 400 feet



Cruise Narrative

Sale Name: Like Ike	Region: Northwest
Agree. #: 30-092211	District: Clear Lake
Lead cruiser: Ian McLelland	Completion date: 09/18/2015
Other cruisers on sale: Matt Lobet	

Unit acreage specifications:

Unit #	Cruised acres	Cruised acres agree with sale acres? Yes/No	If acres do not agree explain why.
1	67.5	Yes	
2	25.0	Yes	
3	4.6	Yes	
4	12.3	Yes	
5	55.5	Yes	
WMZ	3.4	Yes	
ROW	2.3	Yes	
Total	170.6	Yes	

Unit cruise specifications:

Unit #	Sample type (VP, FP, ITS,100%)	Expansion factor (BAF, full/half)	Sighting height (4.5 ft, 16 ft.)	Grid size (Plot spacing or % of area)	Plot ratio (cruise:count)	Total number of plots
1	VP	62.5 / 40	4.5	250 x 250	Cruise: Count	47
2	VP	62.5 / 40	4.5	275 x 275	Cruise: Count	13
3	VP	62.5 / 40	4.5	200 x 200	Cruise : Count	5
4	VP	62.5 / 40	4.5	250 x 250	Cruise: Count	9
5	VP	62.5 / 40	4.5	250 x 250	Cruise: Count	39
WMZ	VP	62.5 / 40	4.5	Random	Cruise All	4
ROW	VP	62.5 / 40	4.5	Random	Cruise All	1

Sale/Cruise Description:

Minor species cruise intensity:	RA and BM were cruised with a 40 BAF in all units. RC was cruised with a 40 BAF in Unit 1 alone.			
Minimum cruise spec:	8 inch D.B.H. holding 5 inches at 16 feet, 10 board feet.			
Avg ring count by sp:	DF =	8	WH =	8
Leave/take tree description:	Refer to Schedule B for WMZ thinning prescription. Individual leave trees are bound by blue paint. Leave trees patches are bound with yellow leave tree tags.			
Other conditions				

Field observations:

The Like Ike timber sale is located along the Crane Creek road system. 2.3 acres of ROW are to be built to access the sale area. Logging methods include: 85% uphill cable, 5% downhill cable, and 10% ground based.

Unit 1

WH is the dominant specie in this stand. Red Cedar is prevalent throughout and poles were observed off plot. Blowdown and root rot pockets are present in the southern portion of the unit and along the stand edge. Trees decrease in height as elevation increases. North aspect / 20 – 40% slope.

Unit 2

WH is the dominant specie in this stand. Red Cedar is prevalent throughout and poles were observed. Silver fir is a component of this stand and becomes more prevalent as elevation decreases. Hardwoods are scattered. Northeast aspect / 5-30% slope.

Unit 3

A small unit consisting primarily of WH. North aspect / 5-10% slope

Unit 4

This is an isolated unit located away from Units 1,2,3,and 5. DF and WH are the two primary species in this stand. High quality DF is present throughout the stand. Tree heights are significantly greater than other units. Aspect west / 0-5 slope

Unit 5

WH and RC are the primary species in the stand. RC poles were observed throughout the unit. High quality DF is also present in the eastern portion of the unit. Aspect Southeast / 10 – 35% slope.

Grants: 01 _____ 03 _____ 04 _____ 08 _____

Prepared by:

Ian McLelland

Title:

Timber Cruiser /
Presales

CC:

TC PSPCSTGR		Species, Sort Grade - Board Foot Volumes (Project)																				
T33N R05E S25 TyROW THRU T33N R06E S31 TyU5			Project: LIKE IKE		Page 1																	
			Acres 170.60		Date 9/23/2015 Time 4:19:37PM																	
S Spp	So T	Gr rt	ad	% Net BdFt	Bd. Ft. per Acre			Total Net MBF	Percent of Net Board Foot Volume								Average Log				Logs Per /Acre	
					Def%	Gross	Net		Log Scale Dia.				Log Length				Ln Ft	Dia In	Bd Ft	CF/ Lf		
									5-7	8-11	12-15	16+	12-20	21-30	31-35	36-99						
WH	T	D	2S	53	6.6	19,010	17,750	3,028				65	35			100	40	14	295	1.75	60.2	
WH	T	D	3S	37	2.9	12,506	12,139	2,071	21	77	2			2	1	98	39	8	102	0.72	118.5	
WH	T	D	4S	9	3.2	3,085	2,985	509	96	4				26	22	15	37	25	5	27	0.33	109.1
WH	T	D	UT	1	11.2	161	143	24	85	15				59	41			9	5	10	0.29	14.4
WH Totals				73	5.0	34,762	33,017	5,633	17	29	36	19		3	3	2	93	33	8	109	0.86	302.2
DF	T	D	2S	63	1.9	2,897	2,842	485				38	62			100	40	15	392	2.06	7.3	
DF	T	D	3S	14	1.0	622	616	105	20	80					3	97	39	9	110	0.82	5.6	
DF	T	D	4S	5	20.1	297	237	41	98	2				23	24	19	34	25	5	25	0.35	9.3
DF	T	D	UT			3	3	1		100				100			9	8	10	0.45	.3	
DF	T	H	3P	5		208	208	36				100				100	40	24	1010	4.91	.2	
DF	T	H	2S	13		579	579	99				100				100	40	18	502	2.64	1.2	
DF Totals				10	2.6	4,606	4,487	765	8	11	24	57		1	2	1	96	33	10	188	1.28	23.9
RC	T	D	3S	84	8.8	6,059	5,527	943	11	33	35	21			1	99	36	10	139	1.24	39.9	
RC	T	D	4S	16	16.2	1,169	980	167	99	1		0		23	24	23	29	25	5	26	0.36	38.2
RC Totals				14	10.0	7,227	6,507	1,110	24	28	30	18		4	4	4	89	31	8	83	0.88	78.1
RC	P	D	3S	90		226	226	39	4	42	54					100	36	11	171	1.34	1.3	
RC	P	D	4S	10		25	25	4	100					19		81	28	5	33	0.34	.7	
RC Totals				1		251	251	43	14	38	48		2		8	90	33	9	121	1.04	2.1	
RA	T	D	2S	31	17.7	175	144	25			100				63	37	34	13	170	1.48	.8	
RA	T	D	3S	11	10.0	53	48	8			100					100	40	12	180	1.37	.3	
RA	T	D	4S	52	13.0	274	238	41	49	51					69	31	32	7	49	0.54	4.8	
RA	T	D	UT	6		24	24	4	100					44	56		17	5	16	0.24	1.5	
RA Totals				1	13.7	526	454	77	31	27	42		2	59		38	29	7	61	0.67	7.4	
SF	T	D	2S	66	2.4	501	489	83			78	22				100	40	14	279	1.71	1.8	
SF	T	D	3S	29	4.5	219	209	36		100						100	40	9	119	0.75	1.8	
SF	T	D	4S	5		35	35	6	100					65	35		18	6	24	0.34	1.4	
SF Totals				2	2.9	755	733	125	5	29	52	15		3	2		95	34	10	148	1.09	4.9
BM	T	D	2S	36	20.4	33	26	4				100					20	33	780	8.00	.0	
BM	T	D	4S	27	14.3	22	19	3		100						100	20	10	60	0.73	.3	
BM	T	D	UT	37		26	26	4			19	81		81	19		21	20	385	3.57	.1	
BM Totals				0	12.2	80	71	12			27	7	66		93	7		20	13	170	1.78	.4
Totals					5.6	48,208	45,519	7,766	17	27	34	22		3	3	2	92	33	8	109	0.89	419.1

T33N R05E S25 TROW										T33N R05E S25 TROW				
Twp	Rge	Sec	Tract	Type	Acres	Plots	Sample Trees	CuFt	BdFt					
33N	05E	25	LIKE IKE	ROW	2.30	1	3	S	W					

S Spp	So T	Gr rt	Gr ad	% Net BdFt	Bd. Ft. per Acre			Total Net MBF	Percent Net Board Foot Volume								Average Log				Logs Per /Acre
									Log Scale Dia.				Log Length				Ln	Dia	Bd	CF/	
									5-7	8-11	12-15	16+	12-20	21-30	31-35	36-99	Ft	In	Ft	Lf	
WH	T	DM	2S	27	6,236	6,236	14	100				100				40	13	240	1.66	26.0	
WH	T	DM	3S	61	14,037	14,037	32	11	89			100				40	9	125	0.89	112.3	
WH	T	DM	4S	12	2,589	2,589	6	100				100				28	5	30	0.34	86.3	
WH	T	Totals		100	22,862	22,862	53	18	55	27		11		89		35	8	102	0.82	224.6	
Type Totals					22,862	22,862	53	18	55	27		11		89		35	8	102	0.82	224.6	

T33N R05E S25 TU1										T33N R05E S25 TU1				
Twp	Rge	Sec	Tract	Type	Acres	Plots	Sample Trees	CuFt	BdFt					
33N	05E	25	LIKE IKE	U1	67.50	47	130	S	W					

Spp	S	So	Gr	%	Bd. Ft. per Acre			Total	Percent Net Board Foot Volume								Average Log			Logs Per /Acre			
									Net BdFt	Def%	Gross	Net	Net MBF	Log Scale Dia.				Log Length				Ln Ft	Dia In
					5-7	8-11	12-15							16+	12-20	21-30	31-35	36-99					
WH	T	DM	2S	41	7.2	13,381	12,414	838			74	26				100	40	14	290	1.70	42.8		
WH	T	DM	3S	47	3.5	14,314	13,813	932	22	74	4				0	100	40	9	108	0.74	128.2		
WH	T	DM	4S	11	2.9	3,458	3,356	227	98	2			23	22	14	41	25	5	27	0.31	123.8		
WH	T	DM	UT	1	20.1	227	181	12	70	30			55	45			14	6	15	0.25	12.2		
WH	T	Totals		72	5.1	31,379	29,764	2,009	21	35	33	11	3	3	2	93	33	8	97	0.76	307.1		
RC	T	DM	3S	79	8.2	7,674	7,041	475	15	36	26	22			1	99	36	9	126	0.99	56.1		
RC	T	DM	4S	21	18.1	2,227	1,824	123	99	1		0	21	19	32	28	26	5	25	0.34	73.1		
RC	T	Totals		21	10.5	9,901	8,865	598	33	29	21	17	4	4	7	85	30	7	69	0.68	129.1		
DF	T	DM	2S	73	7.5	1,837	1,700	115			36	64				100	40	16	378	2.15	4.5		
DF	T	DM	3S	14	4.3	350	335	23	16	84					16	84	36	9	114	0.82	2.9		
DF	T	DM	4S	13	35.1	431	280	19	100				28			72	27	6	24	0.36	11.5		
DF	T	Totals		6	11.6	2,617	2,314	156	14	12	26	47	3	2		94	31	9	123	0.99	18.9		
BM	T	DM	2S	36	20.4	83	66	4			100		100				20	33	780	8.00	.1		
BM	T	DM	4S	27	14.3	56	48	3		100			100				20	10	60	0.73	.8		
BM	T	DM	UT	37		65	65	4			19	81	81	19			21	20	385	3.57	.2		
BM	T	Totals		0	12.2	203	179	12		27	7	66	93	7			20	13	170	1.78	1.0		
RA	T	DM	2S	64	23.8	164	125	8			100					100	30	14	160	1.63	.8		
RA	T	DM	4S	36	18.2	86	70	5		100						100	30	10	90	0.81	.8		
RA	T	Totals		0	21.9	250	195	13		36	64					100	30	12	125	1.22	1.6		
Type	Totals				6.8	44,350	41,317	2,789	23	32	30	14	4	4	3	90	32	8	90	0.75	457.7		

T33N R05E S26 TU4										T33N R05E S26 TU4				
Twp	Rge	Sec	Tract	Type	Acres	Plots	Sample Trees	CuFt	BdFt					
33N	05E	26	LIKE IKE	U4	12.30	9	26	S	W					

S Spp	So T	Gr rt	%	Bd. Ft. per Acre			Total Net MBF	Percent Net Board Foot Volume								Average Log			Logs Per /Acre	
								Log Scale Dia.				Log Length				Ln	Dia	Bd		CF/ Lf
				Def%	Gross	Net		5-7	8-11	12-15	16+	12-20	21-30	31-35	36-99	Ft	In	Ft		Lf
WH	T	DM	2S	35	4.1	11,309	10,845	133			60	40			100	40	14	279	1.51	38.8
WH	T	DM	3S	56	3.7	18,002	17,329	213	24	76					100	40	8	102	0.64	170.0
WH	T	DM	4S	8		2,458	2,458	30	100				38	24	38	23	5	25	0.26	98.7
WH	T	DM	UT	1		172	172	2	100				100			5	5	6	0.17	29.6
WH	T	Totals		43	3.6	31,940	30,803	379	22	43	21	14	4	2	94	32	8	91	0.68	337.1
DF	T	DM	2S	63		24,883	24,883	306			34	66			100	40	16	413	2.04	60.2
DF	T	DM	3S	8		3,496	3,496	43	11	89					100	39	9	113	0.75	31.0
DF	T	DM	4S	1	.0	78	78	1		100			100			11	9	20	0.55	3.9
DF	T	DM	UT			48	48	1		100			100			9	8	10	0.45	4.8
DF	T	H	3P	7		2,887	2,887	36				100			100	40	24	1010	4.91	2.9
DF	T	H	2S	21		8,036	8,036	99			100				100	40	18	502	2.64	16.0
DF	T	Totals		56		39,428	39,428	485	1	8	22	69	0		100	38	14	332	1.82	118.8
RC	T	DM	3S	100		808	808	10	21	79					100	36	10	140	1.25	5.8
RC	T	Totals		1		808	808	10	21	79					100	36	10	140	1.25	5.8
Type Totals					1.6	72,177	71,040	874	10	23	22	45	2	1	97	34	9	154	1.01	461.7

T33N R05E S26 TWMZ	T33N R05E S26 TWMZ
Twp Rge Sec Tract Type Acres Plots Sample Trees CuFt	BdFt
33N 05E 26 LIKE IKE WMZ 3.40 4 8 S	W

Spp	S	So	Gr	%	Bd. Ft. per Acre			Total	Percent Net Board Foot Volume								Average Log				Logs						
									Net	Def%	Gross	Net	Net	Log Scale Dia.				Log Length				Ln	Dia	Bd	CF/	Per	
														BdFt	5-7	8-11	12-15	16+	12-20	21-30							31-35
WH	T	DM	3S	90		11,809	11,809	40	20	80					100	40	9	117	0.71	100.7							
WH	T	DM	4S	10		1,187	1,187	4	100						20	37	43	23	5	23	0.29	51.3					
WH	T	Totals		77		12,996	12,996	44	27	73					2	3	95	34	7	86	0.61	151.9					
RA	T	DM	4S	100	14.8	1,369	1,167	4	52	48				72	28	32	6	39	0.54	29.6							
RA	T	Totals		7	14.8	1,369	1,167	4	52	48				72	28	32	6	39	0.54	29.6							
SF	T	DM	2S	64		1,768	1,768	6		100					100	40	12	200	1.28	8.8							
SF	T	DM	3S	29		796	796	3		100					100	40	8	90	0.57	8.8							
SF	T	DM	4S	7		177	177	1	100					100	17	5	20	0.24	8.8								
SF	T	Totals		16		2,741	2,741	9	6	29	65			6	94	32	8	103	0.80	26.5							
Type	Totals				1.2	17,106	16,904	57	25	64	10			2	5	3	90	34	7	81	0.62	208.0					

T33N R06E S31 TU2										T33N R06E S31 TU2				
Twp	Rge	Sec	Tract	Type	Acres	Plots	Sample Trees	CuFt	BdFt					
33N	06E	31	LIKE IKE	U2	25.00	13	46	S	W					

Spp	S	So	Gr	% Net BdFt	Bd. Ft. per Acre			Total Net MBF	Percent Net Board Foot Volume								Average Log				Logs Per /Acre	
									Log Scale Dia.				Log Length				Ln Ft	Dia In	Bd Ft	CF/Lf		
									5-7	8-11	12-15	16+	12-20	21-30	31-35	36-99						
WH	T	DM	2S	65	6.5	36,569	34,188	855			59	41				100	40	14	307	1.72	111.3	
WH	T	DM	3S	28	2.8	14,989	14,575	364	16	84				3		97	39	8	102	0.67	143.2	
WH	T	DM	4S	6	.7	3,280	3,259	81	87	13				36	21	13	30	23	6	28	0.33	117.2
WH	T	DM	UT	1		51	51	1	100							100	4	6	5	0.20	10.8	
WH	T	Totals		79	5.1	54,889	52,072	1,302	10	24	39	27	2	2	1	95	34	9	136	0.96	382.4	
RC	T	DM	3S	97	6.5	8,385	7,836	196	3	25	38	33				100	36	11	183	1.53	42.9	
RC	T	DM	4S	3		237	237	6	84	16						100	16	6	22	0.41	10.7	
RC	T	Totals		12	6.4	8,622	8,072	202	6	24	37	32	3			97	32	10	151	1.42	53.6	
RC	P	DM	3S	87		1,182	1,182	30		55	45					100	36	11	174	1.28	6.8	
RC	P	DM	4S	13		171	171	4	100					19		81	28	5	33	0.34	5.1	
RC	P	Totals		2		1,353	1,353	34	13	48	39		2		10	87	32	9	114	0.93	11.9	
SF	T	DM	2S	68	3.4	2,397	2,316	58			68	32				100	40	14	308	1.85	7.5	
SF	T	DM	3S	27	6.7	994	927	23		100						100	40	9	123	0.81	7.5	
SF	T	DM	4S	5		147	147	4	100					44	56		18	6	28	0.37	5.3	
SF	T	Totals		5	4.2	3,538	3,389	85	4	27	47	22	2	2		96	34	10	167	1.20	20.3	
DF	T	DM	2S	89		1,121	1,121	28				100				100	40	21	735	3.46	1.5	
DF	T	DM	3S	11		137	137	3		100						100	40	11	180	1.21	.8	
DF	T	Totals		2		1,258	1,258	31		11		89				100	40	17	550	2.71	2.3	
Type	Totals					5.0	69,660	66,145	1,654	9	25	38	28	2	2	1	95	33	9	141	1.03	470.6

T33N R06E S31 TU3										T33N R06E S31 TU3			
Twp	Rge	Sec	Tract	Type	Acres	Plots	Sample Trees	CuFt	BdFt				
33N	06E	31	LIKE IKE	U3	4.60	5	9	S	W				

Spp	T	So	Gr	% Net BdFt	Bd. Ft. per Acre			Total Net MBF	Percent Net Board Foot Volume								Average Log			Logs Per /Acre	
									Log Scale Dia.				Log Length				Ln Ft	Dia In	Bd Ft		CF/ Lf
									5-7	8-11	12-15	16+	12-20	21-30	31-35	36-99					
WH	T	DM	2S	57	26,166	26,166	120			62	38				100	40	14	325	1.74	80.5	
WH	T	DM	3S	40	18,575	18,575	85	17	83						100	40	8	113	0.71	164.5	
WH	T	DM	4S	3	1,125	1,125	5	73	27					100		14	6	20	0.39	55.0	
WH	T	Totals		92	45,866	45,866	211	9	34	35	22			2	98	35	10	153	1.00	300.1	
DF	T	DM	2S	67	2,790	2,790	13			100					100	40	12	218	1.40	12.8	
DF	T	DM	3S	28	1,183	1,183	5	42	58						100	40	8	92	0.60	12.8	
DF	T	DM	4S	5	185	185	1	100						100		15	5	14	0.27	12.8	
DF	T	Totals		8	4,158	4,158	19	16	17	67				4	96	32	9	108	0.88	38.4	
Type Totals					50,024	50,024	230	9	33	38	20			3	97	35	10	148	0.99	338.5	

T33N R06E S31 TU5										T33N R06E S31 TU5				
Twp	Rge	Sec	Tract	Type	Acres	Plots	Sample Trees	CuFt	BdFt					
33N	06E	31	LIKE IKE	U5	55.50	39	106	S	W					

Spp	S	So	Gr	%	Bd. Ft. per Acre			Total	Percent Net Board Foot Volume								Average Log			Logs Per /Acre			
									Net BdFt	Def%	Gross	Net	Net MBF	Log Scale Dia.				Log Length				Ln Ft	Dia In
					5-7	8-11	12-15							16+	12-20	21-30	31-35	36-99					
WH	T	DM	2S	65	7.3	20,755	19,232	1,067				63	37				100	40	14	290	1.85	66.4	
WH	T	DM	3S	24	2.4	7,447	7,265	403	27	73					6	4	90	38	8	89	0.75	81.8	
WH	T	DM	4S	10	5.8	2,982	2,809	156	99	1				21	26	15	37	27	5	28	0.38	99.0	
WH	T	DM	UT	1		157	157	9	100					48	52			8	5	9	0.39	17.9	
WH	T	Totals		78	6.0	31,341	29,463	1,635	17	18	41	24		2	4	2	91	33	8	111	0.96	265.1	
RC	T	DM	3S	87	11.5	5,334	4,718	262	9	33	46	12			1		99	36	10	140	1.57	33.8	
RC	T	DM	4S	13	11.6	777	687	38	100					18	46		36	26	5	29	0.42	23.9	
RC	T	Totals		14	11.6	6,111	5,405	300	21	29	40	11		2	7		91	32	8	94	1.18	57.7	
RC	P	DM	3S	100		163	163	9	19		81						100	36	11	160	1.52	1.0	
RC	P	Totals		0		163	163	9	19		81						100	36	11	160	1.52	1.0	
DF	T	DM	2S	31		419	419	23			100						100	40	13	240	1.77	1.7	
DF	T	DM	3S	42		551	551	31	34	66							100	40	8	104	0.92	5.3	
DF	T	DM	4S	27		357	357	20	100					11	50	39		25	5	28	0.33	12.8	
DF	T	Totals		3		1,327	1,327	74	41	27	32			3	13	10	73	30	7	67	0.71	19.9	
RA	T	DM	2S	26	14.2	338	290	16			100				43		57	36	13	176	1.41	1.7	
RA	T	DM	3S	14	10.0	164	147	8			100						100	40	12	180	1.37	.8	
RA	T	DM	4S	53	12.0	654	575	32	55	45					64		36	32	7	47	0.52	12.1	
RA	T	DM	UT	7		73	73	4	100					44	56			17	5	16	0.24	4.5	
RA	T	Totals		3	11.6	1,228	1,086	60	36	24	40			3	49		48	29	7	57	0.62	19.1	
SF	T	DM	2S	63		353	353	20			100						100	40	13	240	1.55	1.5	
SF	T	DM	3S	31		176	176	10		100							100	40	9	120	0.68	1.5	
SF	T	DM	4S	6		29	29	2	100					100				18	6	20	0.32	1.5	
SF	T	Totals		1		558	558	31	5	32	63			5			95	33	9	127	0.97	4.4	
Type	Totals					6.7	40,729	38,002	2,109	18	20	41	20		2	6	2	89	32	8	103	0.97	367.2

Species Summary - Trees, Logs, Tons, CCF, MBF

T33N R05E S25 TyROW	2.3
T33N R05E S25 TyU1	67.5
T33N R06E S31 TyU5	55.5

Project LIKE IKE
Acres 170.60

Page No 1
Date: 9/23/2015
Time 4:19:38PM

Species	s T	Total	Total	Total	Net Cubic Ft/		CF/ LF	Total CCF		Total MBF	
		Trees	Logs	Tons	Tree	Log		Gross	Net	Gross	Net
WHEMLOCK	T	23,671	51,560	46,582	61.52	28.24	0.86	14,557	14,561	5,930	5,633
WR CEDAR	T	7,349	13,327	8,493	49.13	27.09	0.89	3,614	3,610	1,233	1,110
DOUG FIR	T	1,832	4,074	4,951	94.81	42.65	1.29	1,737	1,737	786	765
PS FIR	T	300	843	888	103.48	36.77	1.10	310	310	129	125
R ALDER	T	680	1,268	684	36.56	19.62	0.67	249	249	90	77
WR CEDAR	P	156	354	285	77.66	34.26	1.05	121	121	43	43
BL MAPLE	T	59	71	67	42.61	35.76	1.79	25	25	14	12
Totals		34,048	71,497	61,950	60.54	28.83	0.89	20,613	20,614	8,224	7,766

Wood Type Species	Total	Total	Total	Net Cubic Ft/		CF/ LF	Total CCF		Total MBF	
	Trees	Logs	Tons	Tree	Log		Gross	Net	Gross	Net
C	33,308	70,158	61,198	61.07	28.99	0.90	20,339	20,340	8,121	7,676
H	740	1,338	751	37.05	20.48	0.71	274	274	103	89
Totals	34,048	71,497	61,950	60.54	28.83	0.89	20,613	20,614	8,224	7,766

TC PSTATS		PROJECT STATISTICS							PAGE	1	
		PROJECT LIKE IKE							DATE	9/23/2015	
TWP	RGE	SC	TRACT	TYPE		ACRES	PLOTS	TREES	CuFt	BdFt	
33N	05E	25	LIKE IKE	ROW	THR	170.60	118	625	S	W	
33N	06E	31	LIKE IKE	U5							
			PLOTS	TREES	TREES PER PLOT	ESTIMATED TOTAL TREES	PERCENT SAMPLE TREES				
TOTAL			118	625	5.3						
CRUISE			61	328	5.4	34,048	1.0				
DBH COUNT											
REFOREST											
COUNT			56	297	5.3						
BLANKS			1								
100 %											
STAND SUMMARY											
	SAMPLE TREES	TREES /ACRE	AVG DBH	BOLE LEN	REL DEN	BASAL AREA	GROSS BF/AC	NET BF/AC	GROSS CF/AC	NET CF/AC	
WHEMLOCK-T	213	138.8	16.8	78	52.2	214.2	34,762	33,017	8,533	8,535	
WR CEDAR-P	3	.9	19.7	78	0.4	1.9	251	251	71	71	
WR CEDAR-T	73	43.1	16.4	65	15.6	63.4	7,227	6,507	2,118	2,116	
DOUG FIR-T	22	10.7	19.8	81	5.1	22.9	4,606	4,487	1,018	1,018	
PS FIR-T	5	1.8	20.9	101	0.9	4.2	755	733	182	182	
R ALDER-T	10	4.0	14.8	61	1.2	4.7	526	454	146	146	
BL MAPLE-T	2	.3	18.8	40	0.2	.7	80	71	15	15	
TOTAL	328	199.6	16.9	75	75.8	312.0	48,208	45,519	12,083	12,083	
CONFIDENCE LIMITS OF THE SAMPLE											
68.1 TIMES OUT OF 100 THE VOLUME WILL BE WITHIN THE SAMPLE ERROR											
CL	68.1	COEFF	SAMPLE TREES - BF			# OF TREES REQ.		INF. POP.			
SD:	1.0	VAR.%	S.E.%	LOW	AVG	HIGH	5	7	10		
WHEMLOCK-T	70.6	4.8		318	334	350					
WR CEDAR-P	41.5	28.7		223	313	403					
WR CEDAR-T	91.5	10.7		227	254	281					
DOUG FIR-T	86.9	18.9		574	708	842					
PS FIR-T	26.0	12.9		366	420	474					
R ALDER-T	71.2	23.7		102	134	166					
BL MAPLE-T	130.9	122.6		805	1,792						
TOTAL	88.3	4.9		322	339	355	311	159	78		
CL	68.1	COEFF	TREES/ACRE			# OF PLOTS REQ.		INF. POP.			
SD:	1.0	VAR.%	S.E.%	LOW	AVG	HIGH	5	7	10		
WHEMLOCK-T	69.4	6.4		130	139	148					
WR CEDAR-P	689.9	63.5		0	1	1					
WR CEDAR-T	136.2	12.5		38	43	48					
DOUG FIR-T	305.4	28.1		8	11	14					
PS FIR-T	408.8	37.6		1	2	2					
R ALDER-T	406.5	37.4		2	4	5					
BL MAPLE-T	986.8	90.8		0	0	1					
TOTAL	52.6	4.8		190	200	209	110	56	28		
CL	68.1	COEFF	BASAL AREA/ACRE			# OF PLOTS REQ.		INF. POP.			
SD:	1.0	VAR.%	S.E.%	LOW	AVG	HIGH	5	7	10		
WHEMLOCK-T	62.2	5.7		202	214	226					
WR CEDAR-P	627.5	57.7		1	2	3					
WR CEDAR-T	118.2	10.9		56	63	70					
DOUG FIR-T	242.9	22.3		18	23	28					
PS FIR-T	411.6	37.9		3	4	6					
R ALDER-T	397.0	36.5		3	5	6					
BL MAPLE-T	764.8	70.3		0	1	1					
TOTAL	43.3	4.0		300	312	324	75	38	19		

PROJECT STATISTICS
PROJECT LIKE IKE

TWP	RGE	SC	TRACT	TYPE		ACRES	PLOTS	TREES	CuFt	BdFt
33N	05E	25	LIKE IKE	ROW	THR	170.60	118	625	S	W
33N	06E	31	LIKE IKE	U5						

CL	68.1	COEFF	NET BF/ACRE				# OF PLOTS REQ.		INF. POP.
SD:	1.0	VAR.%	S.E.%	LOW	AVG	HIGH	5	7	10
WHEMLOCK-T		68.2	6.3	30,945	33,017	35,089			
WR CEDAR-P		644.8	59.3	102	251	400			
WR CEDAR-T		123.4	11.4	5,769	6,507	7,246			
DOUG FIR-T		279.1	25.7	3,335	4,487	5,638			
PS FIR-T		412.2	37.9	455	733	1,011			
R ALDER-T		432.1	39.7	273	454	634			
BL MAPLE-T		844.8	77.7	16	71	126			
TOTAL		<i>53.4</i>	<i>4.9</i>	<i>43,282</i>	<i>45,519</i>	<i>47,757</i>	<i>114</i>	<i>58</i>	<i>29</i>

CL	68.1	COEFF	V BAR/ACRE				# OF PLOTS REQ.		INF. POP.
SD:	1.0	VAR.%	S.E.%	LOW	AVG	HIGH	5	7	10
WHEMLOCK-T				144	154	164			
WR CEDAR-P		644.8	59.3	53	130	207			
WR CEDAR-T		55.6	5.1	91	103	114			
DOUG FIR-T		123.9	11.4	146	196	247			
PS FIR-T		342.7	31.5	109	176	242			
R ALDER-T		344.2	31.7	58	96	134			
BL MAPLE-T		844.8	77.7	23	105	186			
TOTAL		<i>51.2</i>	<i>4.7</i>	<i>139</i>	<i>146</i>	<i>153</i>	<i>105</i>	<i>53</i>	<i>26</i>

TC TSTATS		STATISTICS						PAGE	1		
		PROJECT LIKE IKE						DATE	9/23/2015		
TWP	RGE	SECT	TRACT	TYPE	ACRES	PLOTS	TREES	CuFt	BdFt		
33N	05E	25	LIKE IKE	ROW	2.30	1	3	S	W		
		PLOTS	TREES	TREES	ESTIMATED	PERCENT					
				PER PLOT	TOTAL	SAMPLE					
					TREES	TREES					
TOTAL		1	3	3.0							
CRUISE		1	3	3.0	258		1.2				
DBH COUNT											
REFOREST											
COUNT											
BLANKS											
100 %											
STAND SUMMARY											
	SAMPLE	TREES	AVG	BOLE	REL	BASAL	GROSS	NET	GROSS	NET	
	TREES	/ACRE	DBH	LEN	DEN	AREA	BF/AC	BF/AC	CF/AC	CF/AC	
WHEMLOCK-T	3	112.3	17.5	73	44.8	187.5	22,862	22,862	6,533	6,533	
TOTAL	3	112.3	17.5	73	44.8	187.5	22,862	22,862	6,533	6,533	
CONFIDENCE LIMITS OF THE SAMPLE											
68.1 TIMES OUT OF 100 THE VOLUME WILL BE WITHIN THE SAMPLE ERROR											
CL: 68.1 %	COEFF	SAMPLE TREES - BF					# OF TREES REQ.		INF. POP.		
SD: 1.0	VAR.%	S.E.%	LOW	AVG	HIGH	5	7	10			
WHEMLOCK-T	34.3	23.7	168	220	272						
TOTAL	34.3	23.7	168	220	272	68	35	17			

TC TSTATS				STATISTICS				PAGE	1	
				PROJECT LIKE IKE				DATE	9/23/2015	
TWP	RGE	SECT	TRACT	TYPE	ACRES	PLOTS	TREES	CuFt	BdFt	
33N	05E	25	LIKE IKE	U1	67.50	47	255	S	W	
				TREES	ESTIMATED	PERCENT				
				PER PLOT	TOTAL	SAMPLE				
				PLOTS	TREES	TREES	TREES			
TOTAL	47	255	5.4							
CRUISE	22	130	5.9	15,324			.8			
DBH COUNT										
REFOREST										
COUNT	24	125	5.2							
BLANKS	1									
100 %										
STAND SUMMARY										
	SAMPLE	TREES	AVG	BOLE	REL	BASAL	GROSS	NET	GROSS	NET
	TREES	/ACRE	DBH	LEN	DEN	AREA	BF/AC	BF/AC	CF/AC	CF/AC
WHEMLOCK-T	78	142.5	15.8	79	48.8	194.1	31,379	29,764	7,724	7,725
WR CEDAR-T	45	74.9	13.9	63	21.2	79.1	9,901	8,865	2,623	2,618
DOUG FIR-T	4	8.0	17.5	85	3.2	13.3	2,617	2,314	583	583
BL MAPLE-T	2	.9	18.8	40	0.4	1.7	203	179	38	38
R ALDER-T	1	.8	20.0	77	0.4	1.7	250	195	57	57
TOTAL	<i>130</i>	<i>227.0</i>	<i>15.3</i>	<i>74</i>	<i>74.1</i>	<i>290.0</i>	<i>44,350</i>	<i>41,317</i>	<i>11,024</i>	<i>11,020</i>
CONFIDENCE LIMITS OF THE SAMPLE										
68.1 TIMES OUT OF 100 THE VOLUME WILL BE WITHIN THE SAMPLE ERROR										
CL:	68.1 %	COEFF	SAMPLE TREES - BF				# OF TREES REQ.		INF. POP.	
SD:	1.0	VAR.%	S.E.%	LOW	AVG	HIGH	5	7	10	
WHEMLOCK-T	77.3	8.7		278	304	331				
WR CEDAR-T	109.3	16.3		196	235	273				
DOUG FIR-T	95.7	54.7		305	673	1,040				
BL MAPLE-T	130.9	122.6			805	1,792				
R ALDER-T										
TOTAL	<i>96.7</i>	<i>8.5</i>		<i>273</i>	<i>299</i>	<i>324</i>	<i>373</i>	<i>191</i>	<i>93</i>	
CL:	68.1 %	COEFF	TREES/ACRE				# OF PLOTS REQ.		INF. POP.	
SD:	1.0	VAR.%	S.E.%	LOW	AVG	HIGH	5	7	10	
WHEMLOCK-T	73.2	10.7		127	143	158				
WR CEDAR-T	99.2	14.5		64	75	86				
DOUG FIR-T	264.6	38.6		5	8	11				
BL MAPLE-T	621.9	90.6		0	1	2				
R ALDER-T	479.5	69.9		0	1	1				
TOTAL	<i>52.9</i>	<i>7.7</i>		<i>210</i>	<i>227</i>	<i>245</i>	<i>112</i>	<i>57</i>	<i>28</i>	
CL:	68.1 %	COEFF	BASAL AREA/ACRE				# OF PLOTS REQ.		INF. POP.	
SD:	1.0	VAR.%	S.E.%	LOW	AVG	HIGH	5	7	10	
WHEMLOCK-T	59.0	8.6		177	194	211				
WR CEDAR-T	92.8	13.5		68	79	90				
DOUG FIR-T	217.7	31.7		9	13	18				
BL MAPLE-T	479.5	69.9		1	2	3				
R ALDER-T	479.5	69.9		1	2	3				
TOTAL	<i>40.5</i>	<i>5.9</i>		<i>273</i>	<i>290</i>	<i>307</i>	<i>66</i>	<i>33</i>	<i>16</i>	
CL:	68.1 %	COEFF	NET BF/ACRE				# OF PLOTS REQ.		INF. POP.	
SD:	1.0	VAR.%	S.E.%	LOW	AVG	HIGH	5	7	10	
WHEMLOCK-T	59.4	8.7		27,187	29,764	32,340				
WR CEDAR-T	97.5	14.2		7,605	8,865	10,125				
DOUG FIR-T	211.3	30.8		1,602	2,314	3,027				
BL MAPLE-T	530.9	77.4		40	179	317				
R ALDER-T	479.5	69.9		59	195	331				
TOTAL	<i>41.5</i>	<i>6.0</i>		<i>38,818</i>	<i>41,317</i>	<i>43,816</i>	<i>69</i>	<i>35</i>	<i>17</i>	
CL:	68.1 %	COEFF	V-BAR/ACRE				# OF PLOTS REQ.		INF. POP.	
SD:	1.0	VAR.%	S.E.%	LOW	AVG	HIGH	5	7	10	
WHEMLOCK-T				140	153	167				

TC TSTATS				STATISTICS			PAGE	2			
				PROJECT			DATE	9/23/2015			
				LIKE IKE							
TWP	RGE	SECT	TRACT	TYPE	ACRES	PLOTS	TREES	CuFt	BdFt		
33N	05E	25	LIKE IKE	U1	67.50	47	255	S	W		
CL:	68.1 %	COEFF		V-BAR/ACRE			# OF PLOTS REQ.		INF. POP.		
SD:	1.0	VAR.	S.E. %	LOW	AVG	HIGH	5	7	10		
WR CEDAR-T				96	112	128					
DOUG FIR-T		125.8	18.3	120	174	228					
BL MAPLE-T		530.9	77.4	24	105	186					
R ALDER-T		331.4	48.3	35	115	195					
TOTAL		<i>185.9</i>	<i>27.1</i>	<i>134</i>	<i>142</i>	<i>151</i>	<i>1,380</i>	<i>704</i>	<i>345</i>		

TC TSTATS				STATISTICS				PAGE	1	
				PROJECT LIKE IKE				DATE	9/23/2015	
TWP	RGE	SECT	TRACT	TYPE	ACRES	PLOTS	TREES	CuFt	BdFt	
33N	05E	26	LIKE IKE	U4	12.30	9	47	S	W	
				TREES	ESTIMATED	PERCENT				
				PER PLOT	TOTAL	SAMPLE				
				PLOTS	TREES	TREES	TREES			
TOTAL	9	47	5.2							
CRUISE	5	26	5.2	2,096		1.2				
DBH COUNT										
REFOREST										
COUNT	4	21	5.3							
BLANKS										
100 %										
STAND SUMMARY										
	SAMPLE	TREES	AVG	BOLE	REL	BASAL	GROSS	NET	GROSS	NET
	TREES	/ACRE	DBH	LEN	DEN	AREA	BF/AC	BF/AC	CF/AC	CF/AC
WHEMLOCK-T	17	130.8	15.3	90	42.6	166.7	31,940	30,803	7,297	7,307
DOUG FIR-T	8	36.7	27.6	128	29.1	152.8	39,428	39,428	8,111	8,111
WR CEDAR-T	1	2.9	21.0	84	1.5	6.9	808	808	260	260
TOTAL	26	170.4	18.7	98	75.4	326.4	72,177	71,040	15,668	15,678
CONFIDENCE LIMITS OF THE SAMPLE										
68.1 TIMES OUT OF 100 THE VOLUME WILL BE WITHIN THE SAMPLE ERROR										
CL: 68.1 %	COEFF	SAMPLE TREES - BF				# OF TREES REQ.		INF. POP.		
SD: 1.0	VAR.%	S.E.%	LOW	AVG	HIGH	5	7	10		
WHEMLOCK-T	59.9	15.0	262	308	354					
DOUG FIR-T	38.1	14.4	1,018	1,189	1,359					
WR CEDAR-T										
TOTAL	86.8	17.4	477	578	678	314	160	78		
CL: 68.1 %	COEFF	TREES/ACRE				# OF PLOTS REQ.		INF. POP.		
SD: 1.0	VAR.%	S.E.%	LOW	AVG	HIGH	5	7	10		
WHEMLOCK-T	81.7	28.8	93	131	169					
DOUG FIR-T	72.4	25.6	27	37	46					
WR CEDAR-T	300.0	105.9		3	6					
TOTAL	51.0	18.0	140	170	201	117	60	29		
CL: 68.1 %	COEFF	BASAL AREA/ACRE				# OF PLOTS REQ.		INF. POP.		
SD: 1.0	VAR.%	S.E.%	LOW	AVG	HIGH	5	7	10		
WHEMLOCK-T	72.6	25.6	124	167	209					
DOUG FIR-T	71.2	25.1	114	153	191					
WR CEDAR-T	300.0	105.9		7	14					
TOTAL	16.0	5.6	308	326	345	11	6	3		
CL: 68.1 %	COEFF	NET BF/ACRE				# OF PLOTS REQ.		INF. POP.		
SD: 1.0	VAR.%	S.E.%	LOW	AVG	HIGH	5	7	10		
WHEMLOCK-T	70.9	25.0	23,098	30,803	38,508					
DOUG FIR-T	71.6	25.3	29,472	39,428	49,385					
WR CEDAR-T	300.0	105.9		808	1,664					
TOTAL	18.7	6.6	66,360	71,040	75,719	16	8	4		
CL: 68.1 %	COEFF	V-BAR/ACRE				# OF PLOTS REQ.		INF. POP.		
SD: 1.0	VAR.%	S.E.%	LOW	AVG	HIGH	5	7	10		
WHEMLOCK-T	41.0	14.5	139	185	231					
DOUG FIR-T			193	258	323					
WR CEDAR-T	300.0	105.9		116	240					
TOTAL	177.7	62.7	203	218	232	1,416	723	354		

TC TSTATS				STATISTICS				PAGE	1	
PROJECT				LIKE IKE				DATE	9/23/2015	
TWP	RGE	SECT	TRACT	TYPE	ACRES	PLOTS	TREES	CuFt	BdFt	
33N	05E	26	LIKE IKE	WMZ	3.40	4	8	S	W	
				TREES	ESTIMATED		PERCENT			
				PER PLOT	TOTAL		SAMPLE			
					TREES		TREES			
TOTAL	4	8	2.0							
CRUISE	4	8	2.0	316			2.5			
DBH COUNT										
REFOREST										
COUNT										
BLANKS										
100 %										
STAND SUMMARY										
	SAMPLE	TREES	AVG	BOLE	REL	BASAL	GROSS	NET	GROSS	NET
	TREES	/ACRE	DBH	LEN	DEN	AREA	BF/AC	BF/AC	CF/AC	CF/AC
WHEMLOCK-T	5	64.0	15.0	87	20.2	78.1	12,996	12,996	3,183	3,183
R ALDER-T	2	20.2	13.5	51	5.4	20.0	1,369	1,167	509	518
PS FIR-T	1	8.8	18.0	100	3.7	15.6	2,741	2,741	688	688
TOTAL	8	93.0	15.0	80	29.4	113.8	17,106	16,904	4,381	4,390
CONFIDENCE LIMITS OF THE SAMPLE										
68.1 TIMES OUT OF 100 THE VOLUME WILL BE WITHIN THE SAMPLE ERROR										
CL:	68.1 %	COEFF	SAMPLE TREES - BF				# OF TREES REQ.		INF. POP.	
SD:	1.0	VAR.%	S.E.%	LOW	AVG	HIGH	5	7	10	
WHEMLOCK-T	19.6	9.7		186	206	226				
R ALDER-T	70.7	66.2		20	60	100				
PS FIR-T										
TOTAL	49.6	18.7		148	183	217	112	57	28	
CL:	68.1 %	COEFF	TREES/ACRE				# OF PLOTS REQ.		INF. POP.	
SD:	1.0	VAR.%	S.E.%	LOW	AVG	HIGH	5	7	10	
WHEMLOCK-T	33.5	19.1		52	64	76				
R ALDER-T	200.0	114.3			20	43				
PS FIR-T	200.0	114.3			9	19				
TOTAL	32.5	18.6		76	93	110	55	28	14	
CL:	68.1 %	COEFF	BASAL AREA/ACRE				# OF PLOTS REQ.		INF. POP.	
SD:	1.0	VAR.%	S.E.%	LOW	AVG	HIGH	5	7	10	
WHEMLOCK-T	40.0	22.9		60	78	96				
R ALDER-T	200.0	114.3			20	43				
PS FIR-T	200.0	114.3			16	33				
TOTAL	30.9	17.7		94	114	134	50	25	12	
CL:	68.1 %	COEFF	NET BF/ACRE				# OF PLOTS REQ.		INF. POP.	
SD:	1.0	VAR.%	S.E.%	LOW	AVG	HIGH	5	7	10	
WHEMLOCK-T	50.9	29.1		9,219	12,996	16,773				
R ALDER-T	200.0	114.3			1,167	2,501				
PS FIR-T	200.0	114.3			2,741	5,873				
TOTAL	39.0	22.3		13,135	16,904	20,674	80	41	20	
CL:	68.1 %	COEFF	V-BAR/ACRE				# OF PLOTS REQ.		INF. POP.	
SD:	1.0	VAR.%	S.E.%	LOW	AVG	HIGH	5	7	10	
WHEMLOCK-T	50.9	29.1		118	166	215				
R ALDER-T	200.0	114.3			58	125				
PS FIR-T	200.0	114.3			175	376				
TOTAL	36.4	20.8		115	149	182	69	35	17	


TC TSTATS				STATISTICS				PAGE	1	
PROJECT				LIKE IKE				DATE	9/23/2015	
TWP	RGE	SECT	TRACT	TYPE	ACRES	PLOTS	TREES	CuFt	BdFt	
33N	06E	31	LIKE IKE	U2	25.00	13	75	S	W	
				TREES	ESTIMATED	PERCENT				
				PER PLOT	TOTAL	SAMPLE				
					TREES	TREES				
TOTAL	13	75	5.8							
CRUISE	7	46	6.6	4,583		1.0				
DBH COUNT										
REFOREST										
COUNT	6	29	4.8							
BLANKS										
100 %										
STAND SUMMARY										
	SAMPLE	TREES	AVG	BOLE	REL	BASAL	GROSS	NET	GROSS	NET
	TREES	/ACRE	DBH	LEN	DEN	AREA	BF/AC	BF/AC	CF/AC	CF/AC
WHEMLOCK-T	33	148.5	18.1	93	62.2	264.4	54,889	52,072	12,321	12,326
WR CEDAR-P	2	5.1	18.6	79	2.2	9.6	1,353	1,353	361	361
WR CEDAR-T	7	21.5	23.1	86	13.0	62.5	8,622	8,072	2,431	2,432
PS FIR-T	3	7.5	21.7	101	4.1	19.2	3,538	3,389	837	836
DOUG FIR-T	1	.8	34.0	127	0.8	4.8	1,258	1,258	248	248
TOTAL	46	183.3	19.0	92	82.7	360.6	69,660	66,145	16,198	16,203
CONFIDENCE LIMITS OF THE SAMPLE										
68.1 TIMES OUT OF 100 THE VOLUME WILL BE WITHIN THE SAMPLE ERROR										
CL:	68.1 %	COEFF	SAMPLE TREES - BF				# OF TREES REQ.		INF. POP.	
SD:	1.0	VAR.%	S.E.%	LOW	AVG	HIGH	5	7	10	
WHEMLOCK-T	55.1	9.6		426	472	517				
WR CEDAR-P	59.3	55.5		138	310	482				
WR CEDAR-T	40.8	16.6		351	421	491				
PS FIR-T	24.5	17.0		390	470	550				
DOUG FIR-T										
TOTAL	60.6	8.9		439	482	525	147	75	37	
CL:	68.1 %	COEFF	TREES/ACRE				# OF PLOTS REQ.		INF. POP.	
SD:	1.0	VAR.%	S.E.%	LOW	AVG	HIGH	5	7	10	
WHEMLOCK-T	55.9	16.1		125	148	172				
WR CEDAR-P	261.0	75.2		1	5	9				
WR CEDAR-T	99.5	28.7		15	21	28				
PS FIR-T	159.9	46.1		4	8	11				
DOUG FIR-T	360.6	103.9			1	2				
TOTAL	43.0	12.4		161	183	206	80	41	20	
CL:	68.1 %	COEFF	BASAL AREA/ACRE				# OF PLOTS REQ.		INF. POP.	
SD:	1.0	VAR.%	S.E.%	LOW	AVG	HIGH	5	7	10	
WHEMLOCK-T	45.4	13.1		230	264	299				
WR CEDAR-P	244.1	70.4		3	10	16				
WR CEDAR-T	100.0	28.8		44	63	81				
PS FIR-T	156.1	45.0		11	19	28				
DOUG FIR-T	360.6	103.9			5	10				
TOTAL	31.8	9.2		328	361	394	44	22	11	
CL:	68.1 %	COEFF	NET BF/ACRE				# OF PLOTS REQ.		INF. POP.	
SD:	1.0	VAR.%	S.E.%	LOW	AVG	HIGH	5	7	10	
WHEMLOCK-T	44.7	12.9		45,365	52,072	58,780				
WR CEDAR-P	245.1	70.7		397	1,353	2,309				
WR CEDAR-T	100.9	29.1		5,726	8,072	10,419				
PS FIR-T	156.3	45.0		1,863	3,389	4,916				
DOUG FIR-T	360.6	103.9			1,258	2,566				
TOTAL	33.8	9.7		59,709	66,145	72,582	49	25	12	
CL:	68.1 %	COEFF	V-BAR/ACRE				# OF PLOTS REQ.		INF. POP.	
SD:	1.0	VAR.%	S.E.%	LOW	AVG	HIGH	5	7	10	
WHEMLOCK-T				172	197	222				

TC TSTATS				STATISTICS			PAGE	2		
				PROJECT LIKE IKE			DATE	9/23/2015		
TWP	RGE	SECT	TRACT	TYPE	ACRES	PLOTS	TREES	CuFt	BdFt	
33N	06E	31	LIKE IKE	U2	25.00	13	75	S	W	
CL:	68.1 %	COEFF		V-BAR/ACRE			# OF PLOTS REQ.		INF. POP.	
SD:	1.0	VAR.	S.E.%	LOW	AVG	HIGH	5	7	10	
WR CEDAR-P		245.1	70.7	41	141	240				
WR CEDAR-T				92	129	167				
PS FIR-T		125.0	36.0	97	176	256				
DOUG FIR-T		360.6	103.9		262	534				
TOTAL		144.0	41.5	166	183	201	895	457	224	

TC TSTATS				STATISTICS				PAGE	1	
PROJECT				LIKE IKE				DATE	9/23/2015	
TWP	RGE	SECT	TRACT	TYPE	ACRES	PLOTS	TREES	CuFt	BdFt	
33N	06E	31	LIKE IKE	U3	4.60	5	23	S	W	
				TREES	ESTIMATED	PERCENT				
				PER PLOT	TOTAL	SAMPLE				
				PLOTS	TREES	TREES	TREES			
TOTAL	5	23	4.6	622		1.4				
CRUISE	2	9	4.5							
DBH COUNT										
REFOREST										
COUNT	3	14	4.7							
BLANKS										
100 %										
STAND SUMMARY										
SAMPLE	TREES	AVG	BOLE	REL	BASAL	GROSS	NET	GROSS	NET	
TREES	/ACRE	DBH	LEN	DEN	AREA	BF/AC	BF/AC	CF/AC	CF/AC	
WHEMLOCK-T	7	122.5	18.9	93	54.7	237.5	45,866	45,866	10,607	10,607
DOUG FIR-T	2	12.8	18.9	98	5.7	25.0	4,158	4,158	1,074	1,074
TOTAL	9	135.3	18.9	94	60.4	262.5	50,024	50,024	11,681	11,681
CONFIDENCE LIMITS OF THE SAMPLE										
68.1 TIMES OUT OF 100 THE VOLUME WILL BE WITHIN THE SAMPLE ERROR										
CL: 68.1 %	COEFF	SAMPLE TREES - BF				# OF TREES REQ.		INF. POP.		
SD: 1.0	VAR.%	S.E.%	LOW	AVG	HIGH	5	7	10		
WHEMLOCK-T	46.2	18.8	353	434	516					
DOUG FIR-T	21.4	20.1	264	330	396					
TOTAL	44.1	15.6	347	411	475	87	45	22		
CL: 68.1 %	COEFF	TREES/ACRE				# OF PLOTS REQ.		INF. POP.		
SD: 1.0	VAR.%	S.E.%	LOW	AVG	HIGH	5	7	10		
WHEMLOCK-T	21.7	10.8	109	123	136					
DOUG FIR-T	223.6	111.1		13	27					
TOTAL	20.1	10.0	122	135	149	20	10	5		
CL: 68.1 %	COEFF	BASAL AREA/ACRE				# OF PLOTS REQ.		INF. POP.		
SD: 1.0	VAR.%	S.E.%	LOW	AVG	HIGH	5	7	10		
WHEMLOCK-T	22.0	10.9	212	238	263					
DOUG FIR-T	223.6	111.1		25	53					
TOTAL	19.9	9.9	237	263	288	20	10	5		
CL: 68.1 %	COEFF	NET BF/ACRE				# OF PLOTS REQ.		INF. POP.		
SD: 1.0	VAR.%	S.E.%	LOW	AVG	HIGH	5	7	10		
WHEMLOCK-T	22.5	11.2	40,740	45,866	50,992					
DOUG FIR-T	223.6	111.1		4,158	8,778					
TOTAL	18.5	9.2	45,435	50,024	54,612	17	9	4		
CL: 68.1 %	COEFF	V-BAR/ACRE				# OF PLOTS REQ.		INF. POP.		
SD: 1.0	VAR.%	S.E.%	LOW	AVG	HIGH	5	7	10		
WHEMLOCK-T			172	193	215					
DOUG FIR-T	223.6	111.1		166	351					
TOTAL	244.9	121.7	173	191	208	2,962	1,511	741		

TC TSTATS				STATISTICS				PAGE	1	
PROJECT				LIKE IKE				DATE	9/23/2015	
TWP	RGE	SECT	TRACT	TYPE	ACRES	PLOTS	TREES	CuFt	BdFt	
33N	06E	31	LIKE IKE	U5	55.50	39	214	S	W	
		PLOTS	TREES	TREES PER PLOT	ESTIMATED TOTAL TREES	PERCENT SAMPLE TREES				
TOTAL		39	214	5.5						
CRUISE		20	106	5.3	10,847	1.0				
DBH COUNT REFOREST COUNT		19	108	5.7						
BLANKS 100 %										
STAND SUMMARY										
	SAMPLE TREES	TREES /ACRE	AVG DBH	BOLE LEN	REL DEN	BASAL AREA	GROSS BF/AC	NET BF/AC	GROSS CF/AC	NET CF/AC
WHEMLOCK-T	70	138.6	17.6	68	55.8	234.0	31,341	29,463	8,322	8,325
WR CEDAR-P	1	.5	24.0	75	0.3	1.6	163	163	56	56
WR CEDAR-T	20	31.0	20.2	64	15.3	68.9	6,111	5,405	2,169	2,167
DOUG FIR-T	7	13.8	14.6	49	4.2	16.0	1,327	1,327	422	423
R ALDER-T	7	10.1	14.3	61	3.0	11.3	1,228	1,086	348	347
PS FIR-T	1	1.5	20.0	101	0.7	3.2	558	558	140	140
TOTAL	<i>106</i>	<i>195.4</i>	<i>17.7</i>	<i>66</i>	<i>79.6</i>	<i>335.0</i>	<i>40,729</i>	<i>38,002</i>	<i>11,457</i>	<i>11,458</i>
CONFIDENCE LIMITS OF THE SAMPLE										
68.1 TIMES OUT OF 100 THE VOLUME WILL BE WITHIN THE SAMPLE ERROR										
CL:	68.1 %	COEFF	SAMPLE TREES - BF			# OF TREES REQ.		INF. POP.		
SD:	1.0	VAR.%	S.E.%	LOW	AVG	HIGH	5	7	10	
WHEMLOCK-T		73.4	8.8	285	312	339				
WR CEDAR-P										
WR CEDAR-T		74.7	17.1	197	238	278				
DOUG FIR-T		71.8	29.2	107	151	196				
R ALDER-T		69.4	28.2	99	139	178				
PS FIR-T										
TOTAL		<i>76.6</i>	<i>7.4</i>	<i>256</i>	<i>277</i>	<i>297</i>	<i>234</i>	<i>120</i>	<i>59</i>	
CL:	68.1 %	COEFF	TREES/ACRE			# OF PLOTS REQ.		INF. POP.		
SD:	1.0	VAR.%	S.E.%	LOW	AVG	HIGH	5	7	10	
WHEMLOCK-T		59.8	9.6	125	139	152				
WR CEDAR-P		624.5	99.9	0	1	1				
WR CEDAR-T		123.3	19.7	25	31	37				
DOUG FIR-T		361.7	57.9	6	14	22				
R ALDER-T		263.2	42.1	6	10	14				
PS FIR-T		435.7	69.7	0	1	2				
TOTAL		<i>39.9</i>	<i>6.4</i>	<i>183</i>	<i>195</i>	<i>208</i>	<i>64</i>	<i>33</i>	<i>16</i>	
CL:	68.1 %	COEFF	BASAL AREA/ACRE			# OF PLOTS REQ.		INF. POP.		
SD:	1.0	VAR.%	S.E.%	LOW	AVG	HIGH	5	7	10	
WHEMLOCK-T		55.4	8.9	213	234	255				
WR CEDAR-P		624.5	99.9	0	2	3				
WR CEDAR-T		117.3	18.8	56	69	82				
DOUG FIR-T		292.9	46.9	9	16	24				
R ALDER-T		269.1	43.1	6	11	16				
PS FIR-T		435.7	69.7	1	3	5				
TOTAL		<i>33.0</i>	<i>5.3</i>	<i>317</i>	<i>335</i>	<i>353</i>	<i>44</i>	<i>22</i>	<i>11</i>	
CL:	68.1 %	COEFF	NET BF/ACRE			# OF PLOTS REQ.		INF. POP.		
SD:	1.0	VAR.%	S.E.%	LOW	AVG	HIGH	5	7	10	
WHEMLOCK-T		53.1	8.5	26,962	29,463	31,964				
WR CEDAR-P		624.5	99.9	0	163	326				
WR CEDAR-T		115.9	18.5	4,403	5,405	6,407				
DOUG FIR-T		270.7	43.3	752	1,327	1,902				
R ALDER-T		296.0	47.4	572	1,086	1,600				

TC TSTATS				STATISTICS			PAGE	2		
PROJECT				LIKE IKE			DATE	9/23/2015		
TWP	RGE	SECT	TRACT	TYPE	ACRES	PLOTS	TREES	CuFt	BdFt	
33N	06E	31	LIKE IKE	U5	55.50	39	214	S	W	
CL:	68.1 %	COEFF		NET BF/ACRE			# OF PLOTS REQ.		INF. POP.	
SD:	1.0	VAR.	S.E.%	LOW	AVG	HIGH	5	7	10	
PS FIR-T		435.7	69.7	169	558	947				
TOTAL		35.2	5.6	35,859	38,002	40,145	50	25	12	
CL:	68.1 %	COEFF		V-BAR/ACRE			# OF PLOTS REQ.		INF. POP.	
SD:	1.0	VAR.%	S.E.%	LOW	AVG	HIGH	5	7	10	
WHEMLOCK-T				115	126	137				
WR CEDAR-P		624.5	99.9	0	102	204				
WR CEDAR-T		39.1	6.3	64	78	93				
DOUG FIR-T		247.6	39.6	47	83	119				
R ALDER-T		233.5	37.4	51	96	142				
PS FIR-T		299.7	47.9	53	174	296				
TOTAL		190.9	30.5	107	113	120	1,456	743	364	



FMU POLYGON AND SAMPLE POINT INFORMATION


FMU_NM:	LIKE IKE U1	Township: T33R05E, T33R06E
FMU_ID:	64918	DNR Region: NORTHWEST
Acres:	69	Total Sample Points: 49
County:	SKAGIT	Spacing Between Points: 250
		Point Rotation Degrees: 0



Scale 1:6,000



Legend


- Sample Points
- FMU polys
- Public Land Survey Sections
- Contours 40-foot



FMU POLYGON AND SAMPLE POINT INFORMATION


FMU_NM:	LIKE IKE U5	Township:	T33R05E, T33R06E
FMU_ID:	92595	DNR Region:	NORTHWEST
Acres:	58	Total Sample Points:	41
County:	SKAGIT	Spacing Between Points:	250
		Point Rotation Degrees:	0






FMU POLYGON AND SAMPLE POINT INFORMATION

FMU_NM:	LIKE IKE U4	Township:	T33R05E
FMU_ID:	82004	DNR Region:	NORTHWEST
Acres:	13	Total Sample Points:	9
County:	SKAGIT	Spacing Between Points:	250
		Point Rotation Degrees:	45




Legend

- Sample Points
- FMU polys
- Public Land Survey Sections
- Contours 40-foot




FMU POLYGON AND SAMPLE POINT INFORMATION

FMU_NM:	LIKE IKE U3	Township:	T33R06E
FMU_ID:	64920	DNR Region:	NORTHWEST
Acres:	acres	Total Sample Points:	5
County:	SKAGIT	Spacing Between Points:	200
		Point Rotation Degrees:	0




Legend

- Sample Points
- FMU polys
- Public Land Survey Sections
- Contours 40-foot



FMU POLYGON AND SAMPLE POINT INFORMATION

FMU_NM:	LIKE IKE U2	Township:	T33R06E
FMU_ID:	64919	DNR Region:	NORTHWEST
Acres:	26	Total Sample Points:	14
County:	SKAGIT	Spacing Between Points:	275
		Point Rotation Degrees:	0



Legend

- Sample Points
- FMU polys
- Public Land Survey Sections
- Contours 40-foot



WASHINGTON STATE DEPARTMENT OF
Natural Resources
 Peter Goldmark - Commissioner of Public Lands

FPA/N No: 2814859

Effective Date: 10/30/2015

Expiration Date: 10/30/2018

Shut Down Zone: 656, 658

EARR Tax Credit: Eligible Non-eligible

Reference: Like Ike

**Forest Practices Application/Notification
 Notice of Decision**

DECISION:

- NOTIFICATION Operations shall not begin before the effective date.
- APPROVED This Forest Practices Application is subject to the conditions listed below.
- DISAPPROVED This Forest Practices Application is disapproved for the reasons listed below.
- CLOSED Applicant has withdrawn FPA/N.

FPA/N CLASSIFICATION

Class II Class III Class IVG Class IVS Number of Years Granted on Multi-Year Request
 4yrs 5 yrs

Conditions on Approval / Reasons for Disapproval

- 48 hour notice is required prior to the commencement of any activities. Leave notice for the forest practices forester by contacting the Northwest Region forest practices staff at (360) 856-3500.
- Temporary log/culvert equipment crossings over typed water shall protect streambed and bank integrity. Streambeds and banks shall be protected by the use of log puncheon, slash mats, and/or temporary culverts. These shall be removed upon the completion of yarding activities.
- Cable yarding over typed water shall protect streambed and bank integrity. Cable yarding over typed waters shall be full suspension. If full suspension cannot be achieved, streambed and banks shall be protected by the use of log cribbing.
- An on-site meeting is required between the Operator, State Lands Compliance Forester, and Forest Practices Forester prior to the removal of the bridge at Station 31+50 on the CN-30 road.

Issued By: Kevin Jones *KA*

Region: Northwest

Title: Samish Forest Practice Forester

Date: 10/30/2015

Copies to: Landowner, Timber Owner and Operator

Issued in Person: Landowner, Timber Owner Operator By: *[Signature]*

Appeal Information

You have thirty (30) days to appeal this Decision and any related State Environmental Policy Act determinations to the Pollution Control Hearings Board in writing at the following addresses:

Physical address: 1111 Israel Rd. SW, Ste 301, Tumwater, WA 98501

Mailing address: P.O. BOX 40903, OLYMPIA, WA 98504-0903

Information regarding the Pollution Control Hearings Board can be found at: <http://www.eluho.wa.gov/>

At the same time you file an appeal with the Pollution Control Hearings Board, also send a copy of the appeal to the Department of Natural Resources' region office and the Office of the Attorney General at the following addresses:

Office of the Attorney General
Natural Resources Division
1125 Washington Street SE
PO Box 40100
Olympia, WA 98504-0100

And

Department Of Natural Resources
Northwest Region
919 N Township Street
Sedro-Woolley, WA 98284

Other Applicable Laws

Operating as described in this application/notification does not ensure compliance with the Endangered Species Act, or other federal, state, or local laws.

Hydraulic Project Approval (HPA) (Chapter 77.55RCW and WAC 222-50-020(2))

The Department of Fish and Wildlife (WDFW), as the jurisdictional agency issuing HPAs, has final authority for approving water crossing structures in Type S and F waters. WDFW continues to have authority on Type N waters and may exercise that authority on some Type N waters.

Notice: The HPA water crossing requirements supersede what is indicated on the FPA. Landowners are required by law to follow the provisions as directed on the HPA.

Transfer of Forest Practices Application/Notification (WAC 222-20-010)

Use the "Notice of Transfer of Approved Forest Practices Application/Notification" form. This form is available at region offices and on the Forest Practices Division website: <http://www.dnr.wa.gov/businesspermits/forestpractices>. Notify DNR of new Operators within 48 hours.

Continuing Forest Land Obligations (RCW 76.09.060, RCW 76.09.070, RCW 76.09.390, and WAC 222-20-055)

Obligations include reforestation, road maintenance and abandonment plans, conversions of forest land to non-forestry use and/or harvest strategies on perennial non-fish habitat (Type Np) waters in Eastern Washington.

Before the sale or transfer of land or perpetual timber rights subject to continuing forest land obligations, the seller must notify the buyer of such an obligation on a form titled "Notice of Continuing Forest Land Obligation". The seller and buyer must both sign the "Notice of Continuing Forest Land Obligation" form and send it to the DNR Region Office for retention. This form is available at DNR region offices.

If the seller fails to notify the buyer about the continuing forest land obligation, the seller must pay the buyer's costs related to continuing forest land obligations, including all legal costs and reasonable attorneys' fees incurred by the buyer in enforcing the continuing forest land obligation against the seller.

Failure by the seller to send the required notice to the DNR at the time of sale will be prima facie evidence in an action by the buyer against the seller for costs related to the continuing forest land obligation prior to sale.

DNR affidavit of mailing:

On this day _____, I placed in the United States mail at Sedro-Woolley, WA, postage paid, a true and accurate copy of the attached document. Notice of Decision FPA #_2814859_____

Braelyn Hamilton
(Printed name)

(Signature)




LEGEND

REQUIRED CONSTRUCTION == == ==



OPTIONAL CONSTRUCTION - - - - -

REQUIRED RECONSTRUCTION == == ==

OPTIONAL RECONSTRUCTION - - - - -



LIKE IKE PROJECT DETAIL MAP 1



CONTRACT #	PROJECT	SHEET
30-092211	LIKE IKE	2 OF 30

STATE OF WASHINGTON
DEPARTMENT OF NATURAL RESOURCES

LIKE IKE TIMBER SALE ROAD PLAN
SKAGIT COUNTY
CLEAR LAKE DISTRICT

AGREEMENT NO.: 30-092211

STAFF ENGINEER: M. CONNELLY

DATE: 6/15/2015

SECTION 0 – SCOPE OF PROJECT

0-1 ROAD PLAN SCOPE

Clauses in this road plan apply to all road related work, including landings and rock source development, unless otherwise noted.

0-2 REQUIRED ROADS

The specified work on the following roads is required.

<u>Road</u>	<u>Stations</u>	<u>Type</u>
ST-ML	0+00 to 81+82	RECONSTRUCTION
ST-16	0+00 to 111+15	RECONSTRUCTION
ST-1633	0+00 to 26+20	CONSTRUCTION

0-3 OPTIONAL ROADS

The specified work on the following roads is not required. Any optional roads built by the Purchaser must meet all the specifications in the road plan.

<u>Road</u>	<u>Stations</u>	<u>Type</u>
CN-2006-0604	0+00 to 17+05	CONSTRUCTION
CN-30	31+50 to 31+80	RECONSTRUCTION**
CN-30	39+38 to 46+89	CONSTRUCTION
ST-1614	80+14 to 85+20	CONSTRUCTION
ST-1633-04	0+00 to 4+01	CONSTRUCTION
ST-1633-05	0+00 to 5+11	CONSTRUCTION

** Reconstruction includes curb log replacement prior to bridge use. See Clause 11-1 for details.

0-4 CONSTRUCTION

Construction includes, but is not limited to clearing, grubbing, excavation and embankment to sub-grade, landing and turnout construction, culvert installation, geotextile installation, drill and shoot, and application of 3-inch-minus ballast rock.

0-5 RECONSTRUCTION

Reconstruction includes, but is not limited to blading, shaping, and ditching the road surface, existing culvert clean out, gate installation, bridge repair, and spot application of 1 ½-inch-minus surfacing rock.

0-10 ABANDONMENT

This project includes abandonment listed in Clause 9-21 ROAD ABANDONMENT.

0-12 DEVELOP ROCK SOURCE

Purchaser shall develop an existing rock source. Rock source development will involve clearing, stripping, drilling, shooting, and processing rock to generate riprap and 3-inch-minus ballast rock. Work for developing rock sources is listed in Section 6 ROCK AND SURFACING.

0-13 STRUCTURES

Purchaser shall provide and install a gate. Requirements for this structure are listed in Section 7 STRUCTURES.

SECTION 1 – GENERAL

1-1 ROAD PLAN CHANGES

If the Purchaser desires a change from this road plan including, but not limited to, relocation, extension, change in design, or adding roads; a revised road plan must be submitted in writing to the Contract Administrator for consideration. Before work begins, Purchaser shall obtain approval from the State for the submitted plan.

1-2 UNFORESEEN CONDITIONS

Quantities established in this road plan are minimum acceptable values. Additional quantities required by the state due to unforeseen conditions, or Purchaser's choice of construction season or techniques will be at the Purchaser's expense. Unforeseen conditions include, but are not limited to, solid subsurface rock, subsurface springs, saturated ground, and unstable soils.

1-3 ROAD DIMENSIONS

Purchaser shall perform road work in accordance with the dimensions shown on the TYPICAL SECTION SHEET and the specifications within this road plan, unless controlled by construction stakes.

1-4 ROAD TOLERANCES

Purchaser shall perform road work within the tolerances listed below. The tolerance class for each road is listed on the TYPICAL SECTION SHEET.

<u>Tolerance Class</u>	<u>A</u>	<u>B</u>	<u>C</u>
Road and Subgrade Width (feet)	+1.5	+1.5	+2.0
Subgrade Elevation (feet +/-)	0.5	1.0	2.0
Centerline alignment (feet lt./rt.)	1.0	1.5	3.0

1-5 DESIGN DATA

Design data is available upon request at the Department of Natural Resources Northwest Region Office in Sedro Woolley, WA.

1-6 ORDER OF PRECEDENCE

Any conflict or inconsistency in the road plan will be resolved by giving the documents precedence in the following order:

1. Addenda.
2. Designs or Plans. On designs and plans, figured dimensions shall take precedence over scaled dimensions.
3. Road Plan Clauses.
4. Typical Section Sheet.
5. Standard Lists.
6. Standard Details.

In case of any ambiguity or dispute over interpreting the road plan, the Contract Administrator's or designee's decision will be final.

1-8 REPAIR OR REPLACEMENT OF DAMAGED MATERIALS

Purchaser shall repair or replace all materials, roadway infrastructure, and road components damaged during road work or operation activities. The Contract Administrator will direct repairs and replacements. Repairs to structural materials must be made in accordance with the manufacturer's recommendation.

1-9 DAMAGED METALLIC COATING

Any damaged galvanized or aluminized coating on existing or new bridge components, culverts, downspouts, and flumes must be cleaned and treated with a minimum of two coats of zinc rich paint.

1-18 REFERENCE POINT DAMAGE

Purchaser shall reset reference points (RPs) that were moved or damaged at any time during construction to their original locations. Excavation and embankment may not proceed on road segments controlled by said RPs until Purchaser resets all moved or damaged RPs.

1-21 HAUL APPROVAL

Purchaser shall not use roads under this road plan any hauling other than timber cut on the right-of-way, without written approval from the Contract Administrator.

1-25 ACTIVITY TIMING RESTRICTION

The specified activities are not allowed during the listed closure period(s) unless authorized in writing by the Contract Administrator.

<u>Activity</u>	<u>Closure Period</u>
All activities	November 1 to March 31

1-26 OPERATING DURING CLOSURE PERIOD

If permission is granted to operate during a closure period listed in Clause 1-25 ACTIVITY TIMING RESTRICTION, Purchaser shall provide a maintenance plan to include further protection of state resources. Purchaser shall obtain written approval from the Contract Administrator for the maintenance plan, and shall put preventative measures in place before operating during the closure period. Purchaser is required to maintain all haul roads at their own expense including those listed in Contract Clause C-060 DESIGNATED ROAD MAINTAINER. If other operators are using, or desire to use these designated maintainer roads, a joint operating plan must be developed. All parties shall follow this plan.

1-29 SEDIMENT RESTRICTION

Purchaser shall not allow silt-bearing runoff to enter any streams.

1-30 CLOSURE TO PREVENT DAMAGE

In accordance with Contract Clause G-220 STATE SUSPENDS OPERATION, the Contract Administrator will suspend road work or hauling right-of-way timber, forest products, or rock under the following conditions:

- Surface or base stability problems persist.
- Weather is such that satisfactory results cannot be obtained in an area of operations.
- When, in the opinion of the Contract Administrator excessive road damage or rutting may occur.

Operations must stop unless authority to continue working or hauling is granted in writing by the Contract Administrator. In the event that surface or base stability problems persist, Purchaser shall cease operations, or perform corrective maintenance or repairs, subject to specifications within this road plan. Before and during any suspension, Purchaser shall protect the work from damage or deterioration.

1-33 SNOW PLOWING RESTRICTION

Snowplowing will be allowed after the execution of a SNOW PLOWING AGREEMENT, which is available from the Contract Administrator upon request. If damage occurs while plowing, further permission to plow may be revoked by the Contract Administrator.

SECTION 2 – MAINTENANCE

2-1 GENERAL ROAD MAINTENANCE

Purchaser shall maintain all roads used under this contract in accordance with the FOREST ACCESS ROAD MAINTENANCE SPECIFICATIONS for the entire term of this contract. Maintenance is required even during periods of inactivity.

2-2 ROAD MAINTENANCE – PURCHASER MAINTENANCE

Purchaser shall perform maintenance on roads listed in Contract Clause C-050 PURCHASER ROAD MAINTENANCE AND REPAIR in accordance with FOREST ACCESS ROAD MAINTENANCE SPECIFICATIONS.

2-3 ROAD MAINTENANCE – DESIGNATED MAINTAINER

Purchaser may be required to perform maintenance on roads listed in Contract Clause C-060 DESIGNATED ROAD MAINTAINER as directed by the Contract Administrator. Purchaser shall maintain roads in accordance with FOREST ACCESS ROAD MAINTENANCE SPECIFICATIONS.

2-7 CLEANING DITCHES, HEADWALLS, AND CATCH BASINS

Purchaser shall clean ditches, headwalls, and catch basins. Work must be completed before application of rock and must be done in accordance with the TYPICAL SECTION.

SECTION 3 – CLEARING, GRUBBING, AND DISPOSAL

3-5 CLEARING

Purchaser shall fall all vegetative material larger than 2 inches DBH or over 5 feet high between the marked right-of-way boundaries or if not marked in the field, between the clearing limits specified on the TYPICAL SECTION SHEET. Clearing must be completed before starting excavation and embankment.

3-10 GRUBBING

Purchaser shall remove all stumps between the grubbing limits specified on the TYPICAL SECTION SHEET. Purchaser shall also remove stumps with undercut roots outside the grubbing limits. Grubbing must be completed before starting excavation and embankment.

3-20 ORGANIC DEBRIS DEFINITION

Organic debris is defined as all vegetative material not eligible for removal by Contract Clause G-010 PRODUCTS SOLD AND SALE AREA or G-011 RIGHT TO REMOVE FOREST PRODUCTS AND CONTRACT AREA, that is larger than one cubic foot in volume within the clearing limits as shown on the TYPICAL SECTION SHEET.

3-21 DISPOSAL COMPLETION

Purchaser shall remove organic debris from the road surface, ditchlines, and culvert inlets and outlets. Purchaser shall complete all disposal of organic debris before the application of rock.

3-23 PROHIBITED DISPOSAL AREAS

Purchaser shall not place organic debris in the following areas:

- Within 30 feet of a cross drain culvert.
- Within 30 feet of a live stream, or wetland, unless used to comply with the specifications detailed in permits.
- On embankments.
- On road subgrades, or excavation and embankment slopes.
- On slopes greater than 40%.
- Within the operational area for cable landings where debris may shift or roll.
- On locations where brush can fall into the ditch or onto the road surface.
- Against standing timber.

3-24 BURYING ORGANIC DEBRIS RESTRICTED

Purchaser shall not bury organic debris unless otherwise stated in this plan.

3-25 SCATTERING ORGANIC DEBRIS

Purchaser shall scatter organic debris outside of the clearing limits in natural openings unless otherwise detailed in this road plan.

SECTION 4 – EXCAVATION

4-2 PIONEERING

Pioneering may not extend past construction that will be completed during the current construction season. Pioneering may not extend more than 500 feet beyond completed construction unless approved in writing by the Contract Administrator. In addition, the following actions must be taken as pioneering progresses:

- Drainage must be provided on all uncompleted construction.
- Road pioneering operations may not undercut the final cut slope or restrict drainage.
- Culverts at live stream crossings must be installed during pioneering operations prior to embankment.

4-3 ROAD GRADE AND ALIGNMENT STANDARDS

Purchaser shall follow these standards for road grade and alignment:

- Grade and alignment must have smooth continuity, without abrupt changes in direction.
- Maximum grades may not exceed 18 percent favorable and 15 percent adverse.
- Minimum curve radius is 50 feet at centerline.
- Maximum grade change for sag vertical curves is 5% in 100 feet.
- Maximum grade change for crest vertical curves is 4% in 100 feet.

4-5 CUT SLOPE RATIO

Purchaser shall construct excavation slopes no steeper than shown on the following table, unless construction staked or designed:

<u>Material Type</u>	<u>Excavation Slope Ratio</u>	<u>Excavation Slope Percent</u>
Common Earth (on side slopes up to 55%)	1:1	100
Fractured or loose rock	½:1	200
Hardpan or solid rock	¼:1	400

4-6 EMBANKMENT SLOPE RATIO

Purchaser shall construct embankment slopes no steeper than shown on the following table, unless construction staked or designed:

<u>Material Type</u>	<u>Embankment Slope Ratio</u>	<u>Embankment Slope Percent</u>
Sandy Soils	2:1	50
Common Earth and Rounded Gravel	1½:1	67
Angular Rock	1¼:1	80

4-7 SHAPING CUT AND FILL SLOPE

Purchaser shall construct excavation and embankment slopes to a uniform line and left rough for easier revegetation.

4-8 CURVE WIDENING

The minimum widening placed on the inside of curves is:

- 6 feet for curves of 50 to 79 feet radius.
- 4 feet for curves of 80 to 100 feet radius.

4-9 EMBANKMENT WIDENING

The minimum embankment widening is:

- 2 feet for embankment heights at centerline of 2 to 6 feet.
- 4 feet for embankment heights at centerline of greater than 6 feet.

Purchaser shall apply embankment widening equally to both sides of the road to achieve the required width.

4-21 TURNOUTS

Purchaser shall construct turnouts intervisible with a maximum distance of 1,000 feet between turnouts unless otherwise shown on drawings. Locations may be adjusted to fit the final subgrade alignment and sight distances. Locations are subject to written approval by the Contract Administrator. Minimum dimensions are shown on the TYPICAL SECTION SHEET.

4-25 DITCH CONSTRUCTION AND RECONSTRUCTION

Purchaser shall construct or reconstruct ditches into the subgrade as specified on the TYPICAL SECTION SHEET. Ditches must be constructed concurrently with construction of the subgrade.

4-28 DITCH DRAINAGE

Ditches must drain to cross-drain culverts or ditchouts.

4-35 WASTE MATERIAL DEFINITION

Waste material is defined as all dirt, rock, mud, or related material that is extraneous or unsuitable for construction material. Waste material, as used in Section 4 EXCAVATION, is not organic debris.

4-36 DISPOSAL OF WASTE MATERIAL

Purchaser may sidecast waste material on side slopes up to 50% if the waste material is compacted and free of organic debris. On side slopes greater than 50%, all waste material must be end hauled or pushed to the designated embankment sites and waste areas identified in Clause 4-37 WASTE AREA LOCATION.

4-38 PROHIBITED WASTE DISPOSAL AREAS

Purchaser shall not deposit waste material in the following areas, except as otherwise specified in this plan:

- Within 30 feet of a cross drain culvert.
- Within 30 feet of a live stream or wetland.
- In locations that interfere with the construction of the road prism.
- In locations that impede drainage.
- Against standing timber.
- Outside the clearing limits.

4-55 ROAD SHAPING

Purchaser shall shape the subgrade and surface as shown on the TYPICAL SECTION SHEET. The subgrade and surface shape must ensure runoff in an even, un-concentrated manner, and must be uniform, firm, and rut-free.

4-60 FILL COMPACTION

Purchaser shall compact all embankment and waste material by routing equipment over the entire width of each lift.

4-61 SUBGRADE COMPACTION

Purchaser shall compact constructed and reconstructed subgrades by routing equipment over the entire width.

4-70 SUBGRADE REINFORCEMENT

On the following road(s), Purchaser shall provide and install geotextile fabric. Subgrade reinforcement must be installed to a width that is 2 feet more than the subgrade width, including turnouts. Geotextile fabric must overlap by a minimum of 2 feet at all joints. The geotextile fabric must be covered with a minimum of 12 inches of compacted 3-inch-minus ballast rock. Purchaser shall apply rock in one-foot lift(s) over the geotextile in accordance with the manufacturer’s specifications. Geotextile fabric must meet the specifications in Clause 10-3 GEOTEXTILE FOR STABILIZATION.

<u>Road</u>	<u>Stations</u>
CN-2006-0604	0+00 to 17+05
CN-30	39+38 to 46+89

SECTION 5 – DRAINAGE

5-5 CULVERTS

Purchaser shall install culverts as part of this contract. Culverts must be installed concurrently with subgrade work and must be installed before subgrade compaction and rock application. Culvert locations and the minimum requirements for culvert length and diameter are designated on MATERIALS LIST. Culvert, downspout, and flume lengths may be adjusted to fit as-built conditions and may not terminate directly on unprotected soil. Culverts must be new material and must meet the specifications in Clauses 10-15 through 10-23.

5-11 UNUSED MATERIALS STATE PROPERTY

On required roads, any materials listed on the MATERIALS LIST that are not installed will become the property of the state. Purchaser shall stockpile materials as directed by the Contract Administrator.

5-15 CULVERT INSTALLATION

Culvert installation must be in accordance with the CULVERT AND DRAINAGE SPECIFICATION DETAIL and the National Corrugated Metal Pipe Association's "Installation Manual for Corrugated Steel Drainage Structures" and the Corrugated Polyethylene Pipe Association's "Recommended Installation Practices for Corrugated Polyethylene Pipe and Fittings".

5-17 CROSS DRAIN SKEW AND SLOPE

Cross drains, on road grades in excess of 3%, must be skewed at least 30 degrees from perpendicular to the road centerline, except where the cross drain is at the low point in the road culverts will not be skewed. Cross drain culverts must be installed at a slope steeper than the incoming ditch grade, but not less than 3% or more than 10%.

5-25 CATCH BASINS

Purchaser shall construct catch basins in accordance with CULVERT AND DRAINAGE SPECIFICATION DETAIL. Minimum dimensions of catch basins are 2 feet wide and 4 feet long.

5-26 HEADWALLS FOR CROSS DRAIN CULVERTS

Purchaser shall construct headwalls in accordance with the CULVERT AND DRAINAGE SPECIFICATION DETAIL at all cross drain culverts. Rock used for headwalls must weigh at least 50 pounds. Rock must be placed on shoulders, slopes, and around culvert inlets and outlets. Rock may not restrict the flow of water into culvert inlets or catch basins. No placement by end dumping or dropping of rock is allowed.

SECTION 6 – ROCK AND SURFACING

6-2 ROCK SOURCE ON STATE LAND

Rock used in accordance with the quantities on the TYPICAL SECTION and MATERIALS LIST may be obtained from the following sources on state land at no charge to the Purchaser. Purchaser shall obtain written approval from the Contract Administrator for the use of material from any other source. If other operators are using, or desire to use the rock sources, a joint operating plan must be developed. All parties shall follow this plan.

<u>Source</u>	<u>Location</u>	<u>Rock Type</u>
CN-2006-0101**	STA 6+40 of the CN-2006-01 road	1 ½-inch-minus crushed surfacing rock**, Riprap
ST-1624	STA 126+70 of the ST-16 road	3-inch-minus ballast rock, Riprap

** Stockpiled rock may only be used for reconstruction only

6-3 ROCK SOURCE STATE LAND, EXISTING STOCKPILE

Rock used in accordance with the quantities on the TYPICAL SECTION and MATERIALS LIST may be obtained from the following existing stockpiles on state land at no charge to the Purchaser. Purchaser shall not remove more than 1000 cubic yards of 1½-inch-minus crushed surfacing rock. Purchaser shall not remove additional yardage without prior written approval from the Contract Administrator. Purchaser may only use stockpiled rock for reconstruction only.

<u>Source</u>	<u>Location</u>	<u>Rock Type</u>	<u>Quantity</u>
CN-2006-0101	STA 6+40 of the CN-2006-01 road	1½-inch-minus crushed surfacing rock	1000 yards

6-11 ROCK SOURCE DEVELOPMENT PLAN BY PURCHASER

Purchaser shall conduct rock source development and use at the following sources, in accordance with a written ROCK SOURCE DEVELOPMENT PLAN to be prepared by the Purchaser. The plan is subject to written approval by the Contract Administrator before any rock source operations. Upon completion of operations, the rock source must be left in the condition specified in the ROCK SOURCE DEVELOPMENT PLAN, and approved in writing by the Contract Administrator.

<u>Source</u>
CN-2006-0101
ST-1624

Rock source development plans prepared by the Purchaser must show the following information:

- Rock source location.
- Rock source overview showing access roads, development areas, stockpile locations, waste areas, and floor drainage.
- Rock source profiles showing development areas, bench locations including widths, and wall faces including heights.

6-20 ROCK GRADATION TYPES

Purchaser shall provide rock in accordance with the types and amounts listed in the TYPICAL SECTION and MATERIALS LIST. Rock must meet the following specifications for gradation and uniform quality when placed in hauling vehicles or during manufacture and placement into a stockpile. The exact point of evaluation for conformance to specifications will be determined by the Contract Administrator.

6-34 3-INCH MINUS BALLAST ROCK

Ballast rock must be 100% equal to, or smaller than, 3 inches in at least one dimension.

Rock may contain no more than 5 percent organic debris, dirt, and trash. All percentages are by weight.

6-50 LIGHT LOOSE RIP RAP

Rip rap must consist of angular, hard, sound, and durable stone. It must be free from segregation, seams, cracks, and other defects. Light loose rip rap must be free of rock fines, soil, organic debris or other extraneous material, and must meet the following requirements:

<u>At Least/Not More Than</u>	<u>Weight Range</u>
20% / 90%	300 lbs. to 1 ton
80% / --	50 lbs. to ½ ton
10% / 20%	50 lbs. max

6-51 HEAVY LOOSE RIP RAP

Rip rap must consist of angular, hard, sound, and durable stone. It must be free from segregation, seams, cracks, and other defects. Heavy loose riprap must be free of rock fines, soil, organic debris or other extraneous material, and must meet the following requirements:

<u>At Least/Not More Than</u>	<u>Weight Range</u>	<u>Size Range</u>
30% / 90%	1 ton to 3 ton	36" - 54"
70% / 90%	500 lbs. to 1 ½ ton	24" - 42"
10% / 30%	50 lbs. max	3" - 8"

6-55 ROCK APPLICATION MEASURED BY COMPACTED DEPTH

Measurement of specified rock depths, are defined as the compacted depth(s) using the compaction methods required in this road plan. Estimated quantities specified in the TYPICAL SECTION are loose yards. Purchaser shall apply adequate amounts of rock to meet the specified rock depths. Specified rock depths are minimum requirements, and are not subject to reduction.

6-70 APPROVAL BEFORE ROCK APPLICATION

Purchaser shall obtain written approval from the Contract Administrator for culvert installation, ditch construction, ditch reconstruction, headwall construction, and headwall reconstruction before rock application.

6-71 ROCK APPLICATION

Purchaser shall apply rock in accordance with the specifications and quantities shown on the TYPICAL SECTION. Rock must be spread, shaped, and compacted full width concurrent with rock hauling operations. The Contract Administrator will direct locations for rock that is to be applied as spot patching. Road surfaces must be compacted in accordance with the TYPICAL SECTION by routing equipment over the entire width.

6-73 ROCK FOR WIDENED PORTIONS

Purchaser shall apply rock to turnarounds, turnouts, and areas with curve widening to the same depth and specifications as the traveled way

6-80 WATERING FOR DUST ABATEMENT

Purchaser shall use water for dust abatement on the following roads:

<u>Road</u>	<u>Stations</u>
ST-ML	0+00 to 60+00

SECTION 7 – STRUCTURES

7-76 GATE INSTALLATION

Purchaser shall install the listed gate. Gate installations must be installed within 30 days of road reconstruction operations.

<u>Road</u>	<u>Station</u>	<u>Type</u>	<u>Provided by</u>
ST-ML	STA 60+56	Steel Gate	State

Steel gate installation(s) must be in accordance with the STEEL GATE DETAIL.

The gate and lock box must be installed plumb and aligned to ensure all mating components match with precision. Each post must be set in a minimum of 4 cubic yards of poured-in-place concrete. The gate must be installed with a post and locking device to allow the gate to be locked in an open position. The Contract Administrator will provide Purchaser with a padlock.

If Purchaser wishes to install an alternate design, detailed plans for the construction of the gate must be submitted to the Contract Administrator. Purchaser shall obtain written approval for the plans from the Contract Administrator or their designee, before gate installation begins.

7-77 GATE SUPPLIED BY STATE

A gate with lock box is located at the Northwest Region Headquarters. After making arrangements through the Contract Administrator, Purchaser shall transport the gate, tie-back post, and lock box to the installation site.

SECTION 8 – EROSION CONTROL

8-15 REVEGETATION

Purchaser shall spread seed and fertilizer on all exposed soils within the grubbing limits resulting from road work activities. Cover all exposed soils using manual dispersal of grass seed and fertilizer. Other methods of covering must be approved in writing by the Contract Administrator.

8-17 REVEGETATION TIMING

Purchaser shall revegetate during the first available opportunity after road work is completed. Soils may not be allowed to sit exposed for longer than one month without receiving revegetation treatment unless otherwise approved in writing by the Contract Administrator.

8-18 PROTECTION FOR SEED

Purchaser shall provide a protective cover for seed if revegetation occurs between July 1 and March 31. The protective cover may consist of dispersed straw, jute matting, or clear plastic sheets. The protective cover requirement may be waived in writing by the Contract Administrator if Purchaser is able to demonstrate a revegetation plan that will result in the establishment of a uniform dense crop (at least 50% coverage) of 3-inch tall grass by October 31.

8-19 ASSURANCE FOR SEEDED AREA

Purchaser shall ensure the growth of a uniform and dense crop (at least 50% coverage) of 3-inch tall grass. Purchaser shall reapply the grass seed and fertilizer in areas that have failed to germinate or have been damaged through any cause. Restore eroded or disturbed areas, clean up and properly dispose of eroded materials, and reapply the seed and fertilizer at no addition cost to the state.

8-25 GRASS SEED

Purchaser shall evenly spread the seed mixture listed below on all exposed soil inside the grubbing limits at a rate of 50 pounds per acre of exposed soil. Grass seed must meet the following specifications:

1. Weed seed may not exceed 0.5% by weight.
2. All seed species must have a minimum 90% germination rate, unless otherwise specified.
3. Seed must be certified.
4. Seed must be furnished in standard containers showing the following information:
 - a. Common name of seed
 - b. Net weight
 - c. Percent of purity
 - d. Percentage of germination
 - e. Percentage of weed seed and inert material
5. Seed must conform to the following mixture.

<u>Kind and Variety of Seed in Mixture</u>	<u>% by Weight</u>
Creeping Red Fescue	50
Elf Perennial Rye Grass	25
Highland Colonial Bentgrass	15
White Clover	10
Inert and Other Crop	0.5

8-27 FERTILIZER

Purchaser shall evenly spread the fertilizer listed below on all exposed soil inside the grubbing limits at a rate of 200 pounds per acre of exposed soil. Fertilizer must meet the following specifications:

<u>Chemical Component</u>	<u>% by Weight</u>
Nitrogen	16
Phosphorous	16
Potassium	16
Sulphur	3
Inerts	49

SECTION 9 – POST-HAUL ROAD WORK

9-3 CULVERT MATERIAL REMOVED FROM STATE LAND

Culverts removed from roads become the property of the Purchaser and must be removed from state land.

9-10 LANDING DRAINAGE

Purchaser shall provide for drainage of the landing surface.

9-12 LANDING EMBANKMENT REMOVAL

Purchaser shall reduce or relocate the landing embankment. Place excavated material in a waste area approved in writing by the Contract Administrator.

9-21 ROAD ABANDONMENT

Purchaser shall abandon the following before the termination of this contract.

<u>Road</u>	<u>Stations</u>	<u>Type</u>
CN-2006-06	STA 0+00 to 26+62	Abandon
CN-2006-0604	STA 0+00 to 17+05	Abandon
CN-30	0+00 to 46+89	Abandon
ST-1614	65+13 to 85+20	Abandon
ST-1633-04	0+00 to 4+01	Abandon
ST-1633-05	0+00 to 5+11	Abandon

9-22 ABANDONMENT

- Remove all ditch relief culverts. The resulting slopes must be 1:1 or flatter. Place and compact the removed fill material in a location that will not erode into any Type 1 through 5 waters or wetlands.
- Remove all culverts in natural drainages. The resulting slopes must be 1:1 or flatter. Strive to match the existing native stream bank gradient. The natural streambed width must be re-established. Place and compact the removed fill material in a location that will not erode into any Type 1 through 5 waters or wetlands.
- Transport all removed culverts off site. All removed culverts are the property of the Purchaser.
- Construct non-drivable waterbars at natural drainage points and at a spacing that will produce a vertical drop of no more than 20 feet between waterbars and with a maximum horizontal spacing of 400 feet.
- Skew waterbars at least 30 degrees from perpendicular to the road centerline on roads in excess of 3 percent grade.
- Key waterbars into the cut-slope to intercept the ditch. Waterbars must be outsloped to provide positive drainage. Outlets must be on stable locations.
- Inslope or outslope the road as appropriate.
- Remove bridges and other structures.
- Pull back unstable fill that has potential of failing and entering any Type 1 through 5 waters or wetlands. Place and compact removed material in a stable location.
- Remove berms except as designed.
- Block the road by constructing an aggressive barrier of dense interlocked large woody debris (logs, stumps, root wads, etc.) so that four wheel highway vehicles cannot pass the point of abandonment. Typical barrier dimensions are 10 feet high by 20 feet deep, spanning the entire road prism from top of cutslope to toe of fillslope. Long term effectiveness is the primary objective. If necessary construct a vehicular turn-around near the point of abandonment.
- Apply grass seed to all exposed soils resulting from the abandonment work and in accordance with Section 8 EROSION CONTROL

SECTION 10 MATERIALS

10-3 GEOTEXTILE FOR STABILIZATION

Geotextiles must meet the following minimum requirements for strength and property qualities, and must be designed by the manufacturer to be used for stabilization or reinforcement, and filtration. Material must be free of defects, cuts, and tears.

	<u>ASTM Test</u>	<u>Requirements</u>
Type	--	Woven
Apparent opening size	D 4751	No. 40 max
Water permittivity	D 4491	0.10 sec ⁻¹
Grab tensile strength	D 4632	315 lb
Grab tensile elongation	D 4632	50%
Puncture strength	D 6241	620 lb
Tear strength	D 4533	112 lb
Ultraviolet stability	D 4355	50% retained after 500 hours of exposure

10-15 CORRUGATED STEEL CULVERT

Metallic coated steel culverts must meet AASHTO M-36 (ASTM A-760) specifications. Culverts must be galvanized (zinc coated meeting AASHTO M-218).

10-16 CORRUGATED ALUMINUM CULVERT

Aluminum culverts must meet AASHTO M-196 (ASTM A-745) specifications.

10-17 CORRUGATED PLASTIC CULVERT

Polyethylene culverts must meet AASHTO M-294 specifications, or ASTM F-2648 specifications for recycled polyethylene. Culverts must be Type S – double walled with a corrugated exterior and smooth interior.

10-21 METAL BAND

Metal coupling and end bands must meet the AASHTO specification designated for the culvert and must have matching corrugations. Culverts 24 inches and smaller must have bands with a minimum width of 12 inches. Culverts over 24 inches must have bands with a minimum width of 24 inches.

10-22 PLASTIC BAND

Plastic coupling and end bands must meet the AASHTO specification designated for the culvert. Only fittings supplied or recommended by the culvert manufacturer may be used.

10-24 GAGE AND CORRUGATION

Unless otherwise stated in the, metal culverts must conform to the following specifications for gage and corrugation as a function of diameter.

<u>Diameter</u>	<u>Gage</u>	<u>Corrugation</u>
18"	16 (0.064")	2 2/3" X 1/2"
24" to 48"	14 (0.079")	2 2/3" X 1/2"
54" to 96"	14 (0.079")	3" X 1"

SECTION 11 SPECIAL NOTES

11-1 LOG STRINGER BRIDGE RECONSTRUCTION

Purchaser shall reconstruct the following log stringer bridge:

<u>Road</u>	<u>Location</u>	<u>Structure/Remarks</u>
CN-30	Station 31+50 to 31+80	Replace curb logs on existing log stringer bridge according to a plan supplied by the purchaser and approved by the contract administrator.

Curb logs on the existing log stringer bridge will be replaced prior to any hauling. Plan for curb log replacement shall be submitted to contract administrator prior to conducting any work. Plan shall include methodology, tools, and timing. Purchaser may conduct work after the submitted plan has been approved in writing by the contract administrator.


11-2 RECONSTRUCTION DETAILS

Purchaser shall accomplish the following reconstruction items.


<u>Road</u>	<u>Stations</u>	<u>Reconstruction Items</u>
ST-ML and ST-16	0+00 to 81+82 and 0+00 to 111+15	- Blade, Shape, and ditch road surface. - Clean out catch basins and outlets of all existing pipes.
ST-ML	0+00 to 81+82	Spot patch existing road surface with 200 cubic yards of 1 1/2-inch-minus crushed surfacing rock as directed by the contract administrator.
ST-16	0+00 to 111+15	Spot patch existing road surface with 800 cubic yards of 1 1/2-inch-minus crushed surfacing rock as directed by the contract administrator.

ROAD #		CN-2006-0604	CN-30	CN-30	
REQUIRED / OPTIONAL		OPTIONAL	OPTIONAL	OPTIONAL	
CONSTRUCT / RECONSTRUCT		CONSTRUCT	RECONSTRUCT	CONSTRUCT	
TOLERANCE CLASS (A/B/C)		C	A	C	
STATION / MP TO		0+00	31+50	39+38	
STATION / MP		17+05	31+80	46+89	
ROAD WIDTH	R	12	REPLACE CURB LOGS ON EXISTING LOG STRINGER BRIDGE ACCORDING TO A PLAN TO BE APPROVED BY THE CONSTRUCT ADMINISTRATOR AND SUPPLIED BY PURCHASER.	12	
CROWN (INCHES @ C/L)		3		3	
DITCH WIDTH	W	2		2	
DITCH DEPTH	D	1		1	
TURNOUT LENGTH	L	25		25	
TURNOUT WIDTH	T	10		10	
TURNOUT TAPER	P	25		25	
GRUBBING	G1	5		5	
	G2	5		5	
CLEARING	C1	10		10	
	C2	10		10	
ROCK FILLSLOPE	K:1	1½		1½	
❖ BALLAST DEPTH	B1	18		18	
CUBIC YARDS / STATION		114		114	
➤ TOTAL CY BALLAST		1950		860	
❖ SURFACING DEPTH	B2	--	--		
CUBIC YARDS / STATION		--	--		
➤ TOTAL CY SURFACING		--	--		
➤ TOTAL CUBIC YARDS		1950	860		
SUBGRADE WIDTH	S	16.5	16.5		
BRUSHCUT (Y/N)		N/A	N/A		
BLADE, SHAPE, & DITCH (Y/N)		N/A	N/A		

TYPICAL SECTION



TURNOUT DETAIL (PLAN VIEW)



SYMBOL NOTES

- ❖ Specified Rock Depth is FINISHED COMPACTED DEPTH in inches.
- Specified Rock Quantity is LOOSE MEASURE (Truck Cubic Yards) needed to accomplish specified FINISHED COMPACTED DEPTH. Rock quantities include volume for turnouts, curve widening and landings.
- ^^ 1 ½-inch-minus crushed surfacing rock for spot patching at locations designated by Contract Administrator.

ROAD #		ST-ML	ST-16	ST-1614	ST-1633	ST-1633-04	ST-1633-05	
REQUIRED / OPTIONAL		REQUIRED	REQUIRED	OPTIONAL	OPTIONAL	OPTIONAL	OPTIONAL	
CONSTRUCT / RECONSTRUCT		RECONSTRUCT	RECONSTRUCT	CONSTRUCT	CONSTRUCT	CONSTRUCT	CONSTRUCT	
TOLERANCE CLASS (A/B/C)		C	C	C	C	C	C	
STATION / MP TO		0+00	0+00	80+14	0+00	0+00	0+00	
STATION / MP		81+82	111+15	85+20	26+20	4+01	5+11	
ROAD WIDTH	R	12	12	12	12	12	12	
CROWN (INCHES @ C/L)		3	3	3	3	3	3	
DITCH WIDTH	W	3	3	2	2	2	2	
DITCH DEPTH	D	1	1	1	1	1	1	
TURNOUT LENGTH	L	50	50	25	25	25	25	
TURNOUT WIDTH	T	10	10	10	10	10	10	
TURNOUT TAPER	P	25	25	25	25	25	25	
GRUBBING	G1	--	--	5	5	5	5	
	G2	--	--	5	5	5	5	
CLEARING	C1	--	--	10	10	10	10	
	C2	--	--	10	10	10	10	
ROCK FILLSLOPE	K:1	1½	1½	1½	1½	1½	1½	
❖ BALLAST DEPTH	B1	--	--	18	18	18	18	
CUBIC YARDS / STATION		--	--	114	114	114	114	
➤ TOTAL CY BALLAST		--	--	580	3000	460	600	
❖ SURFACING DEPTH	B2	--	--	--	--	--	--	
CUBIC YARDS / STATION		--	--	--	--	--	--	
➤ TOTAL CY SURFACING		200^^	800^^	--	--	--	--	
➤ TOTAL CUBIC YARDS		200^^	800^^	580	3000	460	600	
SUBGRADE WIDTH	S	--	--	16.5	16.5	16.5	16.5	
BRUSHCUT (Y/N)		N	N	N/A	N/A	N/A	N/A	
BLADE, SHAPE, & DITCH (Y/N)		Y	Y	N/A	N/A	N/A	N/A	

MATERIALS LIST

LOCATION		CULVERT			DWNSPT		RIPRAP			FILL TYPE	TOLERANCE	REMARKS										
ROAD #	STATION	DIAMETER	LENGTH	TYPE	LENGTH	TYPE	INLET	OUTLET	TYPE			Note: Galvanized metal culverts shall conform to the following specifications for gage and corrugation as a function of the diameter: <table style="margin-left: auto; margin-right: auto; border: none;"> <tr> <td style="text-align: center;"><u>Diameter</u></td> <td style="text-align: center;"><u>Gage</u></td> <td style="text-align: center;"><u>Corrugation</u></td> </tr> <tr> <td style="text-align: center;">18"</td> <td style="text-align: center;">16</td> <td style="text-align: center;">2 2/3" x 1/2"</td> </tr> <tr> <td style="text-align: center;">24" – 48"</td> <td style="text-align: center;">14</td> <td style="text-align: center;">2 2/3" x 1/2"</td> </tr> <tr> <td style="text-align: center;">54" – 96"</td> <td style="text-align: center;">14</td> <td style="text-align: center;">3" x 1"</td> </tr> </table>	<u>Diameter</u>	<u>Gage</u>	<u>Corrugation</u>	18"	16	2 2/3" x 1/2"	24" – 48"	14	2 2/3" x 1/2"	54" – 96"
<u>Diameter</u>	<u>Gage</u>	<u>Corrugation</u>																				
18"	16	2 2/3" x 1/2"																				
24" – 48"	14	2 2/3" x 1/2"																				
54" – 96"	14	3" x 1"																				
CN-2006-0604	0+22	18	40	XX	--	--	2	2	L	NT	C											
	2+60	18	30	XX	--	--	2	3	L	NT	C											
	4+90	30	36	GM	--	--	20	30	H/L	NT	C											
	14+20	18	30	XX	--	--	2	3	L	NT	C											
CN-30	31+50 to 31+80	PLACE CURB LOGS ON EXSITNG LOG STRINGER BRIDGE.									A	USE TWO MINIMUM 18 INCH MID SPAN DIAMATER LOGS										
	41+75	18	30	XX	--	--	2	3	L	NT	C											
	42+94	18	30	XX	--	--	2	3	L	NT	C											
	43+29	24	30	XX	--	--	10	15	H/L	NT	C											
	44+00	18	36	XX	--	--	2	3	L	NT	C											
	46+24	24	36	XX	--	--	5	8	H/L	NT	C											
ST-1614	82+49	18	30	XX	--	--	3	10	L	NT	C											

GM – Galvanized Metal PS – Polyethylene Pipe Single Wall PD – Polyethylene Pipe Dual Wall AM – Aluminized Metal C – Concrete XX – PD or GM
 H – Heavy Loose Riprap L – Light Loose Riprap SR – Shot Rock NT – Native (Bank Run) QS – Quarry Spalls

MATERIALS LIST

LOCATION		CULVERT			DWNSPT		RIPRAP			FILL TYPE	TOLERANCE	REMARKS
ROAD #	STATION	DIAMETER	LENGTH	TYPE	LENGTH	TYPE	INLET	OUTLET	TYPE			<u>Note:</u> Galvanized metal culverts shall conform to the following specifications for gage and corrugation as a function of the diameter:
										<u>Diameter</u>	<u>Gage</u>	<u>Corrugation</u>
										18"	16	2 2/3" x 1/2"
24" – 48"	14	2 2/3" x 1/2"										
54" – 96"	14	3" x 1"										
ST-1633	5+62	18	30	XX	--	--	2	3	L	NT	C	
	7+01	24	30	XX	--	--	10	15	H/L	NT	C	
	9+25	18	30	XX	--	--	5	10	L	NT	C	
	12+70	18	30	XX	--	--	5	10	L	NT	C	
	15+03	18	30	XX	--	--	5	10	L	NT	C	
	16+35	24	40	XX	--	--	15	25	H/L	NT	C	
	17+74	18	50	XX	--	--	2	3	L	NT	C	
ST-1633-05	2+45	24	30	XX	--	--	10	15	H/L	NT	C	

GM – Galvanized Metal PS – Polyethylene Pipe Single Wall PD – Polyethylene Pipe Dual Wall AM – Aluminized Metal C – Concrete XX – PD or GM
 H – Heavy Loose Riprap L – Light Loose Riprap SR – Shot Rock NT – Native (Bank Run) QS – Quarry Spalls

FOREST ACCESS ROAD MAINTENANCE SPECIFICATIONS

Cuts and Fills

- Maintain slope lines to a stable gradient compatible with the construction materials. Remove slides from ditches and the roadway. Repair fill-failures, in accordance with Clause 4-6 EMBANKMENT SLOPE RATIO, with selected material or material approved by the Contract Administrator. Remove overhanging material from the top of cut slopes.
- Waste material from slides or other sources shall be placed and compacted in stable locations identified in the road plan or approved by the Contract Administrator, so that sediment will not deliver to any streams or wetlands.
- Slide material and debris shall not be mixed into the road surface materials, unless approved by the Contract Administrator.

Surface

- Grade and shape the road surface, turnouts, and shoulders to the original shape on the TYPICAL SECTION SHEET. Inslope or outslope as directed to provide a smooth, rut-free traveled surface and maintain surface water runoff in an even, unconcentrated manner.
- Blading shall not undercut the backslope or cut into geotextile fabric on the road.
- If required by the Contract Administrator, water shall be applied as necessary to control dust and retain fine surface rock.
- Surface material shall not be bladed off the roadway. Replace surface material when lost or worn away, or as directed by the Contract Administrator.
- Remove shoulder berms, created by grading, to facilitate drainage, except as marked or directed by the Contract Administrator.
- For roads with geotextile fabric: spread surface aggregate to fill in soft spots and wheel ruts (barrel spread) to prevent damage to the geotextile fabric.

Drainage

- Prevent silt bearing road surface and ditch runoff from delivering sediment to any streams or wetlands.
- Maintain rolling dips and drivable waterbars as needed to keep them functioning as intended.
- Maintain headwalls to the road shoulder level with material that will resist erosion.
- Maintain energy dissipaters at culvert outlets with non-erodible material or rock.
- Keep ditches, culverts, and other drainage structures clear of obstructions and functioning as intended.
- Inspect and clean culverts at least monthly, with additional inspections during storms and periods of high runoff. This shall be done even during periods of inactivity.

Preventative Maintenance


- Perform preventative maintenance work to safeguard against storm damage, such as blading to ensure correct runoff, ditch and culvert cleaning, and waterbar maintenance.

Termination of Use or End of Season

- At the conclusion of logging operations, ensure all conditions of these specifications have been met.


Debris

- Remove fallen timber, limbs, and stumps from the slopes, roadway, ditchlines, and culvert inlets.



STEEL GATE INSTALLATION

ST-ML 60+56



CONSTRUCTION NOTES

1. ALL WELDS ARE FILLET WELDS.
2. ACTUAL LOCATION SHALL BE DESIGNATED BY THE CONTRACT ADMINISTRATOR.
3. ALL CONCRETE SHALL MEET MINIMUM REQUIREMENTS FOR CLASS B CONCRETE.


CONTRACT #
30-092211

PROJECT
LIKE IKE


SHEET
29 OF 30

CULVERT AND DRAINAGE SPECIFICATIONS


CULVERT INSTALLATION (TYPICAL)




CULVERT HEADWALL - SECTION VIEW




CULVERT INSTALLATION WITH DOWNSPOUT




CULVERT HEADWALL - PLAN VIEW



PLASTIC CULVERT INSTALLATION WITH PLASTIC DOWNSPOUT



TURNER ELBOW



HEADWALL NOTE:
 HEADWALL TO BE CONSTRUCTED OF IMPERVIOUS MATERIAL THAT WILL RESIST EROSION AND ARMORED WITH RIPRAP QUANTITY SPECIFIED IN ROAD PLAN.

CONTRACT #	PROJECT	SHEET
30-092211	LIKE IKE	30 OF 30

SUMMARY - Road Development Costs

REGION: NW
DISTRICT: Cascade

SALE/PROJECT NAME: LIKE IKE

CONTRACT #: 30-092211

ROAD NUMBERS:	CN-2006-0604, CN-30, ST-1614, ST-1633, ST-1633-04, AND ST-1633-05	ST-ML AND ST-16	-
ROAD STANDARD:	Construction	Reconstruction	Maintenance
NUMBER OF STATIONS:	64.94	193.27	0.00
CLEARING & GRUBBING:	\$21,041	\$0	
EXCAVATION AND FILL:	\$23,378	\$0	-
MISC. MAINTENANCE:	\$3,507	\$35,995	-
ROAD ROCK:	\$43,250	\$21,897	-
ROCK STOCKPILE PROD:	\$0	\$0	-
CULVERTS AND FLUMES:	\$12,858	\$0	-
STRUCTURES:	\$2,338	\$2,100	-
MOBILIZATION:	\$10,520	\$0	-
TOTAL COSTS:	\$116,892	\$59,991	\$0
COST PER STATION:	\$1,800	\$310	\$0
ROAD DEACTIVATION & ABANDONMENT COSTS:		\$5,984	

TOTAL (All Roads) = \$182,867
SALE VOLUME MBF = 5,500
TOTAL \$/MBF = \$33


Compiled by: Warner

Date: 07/21/15

LOGGING PLAN MAP

SALE NAME: Like Ike
AGREEMENT#: 30-092211
TOWNSHIP(S): T33R06E, T33R05E
TRUST(S): State Forest Transfer (1), Common School (3), Agricultural School (4)

REGION: Northwest
COUNTY(S): Skagit
ELEVATION RGE: 1750'-2660'




Legend	Roads	Special Management Areas
 Like Ike	 Existing Roads	 Leave Tree Area
 WMZ Mgt Zone	 Required Construction	 Forested Wetland
 Sale Boundary Tags	 Required Reconstruction	
 Special Mgt Area Tags	 Optional Construction	Symbols
 Reprod	 Right of Ways	→ Streams
Logging Methods		* Stream Type Break
 Cable		◆ Monumented Corners
 Ground Based		● Historic Resource

LOGGING PLAN MAP

SALE NAME: Like Ike
AGREEMENT#: 30-092211
TOWNSHIP(S): T33R06E, T33R05E
TRUST(S): State Forest Transfer (1), Common School (3), Agricultural School (4)

REGION: Northwest
COUNTY(S): Skagit
ELEVATION RGE: 1750'-2660'




Legend	Roads	Special Management Areas
Like Ike	Existing Roads	Leave Tree Area
WMZ Mgt Zone	Required Construction	Forested Wetland
Sale Boundary Tags	Required Reconstruction	
Special Mgt Area Tags	Optional Construction	
Reprod	Right of Ways	
Logging Methods		Symbols
Cable		Streams
Ground Based		Stream Type Break
		Monumented Corners
		Historic Resource



LOGGING PLAN MAP

SALE NAME: Like Ike
AGREEMENT#: 30-092211
TOWNSHIP(S): T33R06E, T33R05E
TRUST(S): State Forest Transfer (1), Common School (3), Agricultural School (4)

REGION: Northwest
COUNTY(S): Skagit
ELEVATION RGE: 1750'-2660'



Unit 5
 Harvest Area
 ~175.6 Acres
 Approximately
 Unit 1: 72.5
 Unit 2: 25.0
 Unit 3: 4.6
 Unit 4: 12.3
 Unit 5: 55.5
 WMZ: 3.4
 Total VRH Acres:
 Approx. ~169.9
 Total WMZ VDT Acres:
 Approx. ~3.4


Legend	Roads	Special Management Areas
Like Ike	Existing Roads	Leave Tree Area
WMZ Mgt Zone	Required Construction	Forested Wetland
Sale Boundary Tags	Required Reconstruction	
Special Mgt Area Tags	Optional Construction	
Reprod	Right of Ways	
Logging Methods		Symbols
Cable		Streams
Ground Based		Stream Type Break
		Monumented Corners
		Historic Resource



LOGGING PLAN MAP

SALE NAME: Like Ike
AGREEMENT#: 30-092211
TOWNSHIP(S): T33R06E, T33R05E
TRUST(S): State Forest Transfer (1), Common School (3), Agricultural School (4)

REGION: Northwest
COUNTY(S): Skagit
ELEVATION RGE: 1750'-2660'




Legend	Roads	Special Management Areas
Like Ike	Existing Roads	Leave Tree Area
WMZ Mgt Zone	Required Construction	Forested Wetland
Sale Boundary Tags	Required Reconstruction	
Special Mgt Area Tags	Optional Construction	
Reprod	Right of Ways	
Logging Methods		Symbols
Cable		Streams
Ground Based		Stream Type Break
		Monumented Corners
		Historic Resource



LOGGING PLAN MAP

SALE NAME: Like Ike
AGREEMENT#: 30-092211
TOWNSHIP(S): T33R06E, T33R05E
TRUST(S): State Forest Transfer (1), Common School (3), Agricultural School (4)

REGION: Northwest
COUNTY(S): Skagit
ELEVATION RGE: 1750'-2660'



Legend	Roads	Special Management Areas
Like Ike	Existing Roads	Leave Tree Area
WMZ Mgt Zone	Required Construction	Forested Wetland
Sale Boundary Tags	Required Reconstruction	
Special Mgt Area Tags	Optional Construction	
Reprod	Right of Ways	
Logging Methods		Symbols
Cable		Streams
Ground Based		Stream Type Break
		Monumented Corners
		Historic Resource